

Package ‘aqp’

September 17, 2025

Version 2.2-1

Title Algorithms for Quantitative Pedology

Author Dylan Beaudette [aut, cre],
Pierre Roudier [aut, ctb],
Andrew Brown [aut, ctb]

Maintainer Dylan Beaudette <dylan.beaudette@usda.gov>

Depends R (>= 3.5.0)

Imports grDevices, graphics, stats, utils, methods, grid, lattice,
cluster, stringr, data.table, farver, digest, colorspace, ape

Suggests mvtnorm, soilDB, sp, sf, latticeExtra, tactile, compositions,
markovchain, xtable, testthat, Gmedian, Hmisc, tibble,
RColorBrewer, scales, mpspline2, soiltexture, gower, knitr,
rmarkdown, dendextend

Description The Algorithms for Quantitative Pedology (AQP) project was started in 2009 to organize a loosely-related set of concepts and source code on the topic of soil profile visualization, aggregation, and classification into this package (aqp). Over the past 8 years, the project has grown into a suite of related R packages that enhance and simplify the quantitative analysis of soil profile data. Central to the AQP project is a new vocabulary of specialized functions and data structures that can accommodate the inherent complexity of soil profile information; freeing the scientist to focus on ideas rather than boilerplate data processing tasks <[doi:10.1016/j.cageo.2012.10.020](https://doi.org/10.1016/j.cageo.2012.10.020)>. These functions and data structures have been extensively tested and documented, applied to projects involving hundreds of thousands of soil profiles, and deeply integrated into widely used tools such as SoilWeb <<https://casoilresource.lawr.ucdavis.edu/soilweb-apps>>. Components of the AQP project (aqp, soilDB, sharpshootR, soilReports packages) serve an important role in routine data analysis within the USDA-NRCS Soil Science Division. The AQP suite of R packages offer a convenient platform for bridging the gap between pedometric theory and practice.

License GPL (>= 3)

LazyLoad yes

Repository CRAN

URL <https://ncss-tech.github.io/aqp/>, <https://ncss-tech.github.io/AQP/>

BugReports <https://github.com/ncss-tech/aqp/issues>

Language en-US

Encoding UTF-8

RoxygenNote 7.3.2

VignetteBuilder knitr

Config/Needs/website rmarkdown

NeedsCompilation no

Date/Publication 2025-09-17 05:10:07 UTC

Contents

aqp-package	6
accumulateDepths	7
addBracket	9
addDiagnosticBracket	12
addVolumeFraction	13
aggregateColor	14
aggregateColorPlot	16
aggregateSoilDepth	17
alignTransect	19
allocate	20
aqp_df_class,SoilProfileCollection-method	24
argillic.clay.increase.depth	25
as	26
barron.torrent.redness.LAB	27
bootstrapSoilTexture	28
brierScore	30
buntley.westin.index	32
c,SoilProfileCollection-method	32
ca630	33
checkHzDepthLogic	36
checkSPC	38
col2Munsell	39
collapseHz	41
colorChart	44
colorContrast	46
colorContrastPlot	48
colorQuantiles	50
compareSites	51
compositeSPC	52
confusionIndex	52
contrastChart	53
contrastClass	54
correctAWC	56
crit.clay.argillic	57

denormalize	58
depthOf	59
depths	61
depthWeights	63
depth_units,SoilProfileCollection-method	64
diagnostic_hz,SoilProfileCollection-method	64
dice,SoilProfileCollection-method	65
duplicate	67
electroStatics_ID	68
equivalentMunsellChips	70
equivalent_munsell	72
estimateAWC	73
estimatePSCS	73
estimateSoilColor	76
estimateSoilDepth	77
evalGenHZ	80
evalMissingData	81
explainPlotSPC	83
fillHzGaps	85
findOverlap	87
fixOverlap	88
flagOverlappingHz	90
fragmentClasses	91
fragmentSieve	92
generalize.hz	94
genhzTableToAdjMat	97
genSlabLabels	97
get.increase.matrix	98
get.ml.hz	100
getArgillicBounds	101
getCambicBounds	104
getClosestMunsellChip	105
getLastHorizonID	106
getSoilDepthClass	106
getSurfaceHorizonDepth	108
GHL	110
glom,SoilProfileCollection-method	111
glomApply	114
grepSPC	116
groupedProfilePlot	116
groupSPC	119
guessGenHzLevels	120
guessHzAttrName	121
harden.melanization	123
harden.rubification	125
harmonize,SoilProfileCollection-method	127
hasDarkColors	129
horizonColorIndices	131

horizonDepths<-	132
horizonNames<-	133
horizons,SoilProfileCollection-method	133
huePosition	134
huePositionCircle	136
hurst.redness	137
hzAbove	138
HzDepthLogicSubset	139
hzDepthTests	140
hzDesgn,SoilProfileCollection-method	141
hzdesgnname	141
hzDistinctnessCodeToOffset	142
hzID<- ,SoilProfileCollection-method	144
hzidname<-	144
hzMetadata,SoilProfileCollection-method	145
hzmetaname	145
hztexclname	146
hzTopographyCodeToLineType	147
hzTopographyCodeToOffset	148
hzTransitionProbabilities	150
hz_dissolve	151
hz_intersect	153
hz_lag	154
hz_segment	156
hz_to_taxpartsize	158
idname,SoilProfileCollection-method	160
initSpatial<-	161
invertLabelColor	162
isEmpty,SoilProfileCollection-method	163
jacobs2000	163
L1_profiles	165
length,SoilProfileCollection-method	166
lookup_taxpartsize	167
lunique	168
max,SoilProfileCollection-method	169
metadata,SoilProfileCollection-method	169
min,SoilProfileCollection-method	170
missingDataGrid	171
mixMunsell	172
mollic.thickness.requirement	175
munsell	176
munsell.spectra	177
munsell2rgb	178
munsell2spc,SoilProfileCollection-method	180
munsellHuePosition	182
mutate_profile	182
names,SoilProfileCollection-method	184
NCSP	184

nrow,SoilProfileCollection-method	186
osd	187
panel.depth_function	187
parseMunsell	191
pbindlist	193
perturb	194
ph_to_rxnclass	197
plotColorMixture	198
plotColorQuantiles	200
plotMultipleSPC	200
plotProfileDendrogram	204
plotSPC	205
plot_distance_graph	214
previewColors	215
prj,SoilProfileCollection-method	217
profileApply	218
profileGroupLabels	221
profileInformationIndex	222
profile_id<-	225
quickSPC	225
random_profile	229
reactionclass	232
rebuildSPC	232
reduceSPC	233
reorderHorizons	234
repairMissingHzDepths	234
replaceHorizons<-	236
restrictions,SoilProfileCollection-method	236
rgb2munsell	237
ROSETTA.centroids	239
rowley2019	241
rp	244
SANN_1D	244
shannonEntropy	247
sierraTransect	248
sim	250
simulateColor	251
site,SoilProfileCollection-method	253
siteNames<-	254
slab	254
slice-methods	263
slicedHSD	266
soilColorSignature	267
soilPalette	269
SoilProfileCollection	270
soiltexture	273
soilTextureColorPal	274
SoilTextureLevels	275

soil_minerals	276
sp1	278
sp2	280
sp3	282
sp4	285
sp5	288
sp6	290
SPC.with.overlap	291
spc2mpspline,SoilProfileCollection-method	292
spc_in_sync	293
spec2Munsell	294
spectral.reference	295
split,SoilProfileCollection-method	297
splitLogicErrors	298
subApply	299
subset,SoilProfileCollection-method	300
subsetHz,SoilProfileCollection-method	301
subsetProfiles	302
summarizeSPC	303
tauW	303
texcl_to_ssc	306
textureTriangleSummary	311
thicknessOf	313
thompson.bell.darkness	315
traditionalColorNames	316
transform,SoilProfileCollection-method	316
unique,SoilProfileCollection-method	317
us.state.soils	318
validSpatialData,SoilProfileCollection-method	318
warpHorizons	319
wilson2022	321
xtableTauW	323
[,SoilProfileCollection-method	323
[[.	324
[[<-	325
\$	326
\$<-	327

Index**328**

Description

The aqp (Algorithms for Quantitative Pedology) package for R was developed to address some of the difficulties associated with processing soils information, specifically related to visualization, aggregation, and classification of soil profile data. This package is based on a mix of S3/S4 functions and classes, and most functions use basic dataframes as input, where rows represent soil horizons and columns define properties of those horizons. Common to most functions are the requirements that horizon boundaries are defined as depth from 0, and that profiles are uniquely defined by an id column. The aqp package defines an S4 class, "SoilProfileCollection", for storage of profile-level metadata, as well as summary, print, and plotting methods that have been customized for common tasks related to soils data.

Details

Demos: `demo(aqp)`

[Project homepage](#)

Author(s)

Dylan E. Beaudette debeaudette@ucdavis.edu, Pierre Roudier, Andrew G. Brown

See Also

`depths<-()`, `SoilProfileCollection()`, [sp1](#), [sp2](#), [sp3](#), [sp4](#), [sp5](#), [sp6](#)

accumulateDepths	<i>Accumulate horizon depths, and reflect reversed depths, relative to new datum</i>
------------------	--

Description

Fix old-style organic horizon depths or depths with a non-standard datum by the "depth accumulation" method.

Usage

```
accumulateDepths(
  x,
  id = NULL,
  hzdepths = NULL,
  hzname = NULL,
  hzdatum = 0,
  seqnum = NULL,
  pattern = "O",
  fix = TRUE
)
```

Arguments

<code>x</code>	A <code>data.frame</code> or <code>SoilProfileCollection</code>
<code>id</code>	unique profile ID. Default: <code>NULL</code> , if <code>x</code> is a <code>SoilProfileCollection</code> <code>idname(x)</code>
<code>hzdepths</code>	character vector containing horizon top and bottom depth column names. Default: <code>NULL</code> , if <code>x</code> is a <code>SoilProfileCollection</code> <code>horizonDepths(x)</code>
<code>hzname</code>	character vector containing horizon designation or other label column names. Default: <code>NULL</code> , if <code>x</code> is a <code>SoilProfileCollection</code> <code>hzdesgnname(x)</code>
<code>hzdatum</code>	a numeric vector to add to accumulated depths. Default: <code>0</code> . Can be equal in length to number of profiles if <code>x</code> is a <code>SoilProfileCollection</code> or number of (unique) IDs if <code>x</code> is a <code>data.frame</code> .
<code>seqnum</code>	Optional: character vector containing record "sequence number" column name; used in-lieu of <code>hzname</code> (when <code>NA</code>) to identify "first" record in a profile
<code>pattern</code>	pattern to search for in <code>hzname</code> to identify matching horizons to append the profile to
<code>fix</code>	apply adjustments to missing (<code>NA</code>) depths and expand 0-thickness horizons? Default: <code>TRUE</code>

Details

The "depth accumulation" method calculates thicknesses of individual horizons and then cumulative sums them after putting them in `id + top depth` order. The routine tries to determine context based on `hzname` and `pattern`. The main transformation is if a top depth is deeper than the bottom depth, the depths are reflected on the Z-axis (made negative). The data are then `id + top depth` sorted again, the thickness calculated and accumulated to replace the old depths.

This function uses several heuristics to adjust data before transformation and thickness calculation:

Regex matching of horizon designation patterns and similar:

- matches of `pattern` where both top and bottom depth `NA` -> `[0, 1]` `[top, bottom]` depth
- REMOVE horizons that do not match `pattern` where both top and bottom depths `NA`

Over-ride `hzname` handling with the sequence column argument `seqnum`:

- if `seqnum` column specified "first record with `NA` `hzname`" is considered a pattern match if `seqnum == 1`

Trigger "fixing" with the `fix` argument::

- Add 1 cm to bottom-most horizons with `NA` bottom depth
- Add 1 cm thickness to horizons with top and bottom depth equal
- Add 1 cm thickness to horizons with `NA` top depth and bottom depth `0`

Value

A horizon-level `data.frame`, suitable for promoting to SPC with `depths<-`, or a `SoilProfileCollection`, depending on the class of `x`.

Examples

```

# example using hzdatum argument
data(sp4)
depths(sp4) <- id ~ top + bottom
hz <- accumulateDepths(sp4,
                        id = "id",
                        hzdepths = c("top", "bottom"),
                        hzname = "name",
                        hzdatum = 5 * 1:length(sp4))

plot(hz)

# example using old-style 0 horizons
hz <- read.table(text = "peiidref hzdept hzdepb hzname seqnum phiid
                        1      11      0      5      A      2  295
                        2      11      1      0     Oe      1  294
                        3      11      5     13     C1      3  296
                        4      11     13     58     C2      4  297
                        5      11     58    152     C3      5  298
                        6      13      0      5      A      2  303
                        7      13      1      0     Oe      1  302
                        8      13      5     25     Bw      3  304
                        9      13     25     61      C      4  305
                       10      13     61     NA      R      5  306
                       11     136      0     13     A1      3  695
                       12     136      1      0     Oe      2  694
                       13     136      2      1     Oi      1  693
                       14     136     13     61     C1      4  696
                       15     136     61     76     C2      5  697")

depths(hz) <- peiidref ~ hzdept + hzdepb

hz_fixed <- accumulateDepths(hz,
                             id = "peiidref",
                             hzdepths = c("hzdept", "hzdepb"),
                             hzname = "hzname")
is_valid <- checkHzDepthLogic(hz_fixed)$valid

test0 <- subset(hz_fixed, !is_valid)
test1 <- subset(hz_fixed, is_valid)

orig0 <- subset(hz, grepl("0", hzname))
fixed0 <- subset(hz_fixed, grepl("0", hzname))

par(mfrow = c(2, 1), mar = c(0, 0, 3, 2))

plotSPC(orig0, max.depth = 25)
plotSPC(fixed0, max.depth = 25)

```

Description

Add depth brackets to soil profile sketches.

Usage

```
addBracket(
  x,
  label.cex = 0.75,
  tick.length = 0.05,
  arrow.length = 0.05,
  offset = -0.3,
  missing.bottom.depth = NULL,
  ...
)
```

Arguments

<code>x</code>	data.frame object containing <code>idname(x)</code> , <code>top</code> , <code>bottom</code> , and optionally <code>label</code> columns
<code>label.cex</code>	scaling factor for label font
<code>tick.length</code>	length of bracket "tick" mark
<code>arrow.length</code>	length of arrowhead
<code>offset</code>	left-hand offset from each profile
<code>missing.bottom.depth</code>	distance (in depth units) to extend brackets that are missing a lower depth (defaults to max depth of collection)
<code>...</code>	further arguments passed on to segments or arrows

Details

`x` may contain multiple records per profile. Additional examples can be found in [this tutorial](#).

Note

This is a low-level plotting function: you must first plot a `SoilProfileCollection` object before using this function.

Author(s)

D.E. Beaudette

See Also

[addDiagnosticBracket](#), [plotSPC](#)

Examples

```

# sample data
data(sp1)

# add color vector
sp1$soil_color <- with(sp1, munsell2rgb(hue, value, chroma))

# promote to SoilProfileCollection
depths(sp1) <- id ~ top + bottom

# plot profiles
par(mar = c(0, 0, 0, 1))
plotSPC(sp1, width = 0.3)

# extract min--max depths associated with all A horizons
# result is a single-row data.frame / profile
combinedBracket <- function(i) {
  h <- horizons(i)
  idn <- idname(i)
  this.id <- h[[idn]][1]

  idx <- grep('^A', h$name)

  res <- data.frame(
    id = this.id,
    top = min(h$top[idx]),
    bottom = max(h$bottom[idx], na.rm=TRUE)
  )
  names(res)[1] <- idn

  return(res)
}

# return matching horizon top / bottom depths for A or C horizons
# result is a 0 or more row data.frame / profile
individualBrackets <- function(i) {
  h <- horizons(i)
  idn <- idname(i)
  this.id <- h[[idn]][1]

  idx <- grep('^A|^C', h$name)

  res <- data.frame(
    id = this.id,
    top = h$top[idx],
    bottom = h$bottom[idx]
  )
  names(res)[1] <- idn

  return(res)
}

```

```

# combined brackets
b1 <- profileApply(sp1, combinedBracket, frameify = TRUE)

# individual brackets
b2 <- profileApply(sp1, individualBrackets, frameify = TRUE)

# plot in reverse order
plotSPC(sp1, plot.order = rev(1:length(sp1)), width = 0.25)

# note that plotting order is derived from the call to `plotSPC(sp1)`
addBracket(b1, col='red', offset = -0.35)

# plot in reverse order
plotSPC(sp1, plot.order = rev(1:length(sp1)), width = 0.25)

# note that plotting order is derived from the call to `plotSPC(sp1)`
addBracket(b2, col='red', offset = -0.35)

```

addDiagnosticBracket *Annotate Diagnostic Features*

Description

Annotate diagnostic features within a sketch of soil profiles.

Usage

```

addDiagnosticBracket(
  s,
  kind,
  feature = "featkind",
  top = "featdept",
  bottom = "featdepb",
  ...
)

```

Arguments

s	SoilProfileCollection object
kind	filter applied to feature column of diagnostic horizons registered within s
feature	column name containing feature kind
top	column name containing feature top depth
bottom	column name containing feature top depth
...	additional arguments passed to addBracket

Details

Additional examples can be found in [this tutorial](#).

Note

This is a low-level plotting function: you must first plot a SoilProfileCollection object before using this function.

Author(s)

D.E. Beaudette

See Also

[addBracket\(\)](#), [plotSPC\(\)](#)

addVolumeFraction	<i>Symbolize Volume Fraction within a Soil Profile Collection Plot</i>
-------------------	--

Description

Symbolize volume fraction on an existing soil profile collection plot.

Usage

```
addVolumeFraction(
  x,
  colname,
  res = 10,
  cex.min = 0.1,
  cex.max = 0.5,
  pch = 1,
  col = "black"
)
```

Arguments

x	a SoilProfileCollection object
colname	character vector of length 1, naming the column containing volume fraction data (horizon-level attribute). Values should be within 0-100 percent.
res	integer, resolution of the grid used to symbolize volume fraction
cex.min	minimum symbol size
cex.max	maximum symbol size
pch	integer, plotting character code
col	symbol color, either a single color or as many colors as there are horizons in x

Details

This function can only be called after plotting a `SoilProfileCollection` object. Details associated with a call to `plotSPC()` are automatically accounted for within this function: e.g. `plot.order`, `width`, etc..

Note

It may be necessary to adjust both `res`, `cex.min`, and `cex.max` for optimal legibility.

Author(s)

D.E. Beaudette

See Also

[plotSPC\(\)](#)

aggregateColor	<i>Summarize Soil Colors</i>
----------------	------------------------------

Description

Summarize soil color data, weighted by occurrence and horizon thickness.

Usage

```
aggregateColor(  
  x,  
  groups = "genhz",  
  col = "soil_color",  
  k = NULL,  
  profile_wt = NULL,  
  mixingMethod = c("estimate", "exact")  
)
```

Arguments

x	a <code>SoilProfileCollection</code> object
groups	the name of a horizon or site attribute used to group horizons, see examples
col	the name of a horizon-level attribute with soil color specified in hexadecimal (i.e. "#rrggbb")
k	single integer specifying the number of colors discretized via PAM (cluster::pam()), see details
profile_wt	the name of a site-level attribute used to modify weighting, e.g. area
mixingMethod	method used to estimate "aggregate" soil colors, see mixMunsell()

Details

Weights are computed by: $w_i = \sqrt{\text{sum}(\text{thickness}_i)} * n_i$ where w_i is the weight associated with color i , thickness_i is the total thickness of all horizons associated with the color i , and n_i is the number of horizons associated with color i . Weights are computed within groups specified by groups.

See the [related tutorial for additional examples](#).

Value

A list with the following components:

- `scaled.data`: a list of colors and associated weights, one item for each generalized horizon label with at least one color specified in the source data
- `aggregate.data`: a data.frame of weighted-mean colors, one row for each generalized horizon label with at least one color specified in the source data

Author(s)

D.E. Beaudette

See Also

[generalize.hz\(\)](#), [aggregateColorPlot\(\)](#)

Examples

```
# keep examples from using more than 2 cores
data.table::setDTthreads(Sys.getenv("OMP_THREAD_LIMIT", unset = 2))

# load some example data
data(sp1, package = 'aqp')

# upgrade to SoilProfileCollection and convert Munsell colors
sp1$soil_color <- with(sp1, munsell2rgb(hue, value, chroma))
depths(sp1) <- id ~ top + bottom
site(sp1) <- ~ group

# generalize horizon names
n <- c('O', 'A', 'B', 'C')
p <- c('O', 'A', 'B', 'C')
sp1$genhz <- generalize.hz(sp1$name, n, p)

# aggregate colors over horizon-level attribute: 'genhz'
a <- aggregateColor(sp1, groups = 'genhz', col = 'soil_color')

# check results
str(a)

# simple visualization
aggregateColorPlot(a)
```

aggregateColorPlot	<i>Plot aggregate soil color data</i>
--------------------	---------------------------------------

Description

Generate a plot from summaries generated by aggregateColor().

Usage

```
aggregateColorPlot(
  x,
  print.label = TRUE,
  label.font = 1,
  label.cex = 0.65,
  label.orientation = c("v", "h"),
  buffer.pct = 0.02,
  print.n.hz = FALSE,
  rect.border = "black",
  horizontal.borders = FALSE,
  horizontal.border.lwd = 2,
  x.axis = TRUE,
  y.axis = TRUE,
  ...
)
```

Arguments

x	a list, results from aggregateColor()
print.label	logical, print Munsell color labels inside of rectangles, only if they fit
label.font	font specification for color labels
label.cex	font size for color labels
label.orientation	label orientation, v for vertical or h for horizontal
buffer.pct	extra space between labels and color rectangles
print.n.hz	optionally print the number of horizons below Munsell color labels
rect.border	color for rectangle border
horizontal.borders	optionally add horizontal borders between bands of color
horizontal.border.lwd	line width for horizontal borders
x.axis	logical, add a scale and label to x-axis?
y.axis	logical, add group labels to y-axis?
...	additional arguments passed to plot

Details

See the [related tutorial for additional examples](#).

Value

no data are returned, function is called for graphical output

Author(s)

D.E. Beaudette

Examples

```
# keep examples from using more than 2 cores
data.table::setDTthreads(Sys.getenv("OMP_THREAD_LIMIT", unset = 2))

# load some example data
data(sp1, package = 'aqp')

# upgrade to SoilProfileCollection and convert Munsell colors
sp1$soil_color <- with(sp1, munsell2rgb(hue, value, chroma))
depths(sp1) <- id ~ top + bottom
site(sp1) <- ~ group

# generalize horizon names
n <- c('O', 'A', 'B', 'C')
p <- c('O', 'A', 'B', 'C')
sp1$genhz <- generalize.hz(sp1$name, n, p)

# aggregate colors over horizon-level attribute: 'genhz'
a <- aggregateColor(sp1, groups = 'genhz', col = 'soil_color')

# check results
str(a)

# simple visualization
aggregateColorPlot(a)
```

aggregateSoilDepth

Probabilistic Estimation of Soil Depth within Groups

Description

Estimate the most-likely depth to contact within a collection of soil profiles. Consider `getSoilDepthClass` followed by group-wise percentile estimation as a faster alternative.

Usage

```

aggregateSoilDepth(
  x,
  groups,
  crit.prob = 0.9,
  name = hzdesgnname(x),
  p = "Cr|R|Cd",
  ...
)

```

Arguments

<code>x</code>	a <code>SoilProfileCollection</code> object
<code>groups</code>	the name of a site-level attribute that defines groups of profiles within a collection
<code>crit.prob</code>	probability cutoff used to determine where the most likely depth to contact will be, e.g. 0.9 translates to 90% of profiles are shallower than this depth
<code>name</code>	horizon-level attribute where horizon designation is stored, defaults to <code>hzdesgnname(x)</code>
<code>p</code>	a REGEX pattern that matches non-soil genetic horizons
<code>...</code>	additional arguments to <code>slab</code>

Details

This function computes a probability-based estimate of soil depth by group. If no grouping variable exists, a dummy value can be used to compute a single estimate. The `crit.prob` argument sets the critical probability (e.g. 0.9) at which soil depth within a group of profiles is determined. For example, a `crit.prob` of 0.95 might result in an estimated soil depth (e.g. 120cm) where 95% of the profiles (by group) had depths that were less than or equal to 120cm.

Value

A `data.frame` is returned, with as many rows as there are unique group labels, as specified in `groups`.

Author(s)

D.E. Beaudette

See Also

[estimateSoilDepth\(\)](#) [slab\(\)](#)

Examples

```

data(sp1)
depths(sp1) <- id ~ top + bottom
site(sp1) <- ~ group

```

```
# set horizon designation in SPC
hzdesgnname(sp1) <- 'name'

aggregateSoilDepth(sp1, 'group', crit.prob = 0.9)
```

alignTransect

*Calculate Relative Positions from Transect Data***Description**

This function is used to support relative positioning of soil profiles by plotSPC, based on transect or gradient values typically associated with a site level attribute (e.g. elevation). Gradient values specified in `x` are translated to the range used by plotSPC (usually 1, `length(SPC)`) specified in `x.min` and `x.max`.

Usage

```
alignTransect(x, x.min, x.max, fix = TRUE, ...)
```

Arguments

<code>x</code>	numeric vector, describing values along a transect: distance, elevation, climatic variables, etc.. Typically sourced from the site level attributes of a <code>SoilProfileCollection</code> object. Order is not important.
<code>x.min</code>	numeric, lower boundary to relative position scale
<code>x.max</code>	numeric, upper boundary to relative position scale
<code>fix</code>	logical, attempt fixing overlapping positions with <code>fixOverlap</code>
<code>...</code>	additional arguments to <code>fixOverlap</code>

Details

See the [Pair-Wise Distances by Generalized Horizon Labels](#) tutorial for additional examples.

Value

list containing:

- `grad`: values of `x` in ascending order
- `order`: ordering vector of `x`
- `relative.pos`: elements of `x` translated to the new relative scale defined by `x.min` and `x.max`

Examples

```

data("sierraTransect")

# split transects
g <- subset(sierraTransect, transect == 'Granite')
a <- subset(sierraTransect, transect == 'Andesite')

g.p <- alignTransect(g$elev, x.min = 1, x.max = length(g), fix = FALSE)
a.p <- alignTransect(a$elev, x.min = 1, x.max = length(a), fix = FALSE)

op <- par(mar=c(2,0,0,2), mfrow=c(2,1))

plotSPC(g, width=0.25, name.style='center-center',
        cex.names=0.75,
        relative.pos = g.p$relative.pos, plot.order = g.p$order)

axis(1, at = g.p$relative.pos, labels = g.p$grad, line = -1.5)

plotSPC(a, width=0.25, name.style='center-center',
        cex.names=0.75,
        relative.pos = a.p$relative.pos, plot.order = a.p$order)

axis(1, at = a.p$relative.pos, labels = a.p$grad, line = -1.5)

par(op)

```

allocate

Allocate soil properties within various classification systems.

Description

Generic function to allocate soil properties to different classification schemes.

Usage

```

allocate(
  ...,
  to = c("FAO Salt Severity", "FAO Black Soil", "ST Diagnostic Features"),
  droplevels = FALSE
)

```

Arguments

... arguments to specific allocation functions, see details and examples

to character specifying the classification scheme: FAO Salt Severity, FAO Black Soil (see details for the required ...)

droplevels logical indicating whether to drop unused levels in factors. This is useful when the results have a large number of unused classes, which can waste space in tables and figures.

Details

This function is intended to allocate a set of soil properties to an established soil classification scheme, such as Salt Severity or Black Soil. Allocation is semantically different from classification. While classification is the 'act' of developing a grouping scheme, allocation is the assignment or identification of measurements to a established class (Powell, 2008).

Usage Details:

Each classification scheme (to argument) uses a different set of arguments.

- FAO Salt Severity
 - **EC**: electrical conductivity column name, dS/m
 - **pH**: pH column name, saturated paste extract
 - **ESP**: exchangeable sodium percentage column name, percent
- FAO Black Soils
 - **object**: a data.frame or SoilProfileCollection
 - **pedonid**: pedon ID column name, required when object is a data.frame
 - **hztop**: horizon top depth column name, required when object is a data.frame
 - **hzbot**: horizon bottom depth column name, required when object is a data.frame
 - **OC**: organic carbon column name, percent
 - **m_chroma**: moist Munsell chroma column name
 - **m_value**: moist Munsell value column name
 - **d_value**: dry Munsell value column name
 - **CEC**: cation exchange capacity column name (NH4OAc at pH 7), units of cmol(+)/kg soil
 - **BS**: base saturation column name (NH4OAc at pH 7), percent
 - **tropical**: logical, data are associated with "tropical soils"
- ST Diagnostic Features
 - **object**: a data.frame or SoilProfileCollection
 - **pedonid**: pedon ID column name, required when object is a data.frame
 - **hzname**: horizon name column, required when object is a data.frame
 - **hztop**: horizon top depth column name, required when object is a data.frame
 - **hzbot**: horizon bottom depth column name, required when object is a data.frame
 - **texcl**: soil texture class (USDA) column name
 - **rupresblkcem**: rupture resistance column name
 - **m_value**: moist Munsell value column name
 - **m_chroma**: moist Munsell chroma column name
 - **d_value**: dry Munsell value column name
 - **BS**: base saturation column name (method ??), percent
 - **OC**: organic carbon column name, percent
 - **n_value**: ??
 - **featkind**: ??

Value

A vector or data.frame object.

Note

The results returned by `allocate(to = "ST Diagnostic Features")` currently return a limited set of diagnostic features that are easily defined. Also, the logic implemented for some features does not include all the criteria defined in the Keys to Soil Taxonomy.

Author(s)

Stephen Roecker

References

- Abrol, I., Yadav, J. & Massoud, F. 1988. *Salt-affected soils and their management*. No. Bulletin 39. Rome, FAO Soils.
- FAO. 2006. *Guidelines for soil description*. Rome, Food and Agriculture Organization of the United Nations.
- FAO. 2020. DEFINITION | What is a black soil? (online). (Cited 28 December 2020). <http://www.fao.org/global-soil-partnership/intergovernmental-technical-panel-soils/gsoc17-implementation/internationalnetworkblacksoils/more-on-black-soils/definition-what-is-a-black-soil/es/>
- Powell, B., 2008. Classifying soil and land, in: McKenzie, N.J., Grundy, M.J., Webster, R., Ringrose-Voase, A.J. (Eds.), *Guidelines for Survey Soil and Land Resources*, Australian Soil and Land Survey Handbook Series. CSIRO, Melbourne, p. 572.
- Richards, L.A. 1954. *Diagnosis and Improvement of Saline and Alkali Soils*. U. S. Government Printing Office. 166 pp.
- Soil Survey Staff, 2014. *Keys to Soil Taxonomy*, 12th ed. USDA-Natural Resources Conservation Service, Washington, D.C.

Examples

```
# Salt Severity
test <- expand.grid(
  EC = sort(sapply(c(0, 0.75, 2, 4, 8, 15, 30), function(x) x + c(0, -0.05, 0.05))),
  pH = c(8.1, 8.2, 8.3, 8.4, 8.5, 8.6),
  ESP = sort(sapply(c(0, 15, 30, 50, 70, 100), function(x) x + c(0, 0.1, -0.1)))
)
test$ss <- with(test, allocate(EC = EC, pH = pH, ESP = ESP, to = "FAO Salt Severity"))
table(test$ss)

# Black Soil Category 1 (BS1)
test <- expand.grid(
  dept = seq(0, 50, 10),
  OC = sort(sapply(c(0, 0.6, 1.2, 20, 40), function(x) x + c(0, -0.05, 0.05))),
  chroma_moist = 2:4,
  value_moist = 2:4,
  value_dry = 4:6,
  thickness = 24:26,
```

```

      CEC          = 24:26,
      BS           = 49:51,
      tropical     = c(TRUE, FALSE)
    )
    test$pedon_id <- rep(1:21870, each = 6)
    test$depb      <- test$dept + 10

    bs1 <- allocate(test, pedonid = "pedon_id", hztop = "dept", hzbot = "depb",
      OC = "OC", m_chroma = "chroma_moist", m_value = "value_moist",
      d_value = "value_dry", CEC = "CEC", BS = "BS",
      to = "FAO Black Soil"
    )

    table(BS1 = bs1$BS1, BS2 = bs1$BS2)

# SoilProfileCollection interface

data(sp3)
depths(sp3) <- id ~ top + bottom
hzdesgnname(sp3) <- 'name'

# fake base saturation
horizons(sp3)$bs <- 75

plotSPC(sp3)

allocate(
  sp3,
  to = 'FAO Black Soil',
  OC = 'tc',
  m_chroma = 'chroma',
  m_value = 'value',
  d_value = 'value',
  CEC = 'cec',
  BS = 'bs'
)

# make a copy and edit horizon values
x <- sp3
x$value <- 2
x$chroma <- 2
x$cec <- 26
x$tc <- 2

x$soil_color <- munsell2rgb(x$hue, x$value, x$chroma)

plotSPC(x)

allocate(
  x,
  to = 'FAO Black Soil',
  OC = 'tc',

```

```

    m_chroma = 'chroma',
    m_value = 'value',
    d_value = 'value',
    CEC = 'cec',
    BS = 'bs'
  )

  # Soil Taxonomy Diagnostic Features
  data(sp1)
  sp1$texcl = gsub("gr|grv|cbv", "", sp1$texture)
  df <- allocate(object = sp1, pedonid = "id", hzname = "name",
                 hzdept = "top", hzdepb = "bottom", texcl = "texcl",
                 to = "ST Diagnostic Features"
  )
  aggregate(featdept ~ id, data = df, summary)

```

aqp_df_class, SoilProfileCollection-method

Get aqp_df_class entry from metadata or return a safe value.

Description

This is an accessor and replacement method for the aqp_df_class entry in the metadata slot. This entry is used internally by methods that interact with data.frame objects and slots to ensure that the same class used to promote to the SoilProfileCollection initially is used throughout the process.

Usage

```

## S4 method for signature 'SoilProfileCollection'
aqp_df_class(object)

## S4 replacement method for signature 'SoilProfileCollection'
aqp_df_class(object) <- value

```

Arguments

object	a SoilProfileCollection
value	"data.frame", "data.table" or "tbl_df"

`argillic.clay.increase.depth`*Return upper boundary of argillic horizon*

Description

Returns the top depth of the argillic horizon as a numeric vector.

Usage

```
argillic.clay.increase.depth(p, clay.attr = "clay")
```

Arguments

<code>p</code>	A single-profile <code>SoilProfileCollection</code> object.
<code>clay.attr</code>	OPTIONAL: horizon attribute name referring to clay content. default: <code>clay</code>

Details

Uses `crit.clay.argillic` to determine threshold clay increase, and `get.increase.matrix` to determine where increase is met within a vertical distance of 30 cm.

Value

A numeric vector containing top depth of argillic horizon, if present, or NA.

Author(s)

Andrew Gene Brown

See Also

`getArgillicBounds`, `get.increase.matrix`, `crit.clay.argillic`

Examples

```
data(sp1, package = 'aqp')
depths(sp1) <- id ~ top + bottom
site(sp1) <- ~ group

p <- sp1[1]
attr <- 'prop' # clay contents
foo <- argillic.clay.increase.depth(p, clay.attr = attr)
foo
```

as	<i>Coerce SoilProfileCollection with as()</i>
----	---

Description

SoilProfileCollections can be coerced to other R object types using `as(spc, 'type')`.

Possible endpoints include: `list`, `data.frame`, `SpatialPointsDataFrame` and `SpatialPoints`.

Usage

```
## S4 method for signature 'SoilProfileCollection'
as.data.frame(x)
```

Arguments

x a `SoilProfileCollection`

Value

list
data.frame
tbl_df
data.table
SpatialPointsDataFrame
sf
SpatialPoints

Examples

```
# load example data stored as SoilProfileCollection
data(sp5)

# sp5
str(sp5)

# list output
str(as(sp5, 'list'))

# data.frame output
str(as(sp5, 'data.frame'))

# Spatial Objects
# make some random coordinate data for each profile
sp5$x <- sp5$y <- rnorm(length(sp5))
initSpatial(sp5, crs = "OGC:CRS84") <- ~ x + y

if (requireNamespace("sf")) {
```

```
# sf output
str(as(sp5, 'sf'))

# SpatialPointsDataFrame output
str(as(sp5, 'SpatialPointsDataFrame'))

# SpatialPoints output
str(as(sp5, 'SpatialPoints'))

}
```

barron.torrent.redness.LAB

Barron & Torrent (1986) Redness Index in LAB color space

Description

Calculate Redness Index after Barron & Torrent (1986) "Use of the Kubelka—Munk Theory to Study the Influence of Iron Oxides on Soil Colour" using Munsell colors converted to LAB. DOI: 10.1111/j.1365-2389.1986.tb00382.x. Accepts vectorized inputs for hue, value and chroma, produces vector output.

Usage

```
barron.torrent.redness.LAB(hue, value, chroma)
```

Arguments

hue	A character vector containing Munsell hues (e.g. "7.5YR")
value	A numeric vector containing Munsell values
chroma	A numeric vector containing Munsell chromas

Value

A numeric vector of horizon redness index (higher values = redder).

Author(s)

Andrew G. Brown

References

Barron, V. and Torrent, J. (1986), Use of the Kubelka-Munk theory to study the influence of iron oxides on soil colour. *Journal of Soil Science*, 37: 499-510. doi:10.1111/j.1365-2389.1986.tb00382.x

bootstrapSoilTexture *Bootstrap Soil Texture Data*

Description

Simulate realistic sand/silt/clay values (a composition) using multivariate Normal distribution or Dirichlet distribution. Simulations from the multivariate Normal distribution are based on the compositional mean and variance-covariance matrix. Simulations from the Dirichlet distribution are based on maximum likelihood estimation of alpha parameters.

Usage

```
bootstrapSoilTexture(ssc, method = c("dirichlet", "normal"), n = 100)
```

Arguments

ssc	a data.frame object with 3 columns: 'sand', 'silt', 'clay' and at least three rows of data within the range of 0-100 (percent). NA are automatically removed, but care should be taken to ensure that the sand/silt/clay values add to 100 percent. Simulations are based on these examples.
method	type of simulation: 'dirichlet' or 'normal'. See details.
n	number of simulated compositions. See details.

Details

Simulations from the multivariate normal distribution will more closely track the marginal distributions of sand, silt, and clay—possibly a better fit for "squished" compositions (TODO elaborate). However, these simulations can result in extreme (unlikely) estimates.

Simulations from the Dirichlet distribution will usually be a better fit (fewer extreme estimates) but require a fairly large number of records in ssc ($n \geq 30$?) for a reliable fit.

Additional examples will be added to [this tutorial](#).

Value

a list containing:

- samples - data.frame of simulated sand, silt, clay values
- mean - compositional mean
- var - compositional variance-covariance matrix
- D.alpha - (fitted) alpha parameters of the Dirichlet distribution, NULL when method = 'normal'

Author(s)

D.E. Beaudette

References

- Aitchison, J. (1986) The Statistical Analysis of Compositional Data Monographs on Statistics and Applied Probability. Chapman & Hall Ltd., London (UK). 416p.
- Aitchison, J, C. Barcel'ó-Vidal, J.J. Egozcue, V. Pawlowsky-Glahn (2002) A concise guide to the algebraic geometric structure of the simplex, the sample space for compositional data analysis, Terra Nostra, Schriften der Alfred Wegener-Stiftung, 03/2003
- Malone Brendan, Searle Ross (2021) Updating the Australian digital soil texture mapping (Part 1*): re-calibration of field soil texture class centroids and description of a field soil texture conversion algorithm. Soil Research. <https://www.publish.csiro.au/SR/SR20283>
- Malone Brendan, Searle Ross (2021) Updating the Australian digital soil texture mapping (Part 2*): spatial modelling of merged field and lab measurements. Soil Research. <https://doi.org/10.1071/SR20284>

Examples

```
if(
  requireNamespace("compositions") &
  requireNamespace("soiltexture")
) {

  # sample data, data.frame
  data('sp4')

  # filter just Bt horizon data
  ssc <- sp4[grep('^Bt', sp4$name), c('sand', 'silt', 'clay')]
  names(ssc) <- toupper(names(ssc))

  # simulate 100 samples
  s <- bootstrapSoilTexture(ssc, n = 100)
  s <- s$samples

  # empty soil texture triangle
  TT <- soiltexture::TT.plot(
    class.sys= "USDA-NCSS.TT",
    main= "",
    tri.sum.tst=FALSE,
    cex.lab=0.75,
    cex.axis=0.75,
    frame.bg.col='white',
    class.lab.col='black',
    lwd.axis=1.5,
    arrows.show=TRUE,
    new.mar = c(3, 0, 0, 0)
  )

  # add original data points
  soiltexture::TT.points(
    tri.data = s, geo = TT, col='firebrick',
    pch = 3, cex = 0.5, lwd = 1,
    tri.sum.tst = FALSE
  )
}
```

```
)

# add simulated points
soiltexture::TT.points(
  tri.data = ssc, geo = TT, bg='royalblue',
  pch = 22, cex = 1, lwd = 1,
  tri.sum.tst = FALSE
)

# simple legend
legend('top',
  legend = c('Source', 'Simulated'),
  pch = c(22, 3),
  col = c('black', 'firebrick'),
  pt.bg = c('royalblue', NA),
  horiz = TRUE, bty = 'n'
)

}
```

brierScore	<i>Multinomial Brier Score</i>
------------	--------------------------------

Description

Compute a multinomial Brier score from predicted class probabilities and observed class label. Lower values are associated with a more accurate classifier.

Usage

```
brierScore(x, classLabels, actual = "actual")
```

Arguments

x	data.frame of class probabilities (numeric) and observed class label (character), see examples
classLabels	vector of predicted class labels (probabilities), corresponding to column names in x
actual	name of column containing the observed class, should be character vector not factor

Value

a single Brier score, representative of data in x

Author(s)

D.E. Beaudette

References

Brier, Glenn W. 1950. "Verification of Forecasts Expressed in Terms of Probability." Monthly Weather Review 78 (1): 1-3. doi:10.1175/1520-0493(1950)078<0001:VOFEIT>2.0.CO;2.

Examples

```
# columns 'a', 'b', 'c' contain predicted probabilities
# column 'actual' contains observed class label

# a good classifier
d.good <- data.frame(
  a = c(0.05, 0.05, 0.10),
  b = c(0.90, 0.85, 0.75),
  c = c(0.05, 0.10, 0.15),
  actual = c('b', 'b', 'b'),
  stringsAsFactors = FALSE
)

# a rather bad classifier
d.bad <- data.frame(
  a = c(0.05, 0.05, 0.10),
  b = c(0.90, 0.85, 0.75),
  c = c(0.05, 0.10, 0.15),
  actual = c('c', 'c', 'c'),
  stringsAsFactors = FALSE
)

# class labels are factors
d.factors <- data.frame(
  a = c(0.05, 0.05, 0.10),
  b = c(0.90, 0.85, 0.75),
  c = c(0.05, 0.10, 0.15),
  actual = c('b', 'b', 'b'),
  stringsAsFactors = TRUE
)

# relatively low value = accurate
brierScore(x = d.good, classLabels = c('a', 'b', 'c'), actual = 'actual')

# high values = not accurate
brierScore(x = d.bad, classLabels = c('a', 'b', 'c'), actual = 'actual')

# message related to conversion of factor -> character
brierScore(x = d.factors, classLabels = c('a', 'b', 'c'), actual = 'actual')
```

buntley.westin.index *Buntley-Westin (1965) Index*

Description

Calculate "Color Development Equivalent" by the method of Buntley & Westin (1965) "A Comparative Study of Developmental Color in a Chestnut-Chernozem-Brunizem Soil Climosequence" DOI: 10.2136/sssaj1965.03615995002900050029x. Originally developed for Mollisols, the Buntley-Westin index has been used as a tool to separate soils based on depth to particular colors.

Usage

```
buntley.westin.index(hue, chroma)
```

Arguments

hue	A character vector containing Munsell hues (e.g. "7.5YR")
chroma	A numeric vector containing Munsell chromas

Value

A numeric vector reflecting horizon color development.

Author(s)

Andrew G. Brown

References

Buntley, G.J. and Westin, F.C. (1965), A Comparative Study of Developmental Color in a Chestnut-Chernozem-Brunizem Soil Climosequence. Soil Science Society of America Journal, 29: 579-582. doi:10.2136/sssaj1965.03615995002900050029x

c,SoilProfileCollection-method
 Combine SoilProfileCollection objects

Description

Combine SoilProfileCollection objects or lists of SoilProfileCollection objects. This method provides ... expansion for the pbindlist method.

Usage

```
## S4 method for signature 'SoilProfileCollection'
c(x, ...)

## S4 method for signature 'SoilProfileCollection'
combine(...)

## S4 method for signature 'list'
combine(...)
```

Arguments

```
x                A SoilProfileCollection
...              SoilProfileCollection objects
```

Value

A SoilProfileCollection

Examples

```
# example data
spc1 <- random_profile(1, SPC = TRUE)
spc2 <- random_profile(2, SPC = TRUE)
spc3 <- random_profile('A', SPC = TRUE)

# combine into a single SPC, ... interface
spc <- combine(spc1, spc2, spc3)

# combine into a single SPC, list interface
spc <- combine(list(spc1, spc2, spc3))

# input are combined into a single SPC
spc <- c(spc1, spc2, spc3)

# result is a list when a mixture of objects are provided
spc <- c(spc1, bar=spc2, baz="foo")
```

Description

Site and laboratory data from soils sampled in the central Sierra Nevada Region of California.

Usage

```
data(ca630)
```

Format

List containing:

\$site : A data frame containing site information.

user_site_id national user site id

mlra the MLRA

county the county

ssa soil survey area

lon longitude, WGS84

lat latitude, WGS84

pedon_key national soil profile id

user_pedon_id local soil profile id

cntrl_depth_to_top control section top depth (cm)

cntrl_depth_to_bot control section bottom depth (cm)

sampled_taxon_name soil series name

\$lab : A data frame containing horizon information.

pedon_key national soil profile id

layer_key national horizon id

layer_sequence horizon sequence number

hzn_top horizon top (cm)

hzn_bot horizon bottom (cm)

hzn_desgn horizon name

texture_description USDA soil texture

nh4_sum_bases sum of bases extracted by ammonium acetate (pH 7)

ex_acid exchangeable acidity [method ?]

CEC8.2 cation exchange capacity by sum of cations method (pH 8.2)

CEC7 cation exchange capacity by ammonium acetate (pH 7)

bs_8.2 base saturation by sum of cations method (pH 8.2)

bs_7 base saturation by ammonium acetate (pH 7)

Details

These data were extracted from the NSSL database. ca630 is a list composed of site and lab data, each stored as `data.frame` objects. These data are modeled by a 1:many (site:lab) relation, with the `pedon_id` acting as the primary key in the `site` table and as the foreign key in the `lab` table.

Note

These data are out of date. Pending some new data + documentation. Use with caution

Source

<https://ncsslabdatamart.sc.egov.usda.gov/>

Examples

```
## Not run:
library(tactile)
library(lattice)
library(Hmisc)
library(sp)

# check the data out:
data(ca630)
str(ca630)

# note that pedon_key is the link between the two tables

# make a copy of the horizon data
ca <- ca630$lab

# promote to a SoilProfileCollection class object
depths(ca) <- pedon_key ~ hzn_top + hzn_bot

# add site data, based on pedon_key
site(ca) <- ca630$site

# ID data missing coordinates: '|' is a logical OR
(missing.coords.idx <- which(is.na(ca$lat) | is.na(ca$lon)))

# remove missing coordinates by safely subsetting
if(length(missing.coords.idx) > 0)
ca <- ca[-missing.coords.idx, ]

# register spatial data
initSpatial(ca) <- ~ lon + lat

# assign a coordinate reference system
prj(ca) <- 'EPSG:4269'

# check the result
print(ca)

# aggregate %BS 7 for all profiles into 1 cm slices
a <- slab(ca, fm= ~ bs_7)

# plot median & IQR by 1 cm slice
xyplot(
  top ~ p.q50,
  data = a,
  lower=a$p.q25,
  upper=a$p.q75,
  alpha=0.5,
```

```

ylim=c(160,-5),
scales = list(alternating = 1, y = list(tick.num = 7)),
panel = panel.depth_function,
prepanel = prepanel.depth_function,
ylab='Depth (cm)', xlab='Base Saturation at pH 7',
par.settings = tactile.theme(superpose.line = list(col = 'black', lwd = 2))
)

# aggregate %BS at pH 8.2 for all profiles by MLRA, along 1 cm slices
# note that mlra is stored in @site
a <- slab(ca, mlra ~ bs_8.2)

# keep only MLRA 18 and 22
a <- subset(a, subset=mlra %in% c('18', '22'))

# plot median & IQR by 1 cm slice, using different colors for each MLRA
xyplot(
top ~ p.q50,
groups = factor(mlra),
data = a,
lower=a$p.q25,
upper=a$p.q75,
alpha=0.25,
sync.colors = TRUE,
ylim=c(160,-5),
scales = list(alternating = 1, y = list(tick.num = 7)),
panel = panel.depth_function,
prepanel = prepanel.depth_function,
ylab='Depth (cm)', xlab='Base Saturation at pH 7',
par.settings = tactile.theme(superpose.line = list(lwd = 2)),
auto.key = list(lines = TRUE, points = FALSE, columns = 2)
)

# Extract the 2nd horizon from all profiles as SPDF
ca.2 <- ca[, 2]

# subset profiles 1 through 10
ca.1.to.10 <- ca[1:10, ]

# basic plot method: profile plot
par(mar = c(0, 0, 3, 1))
plotSPC(ca.1.to.10, name='hzn_desgn', color = 'CEC7')

## End(Not run)

```

Description

This function inspects a `SoilProfileCollection` object, looking for four common errors in horizon depths:

1. bottom depth shallower than top depth
2. equal top and bottom depth
3. missing top or bottom depth (e.g. NA)
4. gap or overlap between adjacent horizons (only if `byhz = FALSE`)

Usage

```
checkHzDepthLogic(
  x,
  hzdepths = NULL,
  idname = NULL,
  fast = FALSE,
  byhz = FALSE
)
```

Arguments

<code>x</code>	<code>SoilProfileCollection</code> or <code>data.frame</code> object to check
<code>hzdepths</code>	character vector, describing top and bottom depths in a <code>SoilProfileCollection</code> or <code>data.frame</code> . <code>horizonDepths(x)</code> is used when <code>x</code> is a <code>SoilProfileCollection</code> .
<code>idname</code>	character, describing the column containing profile IDs in a <code>SoilProfileCollection</code> or <code>data.frame</code> . <code>idname(x)</code> is used when <code>x</code> is a <code>SoilProfileCollection</code> .
<code>fast</code>	logical, When TRUE, details about specific test results are not needed, the operation can allocate less memory and run approximately 5x faster.
<code>byhz</code>	logical, apply logic tests to profiles (FALSE) or individual horizons (TRUE)?

Value

A `data.frame` containing profile IDs, validity boolean (`valid`) and test results if `fast = FALSE`.

The `data.frame` will have as many rows as profiles in `x` (`length(x)`).

- `id` : Profile IDs, named according to `idname(x)`
- `valid` : boolean, profile passes all of the following tests
- `depthLogic` : boolean, errors related to depth logic
- `sameDepth` : boolean, errors related to same top/bottom depths
- `missingDepth` : boolean, NA in top / bottom depths
- `overlapOrGap` : boolean, gaps or overlap in adjacent horizons (NA when `byhz = TRUE`)

Author(s)

D.E. Beaudette, A.G. Brown, S.M. Roegner

Examples

```
## sample data

data(sp3)
depths(sp3) <- id ~ top + bottom

# these data should be clean
res <- checkHzDepthLogic(sp3)

head(res)

# less memory if only concerned about net validity
res <- checkHzDepthLogic(sp3, fast = TRUE)

head(res)
```

checkSPC	<i>Test for a valid SoilProfileCollection</i>
----------	---

Description

Test for a valid SoilProfileCollection

Usage

```
checkSPC(x)
```

Arguments

x a SoilProfileCollection object

Details

Test for valid SoilProfileCollection by checking for slots defined in the class prototype. Likely only used between major versions of aqp where internal structure of SoilProfileCollection has changed. Use checkHzDepthLogic to check for common errors in horizon depths.

Value

TRUE or FALSE. Consider using rebuildSPC() if FALSE.

Author(s)

D.E. Beaudette

See Also

[rebuildSPC](#), [checkHzDepthLogic](#)

col2Munsell	<i>Convert colors into Munsell Notation</i>
-------------	---

Description

Lookup the n closest Munsell chips from the munsell lookup table from various color notations. This function replaces rgb2munsell().

Usage

```
col2Munsell(col, space = c("sRGB", "CIELAB"), nClosest = 1)
```

Arguments

col	character vector of colors, data.frame or matrix of color coordinates in sRGB or CIELAB color space
space	character, one of sRGB or CIELAB, defines the input color system
nClosest	integer, number of closest Munsell colors to return (valid range is 1-20)

Value

an (NA-padded) data.frame containing hue, value, chroma, and CIE delta-E 2000 color contrast metric between source and nearest matching color(s).

Note

This function is fully vectorized and will pad output with NA-records when NA are present in color.

Author(s)

D.E. Beaudette

References

- <http://ncss-tech.github.io/AQP/>
- <http://www.brucelindbloom.com/index.html?ColorCalcHelp.html>
- <http://www.munsellcolourscienceforpainters.com/MunsellAndKubelkaMunkToolbox/MunsellAndKubelkaMunkToolb>
- <http://www.cis.rit.edu/mcsl/online/munsell.php>

Examples

```

# vector of named R colors
col2Munsell(c('red', 'green', 'blue'))

# sRGB matrix in the range of 0-255
col2Munsell(cbind(255, 0, 0))

# sRGB matrix in the range of 0-1
col2Munsell(cbind(1, 0, 0))

# 10YR 5/6 in CIELAB
col2Munsell(
  cbind(51.4337, 9.917916, 38.6889),
  space = 'CIELAB'
)

# 2.5YR 6/8 in hex notation
col2Munsell("#D18158FF")

# 7.5YR 8/1 in sRGB {0, 1}
col2Munsell(
  cbind(0.8240707, 0.7856834, 0.7541048)
)

# 7.5YR 8/1 in sRGB {0, 255}
col2Munsell(
  cbind(0.8240707, 0.7856834, 0.7541048) * 255
)

# multiple colors in CIELAB
col2Munsell(
  parseMunsell(c('10BG 6/6', '2.5YR 4/6'), returnLAB = TRUE),
  space = 'CIELAB'
)

# data.frame input
col2Munsell(
  data.frame(r = 1, g = 0, b = 0),
  space = 'sRGB'
)

# keep examples from using more than 2 cores
data.table::setDTthreads(Sys.getenv("OMP_THREAD_LIMIT", unset = 2))

# Munsell notation to sRGB triplets {0, 1}
color <- munsell2rgb(
  the_hue = c('10YR', '2.5YR', '5YR'),
  the_value = c(3, 5, 2.5),
  the_chroma = c(5, 6, 2),
  return_triplets = TRUE
)

```

```
# result is a data.frame of sRGB {0, 1}
color

# back-transform sRGB -> closest Munsell color
# sigma is the dE00 color contrast metric
col2Munsell(color, space = 'sRGB')
```

collapseHz

Collapse Horizons within Profiles Based on Pattern Matching

Description

Combines layers and aggregates data by grouping adjacent horizons which match pattern in hzdesign or, alternately, share a common value in by argument. Numeric properties are combined using the weighted average, and other properties are derived from the dominant condition based on thickness of layers and values in each group.

Usage

```
collapseHz(
  x,
  pattern = NULL,
  by = NULL,
  hzdesign = hzdesignname(x, required = TRUE),
  FUN = function(x, pattern, hzdesign, ...) grepl(pattern, x[[hzdesign]], ignore.case =
    FALSE),
  ...,
  AGGFUN = NULL,
  ignore_numerics = NULL,
  na.rm = FALSE
)
```

Arguments

x	<i>A SoilProfileCollection</i>
pattern	<i>character</i> . A regular expression pattern to match in hzdesign column. Default: NULL.
by	<i>character</i> . A column name specifying horizons that should be combined. Aggregation will be applied to adjacent groups of layers within profiles that have the same value in by. Used in lieu of pattern and hzdesign. Default: NULL.
hzdesign	<i>character</i> . Any character column containing horizon-level identifiers. Default: hzdesignname(x, required = TRUE).
FUN	<i>function</i> . A function that returns a <i>logical</i> vector equal in length to the number of horizons in x. Used only when pattern is specified. See details.
...	Additional arguments passed to the matching function FUN.

AGGFUN	<i>list</i> . A <i>named</i> list containing custom aggregation functions. List element names should match the column name that they transform. The functions defined should take three arguments: <i>x</i> (a vector of horizon property values), <i>top</i> (a vector of top depths), and <i>bottom</i> (a vector of bottom depths). Default: NULL applies <code>weighted.mean()</code> to all numeric columns not listed in <code>ignore_numerics</code> and takes the dominant condition (value with greatest aggregate thickness sum) for all other columns. See details.
ignore_numerics	<i>character</i> . Vector of column names that contain numeric values which should <i>not</i> be aggregated using <code>weighted.mean()</code> . For example, soil color "value" and "chroma".
na.rm	<i>logical</i> . If TRUE NA values are ignored when calculating min/max boundaries for each group and in weighted averages. If FALSE NA values are propagated to the result. Default: FALSE.

Details

If a custom matching function (FUN) is used, it should accept arbitrary additional arguments via an ellipsis (`...`). It is not necessary to do anything with arguments, but the result should match the number of horizons found in the input *SoilProfileCollection* *x*.

Custom aggregation functions defined in the AGGFUN argument should either return a single vector value for each *group*column* combination, or should return a *data.frame* object with named columns. If the input column name is used as a column name in the result *data.frame*, then the values of that column name in the result *SoilProfileCollection* will be replaced by the output of the aggregation function. See examples.

Value

A *SoilProfileCollection*

Author(s)

Andrew G. Brown

See Also

`hz_dissolve()`

Examples

```
data(jacobs2000)

# calculate a new SPC with genhz column based on patterns
new_labels <- c("A", "E", "Bt", "Bh", "C")
patterns <- c("A", "E", "B.*t", "B.*h", "C")
jacobs2000_gen <- generalizeHz(jacobs2000, new = new_labels, pattern = patterns)

# use existing generalized horizon labels
i <- collapseHz(jacobs2000_gen, by = "genhz")
```

```

profile_id(i) <- paste0(profile_id(i), "_collapse")

plot(
  c(i, jacobs2000),
  color = "genhz",
  name = "name",
  name.style = "center-center",
  cex.names = 1
)

# custom pattern argument
j <- collapseHz(jacobs2000,
  c(
    `A` = "^A",
    `E` = "E",
    `Bt` = "[ABC]+t",
    `C` = "^C",
    `foo` = "bar"
  )
)
profile_id(j) <- paste0(profile_id(j), "_collapse")
plot(c(j, jacobs2000), color = "clay")

# custom aggregation function for matrix_color_munsell
k <- collapseHz(jacobs2000,
  pattern = c(
    `A` = "^A",
    `E` = "E",
    `Bt` = "[ABC]+t",
    `C` = "^C",
    `foo` = "bar"
  ),
  AGGFUN = list(
    matrix_color_munsell = function(x, top, bottom) {
      thk <- bottom - top
      if (length(x) > 1) {
        xord <- order(thk, decreasing = TRUE)
        paste0(paste0(x[xord], " (t=", thk[xord], ")"), collapse = ", ")
      } else
        x
    }
  )
)
profile_id(k) <- paste0(profile_id(k), "_collapse_custom")

unique(k$matrix_color_munsell)

# custom aggregation function for matrix_color_munsell (returns data.frame)
m <- collapseHz(jacobs2000,
  pattern = c(
    `A` = "^A",
    `E` = "E",
    `Bt` = "[ABC]+t",
    `C` = "^C",

```

```

      `foo` = "bar"
    ),
    AGGFUN = list(
      matrix_color_munsell = function(x, top, bottom) {
        thk <- bottom - top
        if (length(x) > 1) {
          xord <- order(thk, decreasing = TRUE)
          data.frame(matrix_color_munsell = paste0(x, collapse = ";"),
                     n_matrix_color = length(x))
        } else {
          data.frame(matrix_color_munsell = x,
                     n_matrix_color = length(x))
        }
      }
    )
  )
profile_id(m) <- paste0(profile_id(m), "_collapse_custom")

m$matrix_color_munsell.n_matrix_color

```

colorChart	<i>Visualize soil colors in Munsell notation according to within-group frequency.</i>
------------	---

Description

Visualize soil colors in Munsell notation according to within-group frequency.

Usage

```

colorChart(
  m,
  g = factor("All"),
  size = TRUE,
  annotate = FALSE,
  chip.cex = 3,
  chip.cex.min = 0.1,
  chip.cex.max = 1.5,
  chip.border.col = "black",
  annotate.cex = chip.cex * 0.25,
  annotate.type = c("count", "percentage"),
  threshold = NULL
)

```

Arguments

m	character vector of color in Munsell notation ('10YR 4/6')
---	--

<code>g</code>	factor describing group membership, typically a generalization of horizon designation, default value will generate a fake grouping that covers all of the colors in <code>m</code>
<code>size</code>	logical, encode group-wise frequency with chip size
<code>annotate</code>	logical, annotate color chip frequency
<code>chip.cex</code>	scaling factor applied to each color chip
<code>chip.cex.min</code>	lower limit for color chip frequency depiction
<code>chip.cex.max</code>	lower limit for color chip frequency depiction
<code>chip.border.col</code>	color for chip borders (outline)
<code>annotate.cex</code>	scaling factor for chip frequency annotation
<code>annotate.type</code>	character, within-group count or percentage
<code>threshold</code>	numeric within 0-1, color chips with proportion < threshold are removed

Value

a trellis object

Examples

```
library(lattice)

# two hue pages
ric <- expand.grid(
  hue = c('5YR', '7.5YR'),
  value = 2:8,
  chroma = 2:8
)

# combine hue, value, chroma into standard Munsell notation
ric <- sprintf("%s %s/%s", ric$hue, ric$value, ric$chroma)

# note that chip frequency-based size is disabled
# because all chips have equal frequency
colorChart(ric, chip.cex = 4, size = TRUE)

# annotation of frequency
colorChart(ric, chip.cex = 4, annotate = TRUE)

# bootstrap to larger size
ric.big <- sample(ric, size = 100, replace = TRUE)

# frequency can be encoded in size
colorChart(ric.big, chip.cex = 3)
colorChart(ric.big, chip.cex = 5, annotate = TRUE)

# constant size
colorChart(ric.big, chip.cex = 3, size = FALSE)
```

```

colorChart(ric.big, chip.cex = 3, size = FALSE, chip.border.col = 'NA')

# simulate colors based dE00 thresholding
p <- list(
  list(m = '10YR 4/4', thresh = 10, hues = c('10YR', '7.5YR'))
)

# perform 500 simulations
s <- simulateColor(method = 'dE00', n = 500, parameters = p)

# result is a list, use the first element
colorChart(s[[1]], chip.cex = 4)

# increase the possible range of color chip sizes
colorChart(s[[1]], chip.cex = 4, chip.cex.min = 0.01, chip.cex.max = 2)

# slightly funky support for neutral hues
N <- sprintf('N %s/', 2:8)
cols <- c(rep(N, times = 5), ric.big)

# note special panel used to show neutral hues
colorChart(cols, size = FALSE, annotate = TRUE)

# filter proportions below given threshold
colorChart(cols, size = FALSE, annotate = TRUE, threshold = 0.01,
  chip.cex = 4, annotate.type = 'percentage')

```

colorContrast

Metrics of Contrast Suitable for Comparing Soil Colors

Description

Pair-wise comparisons of Munsell color specifications, based on the NCSS color contrast classes (Soil Survey Technical Note 2) and CIE delta-E 2000 metric.

Usage

```
colorContrast(m1, m2)
```

Arguments

m1	vector of Munsell colors ('10YR 3/3')
m2	vector of Munsell colors ('10YR 3/6')

Details

This function is fully vectorized but expects input to be of the same length. Use `expand.grid()` to generate suitable input from 1:many or many:1 type comparisons. See [this tutorial](#) for an expanded discussion and more examples. Neutral colors are not mentioned in SSTN2: in this function any comparison to a neutral color (e.g. 'N 3/') are assigned a delta-hue of 1. Since SSTN2 expects hues to be counted clock wise from 5R, it possible to get very large delta-hue values for otherwise adjacent colors: '5R' vs. '2.5R'. This will be addressed in an update to the standards.

The most meaningful representation of color contrast is the CIE2000 (dE00) metric.

Value

data.frame with the following columns:

- m1: Munsell color 1
- m2: Munsell color 2
- dH: delta-hue, as computed by `huePosition`
- dV: delta-value, absolute value of difference in Munsell value (m1 vs. m2)
- dc: delta-chroma, absolute value of difference in Munsell chroma (m1 vs. m2)
- dE00: delta-E00, e.g. the [CIE delta-E as refined in 2000](#)
- cc: soil color contrast class, as specified in Soil Survey Technical Note 2.

Note

delta-E00 is computed by the [farver package](#).

Author(s)

D.E. Beaudette

References

1. https://en.wikipedia.org/wiki/Color_difference

See Also

[colorContrastPlot](#), [huePosition](#), [huePositionCircle](#)

Examples

```
# keep examples from using more than 2 cores
data.table::setDTthreads(Sys.getenv("OMP_THREAD_LIMIT", unset = 2))

# two sets of colors to compare
m1 <- c('10YR 6/3', '7.5YR 3/3', '10YR 2/2', '7.5YR 3/4')
m2 <- c('5YR 3/4', '7.5YR 4/4', '2.5YR 2/2', '7.5YR 6/3')

# contrast metrics
colorContrast(m1, m2)
```

```

# adjacent chips
colorContrast('10YR 3/3', '10YR 3/4')
colorContrast('10YR 3/3', '7.5YR 3/3')

# highly contrasting colors
# http://colour.granjow.net/fabercastell-polychromos.html
colorContrastPlot('10B 4/13', '10YR 10/15',
  labels = c('helioblue-reddish', 'light cadmium yellow')
)

## Note: neutral hues aren't defined in TN2
# approximation / extension of the concept
colorContrast(m1 = 'N 3/', m2 = 'N 6/')

#
colorContrast(m1 = '10YR 3/3', m2 = 'N 3/')

m1 <- c('10YR 6/3', '7.5YR 3/3', '10YR 2/2', 'N 3/')
m2 <- c('5YR 3/4', '7.5YR 4/4', '2.5YR 2/2', '7.5YR 6/3')
colorContrast(m1, m2)

```

colorContrastPlot

Color Contrast Plot

Description

A simple display of two sets of colors, NCSS color contrast class and CIE delta-E00.

Usage

```

colorContrastPlot(
  m1,
  m2,
  col.cex = 1,
  col.font = 2,
  d.cex = 1,
  cc.font = 3,
  dE00.font = 1,
  labels = c("m1", "m2"),
  label.cex = 1,
  label.font = 1,
  printMetrics = TRUE,
  ...
)

```

Arguments

m1	first set of Munsell colors for comparison (e.g. '5YR 3/2')
m2	second set of Munsell colors for comparison
col.cex	scaling factor for color labels
col.font	font for color labels
d.cex	contrast for contrast metric labels
cc.font	font for contrast class
dE00.font	font for delta-E00
labels	labels for compared colors, vector length 2
label.cex	scaling factor for labels
label.font	font for labels
printMetrics	logical, print metrics between color swatches
...	further arguments to <code>colorspace::swatchplot</code>

Note

This function requires the `farver` package for calculation of CIE delta-E00.

Author(s)

D.E. Beaudette

See Also

[colorContrast\(\)](#)

Examples

```
# keep examples from using more than 2 cores
data.table::setDTthreads(Sys.getenv("OMP_THREAD_LIMIT", unset = 2))

# two sets of colors to compare
m1 <- c('10YR 6/3', '7.5YR 3/3', '10YR 2/2', '7.5YR 3/4')
m2 <- c('5YR 3/4', '7.5YR 4/4', '2.5YR 2/2', '7.5YR 6/3')

# contrast metrics
colorContrast(m1, m2)

# graphical display
colorContrastPlot(m1, m2)
```

colorQuantiles	<i>Soil Color Range via Quantiles</i>
----------------	---------------------------------------

Description

Estimate central tendency and spread of soil color using marginal quantiles and L1 median of CIELAB coordinates.

Usage

```
colorQuantiles(soilColors, p = c(0.05, 0.5, 0.95))
```

Arguments

soilColors	vector of R colors (sRGB colorspace)
p	marginal quantiles of interest

Details

Colors are converted from sRGB to CIELAB (D65 illuminant), marginal quantiles of (L,A,B) coordinates are estimated, and L1 median (L,A,B) is estimates. The closest Munsell chips (via Munsell/CIELAB lookup table provided by `munsell`) and R colors are determined by locating chips closest to the marginal quantiles and L1 median.

The results can be conveniently inspected using `plotColorQuantiles()`.

Value

A List containing the following elements:

- `marginal`: data.frame containing marginal quantiles in CIELAB (D65), closest Munsell chips, and dE00
- `L1`: L1 median CIELAB (D65) values, closest Munsell chip, and dE00

Author(s)

D.E. Beaudette

Examples

```
## Not run:
# example data, see manual page for details
data(sp5)

# slice top 25 cm
# 24-25cm is the last slice
s <- dice(sp5, 0:24 ~ .)

# check some of the data
```

```

par(mar=c(0,0,0,0))
plotSPC(sample(s, 25), divide.hz = FALSE, name = '', print.id = FALSE, width = 0.5)

# colors
previewColors(unique(s$soil_color))

# compute marginal quantiles and L1 median
cq <- colorQuantiles(s$soil_color)

# simple graphical display of results
plotColorQuantiles(cq)

## End(Not run)

```

compareSites

Compare Site Level Attributes of a SoilProfileCollection

Description

Compare site level attributes of a `SoilProfileCollection` object, returning a distance matrix conformal with the output from `NCSP()`. Values are within the range of 0-1.

Usage

```
compareSites(x, vars, weights = rep(1, times = length(vars)), ...)
```

Arguments

<code>x</code>	<code>SoilProfileCollection</code> object
<code>vars</code>	character vector listing one or more site level attributes of <code>x</code>
<code>weights</code>	numeric vector, same length as <code>vars</code> , variable weighting
<code>...</code>	additional arguments to <code>cluster::daisy()</code>

Details

This function is typically used in conjunction with the output from `NCSP()`.

Value

dissimilarity / dist class object containing pair-wise distances, row/column names derived from `profile_id(x)`

See Also

`NCSP()` `cluster::daisy()`

compositeSPC	<i>Return a list representation of site and horizon level data</i>
--------------	--

Description

compositeSPC() is a convenience function that returns a named list representation of the columns from the @site and @horizons slots.

Usage

```
compositeSPC(object)
```

Arguments

object	A SoilProfileCollection
--------	-------------------------

Value

A list.

Author(s)

Andrew G. Brown.

confusionIndex	<i>Confusion Index</i>
----------------	------------------------

Description

Calculate the confusion index of Burrough et al., 1997.

Usage

```
confusionIndex(x)
```

Arguments

x	vector of probabilities (0,1), should not contain NA
---	--

Value

A single numeric value.

Author(s)

D.E. Beaudette

References

Burrough, P.A., P.F.M. van Gaans, and R. Hootsmans. 1997. "Continuous Classification in Soil Survey: Spatial Correlation, Confusion and Boundaries." *Geoderma* 77: 115-35. doi:10.1016/S0016-7061(97)00018-9.

Examples

```
# a very simple example
p <- c(0.25, 0.25, 0.4, 0.05, 0.05)
confusionIndex(p)

# for comparison
shannonEntropy(p)
```

contrastChart	<i>Color Contrast Chart</i>
---------------	-----------------------------

Description

Compare one or more pages from a simulated Munsell book of soil colors to a reference color.

Usage

```
contrastChart(
  m,
  hues,
  ccAbbreviate = 1,
  style = "hue",
  gridLines = FALSE,
  de00.cex = 0.6,
  cc.cex = 0.6,
  thresh = NULL,
  returnData = FALSE
)
```

Arguments

m	Munsell representation of a single color for comparison e.g. '10YR 4/3'
hues	vector of one or more Munsell hue pages to display
ccAbbreviate	length of abbreviated contrast classes, use 0 to suppress labels
style	'hue' or 'CC', see details
gridLines	logical, add grid lines to the color contrast chart
de00.cex	character scaling applied to dE00 annotation
cc.cex	character scaling applied to contrast class annotation
thresh	threshold (<) applied to pair-wise comparisons and resulting color chips
returnData	logical, return lattice figure + data used to generate the figure

Details

A simulated Munsell color book page or pages are used to demonstrate color contrast between all chips and the reference color *m* (highlighted in red). NCSS color contrast class and CIE delta-E00 values are printed below all other color chips. Munsell color chips for chroma 5 and 7 are omitted, but axis labels are retained as a reminder of this fact.

Setting `style='hue'` emphasizes the contrast classes and CIE delta-E00 of chips adjacent to *m*. Setting `style='CC'` emphasizes adjacent chips according to respective contrast class via lattice panels.

Two-way panels are used when multiple hues are provided and `style='CC'`. The default output can be greatly enhanced via:

```
latticeExtra::useOuterStrips(..., strip = strip.custom(bg=grey(0.85)), strip.left = strip.custom(bg=grey(0.85)) )
```

Author(s)

D.E. Beaudette

Examples

```
# keep examples from using more than 2 cores
data.table::setDTthreads(Sys.getenv("OMP_THREAD_LIMIT", unset = 2))

# single hue page
contrastChart(m = '10YR 3/3', hues = '10YR')

# multiple hue pages
contrastChart(m = '10YR 3/3', hues = c('10YR', '2.5Y'))

# contrast class, single hue
contrastChart(m = '10YR 3/3', hues = '10YR', style='CC')

# contrast class, multiple hues
# consider latticeExtra::useOuterStrips()
contrastChart(m = '10YR 5/6', hues = c('10YR', '2.5Y'), style='CC')
```

contrastClass	<i>Soil Color Contrast</i>
---------------	----------------------------

Description

Determine soil color contrast class according to methods outlined in the Soil Survey Manual. This function is typically called from `colorContrast()` which is simpler to use and provides more information.

Usage

```
contrastClass(v1, c1, v2, c2, dH, dV, dC, verbose = FALSE)
```

Arguments

v1	Munsell value of first color
c1	Munsell chroma of first color
v2	Munsell value of second color
c2	Munsell chroma of second color
dH	delta Hue
dV	delta Value
dC	delta Chroma
verbose	return a list for testing rules/cases

Details

This function is fully vectorized but expects all inputs have the same length.

Value

A vector of color contrast classes (ordered factor). A list when verbose is TRUE.

Author(s)

D.E. Beaudette

References

- Soil Survey Technical Note 2 [wayback machine URL](#)

See Also

[colorContrast](#)

Examples

```
## standard use, result is an ordered factor
# 10YR 6/3 vs 5YR 3/4
contrastClass(v1=6, c1=3, v2=3, c2=4, dH=2, dV=3, dC=1)

## verbose output, useful for testing rules/cases
# 10YR 6/3 vs 5YR 3/4
contrastClass(v1=6, c1=3, v2=3, c2=4, dH=2, dV=3, dC=1, verbose = TRUE)
```

correctAWC

*Apply rock fragment or salt correction to available water content***Description**

Apply rock fragment or salt correction to available water content

Usage

```
correctAWC(
  awc,
  total_rf = numeric(length(awc)),
  gravel = NULL,
  ec = NULL,
  nullFrgsAreZero = TRUE
)
```

Arguments

awc	Numeric vector of available water capacities (e.g. from estimateAWC)
total_rf	Numeric vector of rock fragment volume percentage, 0 - 100
gravel	Numeric vector of gravel volume percentage, 0 - 100
ec	Numeric vector of electrical conductivity, mmhos/cm
nullFrgsAreZero	Interpret NA in total_rf, gravel or ec as 0? Default: TRUE

Value

A numeric vector (double) containing estimated available water capacities corrected for rock fragments and salts

Examples

```
# medium organic matter, loam texture
base.awc <- 0.18 # estimateAWC(texcl = "1", omcl = 2, na.rm = TRUE)

# medium organic matter, loam texture w/ 23% rock fragments by volume
corrected.awc <- correctAWC(base.awc, total_rf = 23)
corrected.awc

# medium organic matter, loam texture w/ 0% frags by volume and 8 mmhos/cm salts
salty.awc <- correctAWC(base.awc, total_rf = 0, ec = 8)
salty.awc
```

crit.clay.argillic	<i>Determines threshold (minimum) clay content for argillic upper bound</i>
--------------------	---

Description

Given a vector or matrix of "eluvial" horizon clay contents (`\ crit.clay.argillic()` returns a vector or matrix of minimum clay contents (thresholds) that must be met for an argillic horizon clay increase.

Usage

```
crit.clay.argillic(eluvial_clay_content)
```

Arguments

eluvial_clay_content

A numeric vector or matrix containing clay contents of potential "eluvial" horizons. May contain NA.

Details

Uses the standard equations for clay contents less than 15 % and 40 % the definition of the argillic horizon from 12th Edition Keys to Soil Taxonomy (Soil Survey Staff, 2014).

Value

A vector or matrix (input-dependent) containing minimum "illuvial" horizon clay contents (thresholds) to be met for argillic horizon clay increase.

Note

This function is intended for identifying clay content threshold required for an argillic horizon. These thresholds may not apply depending on the specifics of your soil. E.g. if the upper part of argillic has been plowed (has Ap immediately over upper boundary) the clay increase requirement can be waived (Soil Survey Staff, 2014).

Author(s)

Andrew Gene Brown

References

Soil Survey Staff. 2014. Keys to Soil Taxonomy, 12th ed. USDA-Natural Resources Conservation Service, Washington, DC.

See Also

[getArgillicBounds](#), [get.increase.matrix](#)

Examples

```
# crit.clay.argillic uses different equations for clay content
# less than 15 %, between 15 and 40 %, and >40 %

crit.clay.argillic(eluvial_clay_content=c(5, 20, 45))
```

denormalize	<i>Create a (redundant) horizon-level attribute from a site-level attribute</i>
-------------	---

Description

Create a (redundant) horizon-level attribute from a site-level attribute. Specify a `SoilProfileCollection` and a site-level attribute from that SPC (by name) to receive a vector of length equal to the number of horizons containing the site-level values. This vector is directly usable with the `SoilProfileCollection` horizon setter.

`denormalize` is the inverse operation for the formula interface that "normalizes" a horizon level variable to site level:

```
site(object) <- ~ horizonvar
```

Usage

```
denormalize(object, attr)
```

Arguments

<code>object</code>	A <code>SoilProfileCollection</code>
<code>attr</code>	Site-level attribute name (character string) to denormalize to horizon.

Details

"Denormalization" is the process of trying to improve the read performance of a database, at the expense of losing some write performance, by adding redundant copies of data or by grouping data. Sometimes it is beneficial to have site-level attributes denormalized for grouping of horizon-level data in analyses. `denormalize` achieves this result for `SoilProfileCollections`.

Value

A vector of values of equal length to the number of rows in the horizon table of the input SPC.

Author(s)

Andrew G. Brown, Dylan Beaudette

Examples

```

data(sp1)

# create a SoilProfileCollection from horizon data
depths(sp1) <- id ~ top + bottom

# create random site-level attribute `sitevar` with a binary (0/1) outcome
sp1$sitevar <- round(runif(length(sp1)))

# use denormalize() to create a mirror of sitevar in the horizon table
# name the attribute something different (e.g. `hz.sitevar`) to
# prevent collision with the site attribute
# the attributes can have the same name but you will then need
# site() or horizons() to access explicitly
sp1$hz.sitevar <- denormalize(sp1, 'sitevar')

# compare number of profiles to number of sitevar assignments
length(sp1)
table(sp1$sitevar)

# compare number of horizons to number of horizon-level copies of sitevar `hz.'sitevar`
nrow(sp1)
table(sp1$hz.sitevar)

```

depthOf	<i>Get top or bottom depths of horizons matching a regular expression pattern</i>
---------	---

Description

The depthOf family of functions calculate depth of occurrence of a horizon designation pattern, or any other value that can be coerced to character and matched with a regular expression.

If you need all depths of occurrence for a particular pattern, depthOf is what you are looking for. minDepthOf and maxDepthOf are wrappers around depthOf that return the minimum and maximum depth. They are all set up to handle missing values and missing "contacts" with the target pattern.

Usage

```

depthOf(
  p,
  pattern,
  FUN = NULL,
  top = TRUE,
  hzdesign = hzdesignname(p, required = TRUE),
  no.contact.depth = NULL,
  no.contact.assigned = NA_real_,
  na.rm = TRUE,
  simplify = TRUE
)

```

```

)

maxDepthOf(
  p,
  pattern,
  top = TRUE,
  hzdesgn = hzdesgnname(p, required = TRUE),
  no.contact.depth = NULL,
  no.contact.assigned = NA,
  na.rm = TRUE,
  simplify = TRUE
)

minDepthOf(
  p,
  pattern,
  top = TRUE,
  hzdesgn = hzdesgnname(p, required = TRUE),
  no.contact.depth = NULL,
  no.contact.assigned = NA,
  na.rm = TRUE,
  simplify = TRUE
)

```

Arguments

<code>p</code>	a <code>SoilProfileCollection</code>
<code>pattern</code>	a regular expression to match in the horizon designation column. See: <code>hzdesgn</code>
<code>FUN</code>	a function that returns a single value, and takes argument <code>na.rm</code>
<code>top</code>	should the top (TRUE) or bottom (FALSE) depth be returned for matching horizons? Default: TRUE.
<code>hzdesgn</code>	column name containing horizon designations. Default: <code>guessHzDesgnName(p)</code>
<code>no.contact.depth</code>	depth to assume that contact did not occur.
<code>no.contact.assigned</code>	depth to assign when a contact did not occur.
<code>na.rm</code>	logical. Remove NA? (default: TRUE)
<code>simplify</code>	logical. Return single profile results as vector (default: TRUE) or <code>data.frame</code> (FALSE)

Value

a numeric vector containing specified depth(s) of horizons matching a pattern. If `length(p) > 1` then a *data.frame* containing profile ID, horizon ID, top or bottom depths, horizon designation and pattern.

Author(s)

Andrew G. Brown

Examples

```
# construct a fake profile
spc <- data.frame(id=1, taxsubgrp = "Lithic Haploxerepts",
  hzname    = c("A","AB","Bw","BC","R"),
  hzdept    = c(0, 20, 32, 42, 49),
  hzdepb    = c(20, 32, 42, 49, 200),
  clay      = c(19, 22, 22, 21, NA),
  texcl     = c("1","1","1", "1","br"),
  d_value   = c(5, 5, 5, 6, NA),
  m_value   = c(2.5, 3, 3, 4, NA),
  m_chroma  = c(2, 3, 4, 4, NA))

# promote to SoilProfileCollection
depths(spc) <- id ~ hzdept + hzdepb
hzdesignname(spc) <- 'hzname'
hztexclname(spc) <- 'texcl'

# multiple horizons contain B
depthOf(spc, "B")

# deepest top depth of horizon containing B
maxDepthOf(spc, "B")

# shallowest top depth
minDepthOf(spc, "B")

# deepest bottom depth
maxDepthOf(spc, "B", top = FALSE)

# deepest bottom depth above 35cm
maxDepthOf(spc, "B", top = FALSE, no.contact.depth = 35)

# assign infinity (Inf) if B horizon does not start within 10cm
minDepthOf(spc, "B", no.contact.depth = 10, no.contact.assigned = Inf)
```

depths

Initialize a SoilProfileCollection from data.frame

Description

depths(<data.frame>) <- <formula>: Initialize SoilProfileCollection
 depths(<SoilProfileCollection>): Extract profile ID and horizon depths from SoilProfileCollection

Usage

```
## S4 method for signature 'SoilProfileCollection'
depths(x, hzID = FALSE, ...)

## S4 replacement method for signature 'SoilProfileCollection'
depths(object) <- value

## S4 replacement method for signature 'data.frame'
depths(object) <- value
```

Arguments

x	A SoilProfileCollection
hzID	Include horizon ID? Usually this is calculated from the (sorted) row index unless hzidname()<- has been called. Default: FALSE
...	not used
object	An object to promote to SoilProfileCollection (inherits from data.frame)
value	A formula specifying the unique profile ID, top and bottom depth column names

Details

The input horizon data, and the resulting profile order, is sorted based on unique profile ID and top depth. ID columns are converted to character, depth columns are converted to integer. If NA values exist in all of the top depths, a prototype with 1 horizon per profile ID is returned, with NA in all non-essential columns. If the input object has 0 rows, a prototype with 0 horizons and 0 rows, but same column names as object, is returned.

Value

a data.frame containing profile ID, top depth, and bottom depth

See Also

horizons() idname() hzidname() horizonDepths()

Examples

```
# load a SoilProfileCollection
data(jacobs2000, package = "aqp")

depths(jacobs2000)
## init SoilProfileCollection objects from data.frame of horizon data

# load demo data
data(sp1)

# promote to SPC
depths(sp1) <- id ~ top + bottom
```

```
# plot
plot(sp1)

# number of profiles
length(sp1)

# number of horizons
nrow(sp1)
```

depthWeights	<i>Return a vector of contributing fractions over a depth interval</i>
--------------	--

Description

depthWeights() calculates the contributing fraction for each pair of horizon top and bottom depths, given an upper and lower boundary.

Usage

```
depthWeights(top, bottom, upper, lower)
```

Arguments

top	A numeric vector of horizon top depths.
bottom	A numeric vector of horizon bottom depths.
upper	A unit length numeric vector with upper boundary.
lower	A unit length numeric vector with lower boundary.

Value

A named list.

Author(s)

Andrew G. Brown.

depth_units, SoilProfileCollection-method
Get depth units from metadata

Description

Get units of depth measurement from metadata. Default value is centimeters.

Usage

```
## S4 method for signature 'SoilProfileCollection'
depth_units(object)

## S4 replacement method for signature 'SoilProfileCollection'
depth_units(object) <- value
```

Arguments

object	A SoilProfileCollection
value	character, a value representing units. Default 'cm'.

Examples

```
data(sp5)

## get depth units
du <- depth_units(sp5)

# set alternate units; e.g. inches
depth_units(sp5) <- 'in'

# replace original value (cm)
depth_units(sp5) <- du
```

diagnostic_hz, SoilProfileCollection-method
Get or Set Diagnostic Horizon data in a SoilProfileCollection

Description

Diagnostic horizons describe features of the soil relevant to taxonomic classification. A single profile may have multiple diagnostic features or horizons, each of which may be comprised of multiple horizons.

- `diagnostic_hz()` (get method): Get diagnostic feature data from a SoilProfileCollection.
- `diagnostic_hz<=` (set method): Set diagnostic feature data for a SoilProfileCollection. The profile ID column from object (`idname(object)`) must be present in the replacement value object.

Usage

```
## S4 method for signature 'SoilProfileCollection'
diagnostic_hz(object)

## S4 replacement method for signature 'SoilProfileCollection'
diagnostic_hz(object) <- value
```

Arguments

object	A SoilProfileCollection
value	An object inheriting from data.frame

Examples

```
# load test data
data(sp2)

# promote to SPC
depths(sp2) <- id ~ top + bottom

# assign two profiles a zone related to the mollic epipedon
newdata <- data.frame(id = c("hon-1", "hon-17"),
                      featkind = "fixed-depth surface sample",
                      featdept = 0,
                      featdepb = 18)

# do left join
diagnostic_hz(sp2) <- newdata

# inspect site table: newvalue TRUE only for horizons
# with top depth equal to zero
diagnostic_hz(sp2)
```

dice, SoilProfileCollection-method

Efficient Slicing of SoilProfileCollection Objects

Description

Cut ("dice") soil horizons into 1-unit thick slices. This function replaces `aqp::slice()`, which will be deprecated in aqp 2.0.

Usage

```
## S4 method for signature 'SoilProfileCollection'
dice(
  x,
```

```

    fm = NULL,
    SPC = TRUE,
    pctMissing = FALSE,
    fill = FALSE,
    strict = TRUE,
    byhz = TRUE,
    verbose = FALSE
  )

```

Arguments

<code>x</code>	a <code>SoilProfileCollection</code> object
<code>fm</code>	optional formula describing top depths and horizon level attributes to include: <code>integer.vector ~ var1 + var2 + var3</code> or <code>integer.vector ~ .</code> to include all horizon level attributes. Specification of <code>integer.vector</code> forces <code>fill = TRUE</code> . When <code>NULL</code> profiles are "diced" to depth and results will include all horizon level attributes. Note on interpretation of <code>integer.vector</code> (slice tops)
<code>SPC</code>	return the diced <code>SoilPrfolileCollection</code> , if <code>FALSE</code> a <code>data.frame</code> of horizon-level attributes
<code>pctMissing</code>	compute "percent missing data" by slice (when <code>TRUE</code> expect 6-8x longer run time)
<code>fill</code>	logical, fill with empty placeholder horizons in gaps within profiles, and/or, above/below interval specified in <code>fm</code> . Automatically set to <code>TRUE</code> when LHS of <code>fm</code> is specified. Backwards compatibility with <code>slice</code> is maintained by setting <code>fill = TRUE</code> with or without <code>fm</code> .
<code>strict</code>	perform horizon depth logic checking / flagging / removal
<code>byhz</code>	Evaluate horizon depth logic at the horizon level (<code>TRUE</code>) or profile level (<code>FALSE</code>). Invalid depth logic invokes <code>HzDepthLogicSubset</code> which removes offending profiles or horizon records.
<code>verbose</code>	Print information about object size/memory usage. Default: <code>FALSE</code>

Details

For large and potentially messy collections that may include missing horizon depth logic errors, consider using `repairMissingHzDepths()` before `dice()`. Consider using `accumulateDepths()` before invoking `dice()` on collections that may contain old-style O horizon notation (e.g. 5-0cm).

Value

a `SoilProfileCollection` object, or `data.frame` when `SPC = FALSE`

Author(s)

D.E. Beaudette and A.G. Brown

See Also

[repairMissingHzDepths\(\)](#), [accumulateDepths\(\)](#), [fillHzGaps\(\)](#)

`duplicate`*Duplicate Profiles of a SoilProfileCollection*

Description

A simple function to duplicate the contents of a `SoilProfileCollection` object. Old profile IDs are saved as a site-level attribute (`oldID`) and new IDs are generated using a numeric serial number.

Usage

```
duplicate(x, times = 3, oldID = ".oldID")
```

Arguments

<code>x</code>	a <code>SoilProfileCollection</code> object with 1 or more profiles
<code>times</code>	requested number of copies
<code>oldID</code>	site-level attribute used to store the original profile IDs

Value

a `SoilProfileCollection` object

Author(s)

D.E. Beaudette

Examples

```
# sample data
data('sp4')

# promote to SPC
depths(sp4) <- id ~ top + bottom

# duplicate each profile 2 times
d <- duplicate(sp4, times = 2)

# graphical check
par(mar = c(0, 0, 3, 1))
plotSPC(d, color = 'Ca', width = 0.25)
```

electroStatics_1D *Label placement based on a simulation of electrostatic forces*

Description

This function attempts to move labels along a 1D coordinate system such that overlap (as specified by threshold) is minimized. An electrostatic simulation applies forces of repulsion between labels that are within thresh (e.g. overlapping) and forces of attraction to a uniformly spaced sequence to iteratively perturb affected labels until either no overlap is reported, or a maximum number of iterations (maxIter) has been reached.

Usage

```
electroStatics_1D(
  x,
  thresh,
  q = 1,
  chargeDecayRate = 0.01,
  QkA_GrowthRate = 0.05,
  maxIter = 100,
  tiny = 1e-04,
  const = 0.001,
  trace = FALSE,
  ...
)
```

Arguments

x	numeric vector, pre-sorted sorted, without duplication, describing 1D label (particle) configuration
thresh	numeric, overlap threshold, same as in fixOverlap()
q	numeric, electrical charge (typically between 0.1 and 2)
chargeDecayRate	numeric, exponential decay rate constant for q as a function of iteration i
QkA_GrowthRate	numeric, growth rate constant for Qk applied to attraction to uniform spacing of labels, invoked when rank order is violated during the simulation
maxIter	integer, maximum number of iterations before giving up
tiny	numeric, 0-values replaced by this number to avoid division by 0 and infinite forces
const	numeric, empirical constant added to the 1D electrostatic force equation to dampen oscillation: $(Q_k * Q_1 * Q_2) / (d^{ex} + const)$
trace	logical, include diagnostic output
...	not used, absorbs additional arguments to fixOverlap()

Details

Difficult overlap problems can be addressed by reducing thresh and increasing q. Large values of q can lead to chaotic results.

This function will generate unpredictable output when x contains duplicate values.

This function requires input to be pre-sorted, although interesting "artistic" simulations will often result from unsorted x.

Value

When trace = TRUE a list, otherwise numeric vector with converged attribute.

Author(s)

D.E. Beaudette and K.C. Thompson

See Also

[fixOverlap\(\)](#), [SANN_1D\(\)](#)

Examples

```
# vector of object locations, with potential overlap
x <- c(1, 2, 3, 3.3, 3.8, 5, 6, 7, 8, 9, 10)

# full diagnostic output
z <- electroStatics_1D(x, thresh = 0.65, trace = TRUE, q = 1)
txt <- sprintf("Converged %s (%s iterations)", z$converged, length(z$cost))

plot(
  seq_along(z$cost),
  z$cost,
  las = 1,
  xlab = 'Iteration',
  ylab = 'Overlap Cost',
  type = 'b',
  main = txt
)

abline(h = 0, lty = 2, col = 2)

# final configuration only
xnew <- electroStatics_1D(x, thresh = 0.65, q = 1)

# check for convergence
attr(xnew, 'converged')

# compare original vs. modified
data.frame(orig = x, new = round(xnew, 2))
```

equivalentMunsellChips

Identify "equivalent" (whole number value/chroma) Munsell chips

Description

Uses a pre-calculated lookup list ([equivalent_munsell](#)) based on pair-wise CIE2000 contrast (dE00) of LAB color with D65 illuminant for all whole value/chroma "chips" in the `aqp:munsell` data set.

The intention is to identify Munsell chips that may be "functionally equivalent" to some other given whole value/chroma chip elsewhere in the Munsell color space – as discretized in the `aqp:munsell` data table. This basic assumption needs to be validated against your end goal: probably by visual inspection of some or all of the resulting sets. See [colorContrast](#) and [colorContrastPlot](#).

"Equivalent" chips table are based (fairly arbitrarily) on the 0.001 probability level of dE00 (default Type 7 quantile) within the upper triangle of the 8467x8467 contrast matrix. This corresponds to a dE00 contrast threshold of approximately 2.16.

Usage

```
equivalentMunsellChips(hue = NULL, value = NULL, chroma = NULL)
```

Arguments

hue	A character vector containing Munsell hues
value	A numeric vector containing Munsell values (integer only)
chroma	A numeric vector containing Munsell chromas (integer only)

Value

A named list; Each list element contains a data.frame with one or more rows of "equivalent" Munsell, RGB and LAB color coordinates from `munsell` data set.

References

Gaurav Sharma, Wencheng Wu, Edul N. Dalal. (2005). The CIEDE2000 Color-Difference Formula: Implementation Notes, Supplementary Test Data, and Mathematical Observations. COLOR research and application. 30(1):21-30. <http://www2.ece.rochester.edu/~gsharma/ciede2000/ciede2000noteCRNA.pdf>

Thomas Lin Pedersen, Berendea Nicolae and Romain François (2020). farver: High Performance Colour Space Manipulation. R package version 2.0.3. <https://CRAN.R-project.org/package=farver>

Dong, C.E., Webb, J.B., Bottrell, M.C., Saginor, I., Lee, B.D. and Stern, L.A. (2020). Strengths, Limitations, and Recommendations for Instrumental Color Measurement in Forensic Soil Characterization. J Forensic Sci, 65: 438-449. <https://doi.org/10.1111/1556-4029.14193>

See Also

[colorContrast](#) [colorContrastPlot](#) [equivalent_munsell](#)

Examples

```
# 7.5YR 4/4 (the one and only)

equivalentMunsellChips("7.5YR", 4, 4)
#>
#> $`7.5YR 4/4`
#>      hue value chroma      r      g      b      L      A      B
#> 8330 7.5YR      4      4 0.4923909 0.352334 0.2313328 41.26403 10.8689 23.5914

# 7.5YR 1/1 (two chips are equivalent; 3 row result)

equivalentMunsellChips("7.5YR", 1, 1)
#>
#> $`7.5YR 1/1`
#>      hue value chroma      r      g      b      L      A      B
#> 1983 10YR      1      1 0.1345633 0.1087014 0.07606787 10.64787 1.621323 6.847629
#> 6189 5YR      1      1 0.1330994 0.1076359 0.09450179 10.63901 2.489012 3.515146
#> 8303 7.5YR      1      1 0.1329483 0.1082380 0.08862581 10.64210 2.065514 4.623922

# 10YR 6/8 (two chips are equivalent; 3 row result)

equivalentMunsellChips("10YR", 6, 8)
#>
#> $`10YR 6/8`
#>      hue value chroma      r      g      b      L      A      B
#> 2039 10YR      6      7 0.7382230 0.5512957 0.2680260 61.76795 10.50886 44.78574
#> 2040 10YR      6      8 0.7519872 0.5472116 0.2157209 61.77496 11.83215 51.15496
#> 2041 10YR      6      9 0.7642826 0.5433189 0.1559069 61.78085 13.09599 57.49773

# compare visually a very red color

veryred <- equivalentMunsellChips("10R", 6, 28)[[1]]

par(mar=c(0,0,1,1))

pie(rep(1, nrow(veryred)), col = with(veryred, munsell2rgb(hue, value, chroma)),
    label = with(veryred, sprintf("%s %s/%s", hue, value, chroma)))

table(veryred$hue) # 2 hues
#>
#> 10R 7.5R
#> 8 17

table(veryred$value) # 2 values
#>
#> 5 6
#> 11 14

table(veryred$chroma) # 10 chromas
#>
#> 21 22 23 24 25 26 27 28 29 30
#> 1 2 2 3 3 4 3 3 2 2
```

equivalent_munsell	<i>Indices of "equivalent" Munsell chips in the munsell data set</i>
--------------------	--

Description

A pre-calculated lookup list (made with `farver::compare_colour`) based on pair-wise color contrast (CIE2000 or dE00) evaluated over all "chips" in the `aqp::munsell` data set.

The intention is to identify Munsell chips that may be "functionally equivalent" to some other given whole chip elsewhere in the Munsell color space – as discretized in the `aqp::munsell` lookup table.

"Equivalent" chips are based (fairly arbitrarily) on the 0.001 probability level of dE00 (default Type 7 quantile) within the upper triangle of the 8467x8467 contrast matrix. This corresponds to a dE00 threshold of approximately 2.15.

This is a naive (to the subtleties of human color perception, and overall magnitude of contrast between some of the "chips") but computationally consistent approach. Using the lookup list, as opposed to manual contrast via e.g. `farver::compare_colour` may have some benefits for efficiency in certain applications where the exact contrast value is not as important as the concept of having some threshold that is non-zero, but very small.

Usage

```
data(equivalent_munsell)
```

Format

A named list with 8467 elements, each containing a numeric vector of indices corresponding to the `munsell` data set, which has 8467 rows (unique, whole-number chips). Names have the format HUE VALUE/CHROMA, e.g. "7.5YR 4/4"

References

Gaurav Sharma, Wencheng Wu, Edul N. Dalal. (2005). The CIEDE2000 Color-Difference Formula: Implementation Notes, Supplementary Test Data, and Mathematical Observations. *COLOR research and application*. 30(1):21-30. <http://www2.ece.rochester.edu/~gsharma/ciede2000/ciede2000noteCRNA.pdf>

Thomas Lin Pedersen, Berendea Nicolae and Romain Francois (2020). `farver`: High Performance Colour Space Manipulation. R package version 2.0.3. <https://CRAN.R-project.org/package=farver>

Dong, C.E., Webb, J.B., Bottrell, M.C., Saginor, I., Lee, B.D. and Stern, L.A. (2020). Strengths, Limitations, and Recommendations for Instrumental Color Measurement in Forensic Soil Characterization. *J Forensic Sci*, 65: 438-449. <https://doi.org/10.1111/1556-4029.14193>

See Also

[equivalentMunsellChips](#)

Examples

```
data(equivalent_munsell)
```

estimateAWC	<i>Estimate available water capacity for fine-earth fraction</i>
-------------	--

Description

Estimate available water capacity for fine-earth fraction

Usage

```
estimateAWC(texcl, omcl, precision = 2, FUN = mean, ...)
```

Arguments

- | | |
|-----------|--|
| texcl | character, USDA textural class fine earth fraction |
| omcl | integer, Organic matter class. 1: less than 1.5 percent, 2: less than 5, 3: greater than 5 |
| precision | integer, Number of decimal places in result default: 2 |
| FUN | Function for interpolating between table values default: mean |
| ... | Additional arguments to FUN |

Value

A numeric vector double containing estimated available water capacities for fine-earth fraction.

Examples

```
# organic matter, loam texture, low medium and high OM
base.awc <- estimateAWC(c("l","l","l"), c(1, 2, 3), na.rm = TRUE)
base.awc
```

estimatePSCS	<i>Estimate boundaries of the U.S Soil Taxonomy Particle Size Control Section</i>
--------------	---

Description

Estimates the upper and lower boundary of the particle size control section for Mineral or Organic soils by applying a programmatic version of the particle size control section key from the Keys to Soil Taxonomy (13th edition). See details for assumptions and required data elements.

Usage

```
estimatePSCS(
  p,
  hzdesgn = hzdesgnname(p, required = TRUE),
  clay.attr = hzmetaname(p, "clay", required = TRUE),
  texcl.attr = hztexclname(p, required = TRUE),
  lieutex = hzmetaname(p, "lieutex"),
  tax_order_field = "tax_order",
  bottom.pattern = "Cr|R|Cd|m",
  simplify = TRUE,
  ...
)
```

Arguments

<code>p</code>	A <code>SoilProfileCollection</code>
<code>hzdesgn</code>	Name of the horizon attribute containing the horizon designation. Default <code>hzdesgnname(p, required = TRUE)</code>
<code>clay.attr</code>	Name of the horizon attribute containing clay contents. Default <code>hzmetaname(p, "clay", required = TRUE)</code>
<code>texcl.attr</code>	Name of the horizon attribute containing textural class (used for finding sandy textures). Default <code>hztexclname(p, required = TRUE)</code>
<code>lieutex</code>	Optional data element used in addition to the horizon designation to identify kinds of organic soil material for soils with organic surfaces. Default: <code>hzmetaname(p, "lieutex")</code>
<code>tax_order_field</code>	Name of the site attribute containing taxonomic order; for handling PSCS rules for Andisols in lieu of lab data. May be NA or column missing altogether, in which case Andisol PSC possibility is ignored.
<code>bottom.pattern</code>	Regular expression pattern to match a root-restrictive contact. Default matches Cr, R, Cd or m. This argument is passed to both <code>minDepthOf()</code> and <code>getArgillicBounds()</code> .
<code>simplify</code>	Return a length 2 vector with upper and lower boundary when <code>p</code> has length 1? Default TRUE.
<code>...</code>	additional arguments are passed to <code>getArgillicBounds()</code>

Details

Requires information to identify argillic horizons (clay contents, horizon designations) with `getArgillicBounds()` as well as the presence of plow layers and surface organic soil material. Any `getArgillicBounds()` arguments may be passed to `estimatePSCS`.

Also, requires information on taxonomic order to handle Andisols.

In aqp 2.1, particle size control sections of organic soils Histosols and Histels are supported. This requires setting the "lieutex" horizon metadata column using `hzmetaname<-( )` Horizon designations containing "f" or "W" are recognized as permafrost and water layers, respectively, for application of the organic soils key to control sections. In lieu textures "SPM" and "PEAT" are used to

identify low density organic materials used for surface tier thickness. To avoid using the 160 cm surface tier, set the "lieutex" column to any column that does not contain "SPM" or "PEAT" values.

WARNING: Soils in arenic or grossarenic subgroups, with fragipans, or with strongly contrasting PSCs may not be classified correctly. The author would welcome a dataset to develop this functionality for.

Value

A numeric vector (when simplify=TRUE) containing the top and bottom depth of the particle size control section. First value is top, second value is bottom. If p contains more than one profile, the result is a data.frame with profile ID plus PSCS top and bottom depths.

Author(s)

Andrew Gene Brown

References

Soil Survey Staff. 2014. Keys to Soil Taxonomy, 12th ed. USDA-Natural Resources Conservation Service, Washington, DC.

See Also

[getArgillicBounds\(\)](#), [getSurfaceHorizonDepth\(\)](#)

Examples

```
data(sp1, package = 'aqp')
depths(sp1) <- id ~ top + bottom
site(sp1) <- ~ group

# set required metadata
hzdesgnname(sp1) <- 'name'
hztexclname(sp1) <- 'texture'
hzmetaname(sp1, 'clay') <- 'prop'

x <- estimatePSCS(sp1)
x

# change horizon texture and set inlieu texture column to turn
# first profile into an organic soil
sp1$name[1:6] <- c("Oi1", "Oi2", "Oi3", "Oaf", "Cf1", "Cf2")
sp1$texture <- as.character(sp1$texture)
sp1$texture[1:6] <- c("PEAT", "PEAT", "PEAT", "MUCK", "GRVLS", "GRVLS")
sp1$bottom[6] <- 200
hzmetaname(sp1, 'lieutex') <- 'texture'

y <- estimatePSCS(sp1[1, ], simplify = FALSE)

# 74cm lower boundary is 25cm past the upper boundary of permafrost (49cm)
# but minimum depth is 100cm unless there is a root-limiting layer
```

y

estimateSoilColor	<i>Estimate dry soil colors from moist soil colors and vice versa.</i>
-------------------	--

Description

Soil color is typically described at dry and moist conditions. This function attempts to estimate soil color at dry or moist condition when one is missing. Estimation proceeds as:

- convert Munsell notation to CIELAB color coordinates via `munsel12rgb()`
- apply scaling, rotation, and translation parameters in CIELAB color space
- locate closest Munsell chip to CIELAB coordinates via `col2munsel1()`

Estimation of dry from moist soil color state is not guaranteed to be symmetric with estimation of moist from dry.

Usage

```
estimateSoilColor(hue, value, chroma, sourceMoistureState = c("dry", "moist"))
```

Arguments

hue	vector of Munsell hue ('10YR', '2.5Y', etc.)
value	vector of Munsell value (2, 2.5, 3, 5, 6, etc.)
chroma	vector of Munsell chroma (2, 3, 4, etc.)
sourceMoistureState	character, source colors are either 'dry' or 'moist'

Details

Scaling, rotation, and translation parameters for shifting between dry <=> moist CIELAB coordinates was determined using `vegan::procrustes()`, from those official series descriptions (OSD) where moist and dry soil colors were available.

Estimates for colors having a (dry or moist) Munsell value of 10 are not likely correct.

This is still a work in progress.

Value

data.frame of estimated colors in Munsell notation. The sigma column contains CIE2000 color contrast metric values describing the perceptual distance between estimated color in CIELAB coordinates and closest Munsell chip.

Author(s)

D.E. Beaudette

Examples

```
# keep examples from using more than 2 cores
data.table::setDTthreads(Sys.getenv("OMP_THREAD_LIMIT", unset = 2))

estimateSoilColor(hue = '10YR', value = 3, chroma = 3, sourceMoistureState = 'moist')

# note that estimation is not symmetric
estimateSoilColor(hue = '10YR', value = 5, chroma = 3, sourceMoistureState = 'dry')
```

estimateSoilDepth	<i>Estimate Soil Depth</i>
-------------------	----------------------------

Description

Estimate the soil depth of a single profile within a `SoilProfileCollection` object. This function would typically be called by `profileApply()`.

Usage

```
estimateSoilDepth(
  f,
  name = hzdesgnname(f),
  p = "Cr|R|Cd",
  selection = min,
  no.contact.depth = NULL,
  no.contact.assigned = NULL
)
```

Arguments

<code>f</code>	SoilProfileCollection object of length 1, e.g. a single profile
<code>name</code>	name of the column that contains horizon designations
<code>p</code>	REGEX pattern for determining "contact", or depth to some morphologic feature (e.g. Bt)
<code>selection</code>	an R function applied in the presence of multiple matching horizons: min (default), max, mean, etc.
<code>no.contact.depth</code>	in the absence of contact matching p, a depth at which we can assume a standard depth-to-contact
<code>no.contact.assigned</code>	value assigned when no contact is encountered at or below <code>no.contact.depth</code>

Details

The choice of a selection function usually follows:

min: the top of the first matching horizon, max: the top bot the last matching horizon, or possibly mean: somewhere in-between.

Value

single value representing the depth to contact or no.contact.assigned

Author(s)

D.E. Beaudette and J.M. Skovlin

See Also

[getSoilDepthClass](#), [profileApply](#)

Examples

```
## consider a situation where there were multiple candidate
## "contacts": 2 Cd horizons over an R

# init hypothetical profile
d <- data.frame(
  id = '1',
  top = c(0, 10, 20, 30, 40, 50, 60),
  bottom = c(10, 20, 30, 40, 50, 60, 80),
  name = c('A', 'Bt1', 'Bt2', 'BC', 'Cd1', 'Cd2', 'R'),
  stringsAsFactors = FALSE
)

# upgrade to SPC
depths(d) <- id ~ top + bottom

# init horizon designation
hzdesgnname(d) <- 'name'

# visual check
par(mar = c(0, 0, 0, 2))
plotSPC(d, hz.depths = TRUE, name.style = 'center-center', cex.names = 1, width = 0.1)

# top of the first Cd
estimateSoilDepth(d, name = 'name')

# top of the first Cd
estimateSoilDepth(d, name = 'name', selection = min)

# top of the R
estimateSoilDepth(d, name = 'name', selection = max)

# top of the second Cd
estimateSoilDepth(d, name = 'name', selection = max, p = 'Cd')

## another example

data(sp1)
```

```

depths(sp1) <- id ~ top + bottom

# init horizon designation
hzdesgnname(d) <- 'name'

# apply to each profile in a collection, and save as site-level attribute
sp1$depth <- profileApply(sp1, estimateSoilDepth, name='name')

# this function can be used to "find" depth to any feature
# that can be defined via REGEX pattern matching on the horizon name
# for example, locate the depth to the top "Bt" horizon
# returning NA when there is no match
sp1$top_Bt <- profileApply(
  sp1, estimateSoilDepth,
  name='name',
  p='Bt',
  no.contact.depth=0,
  no.contact.assigned=NA
)

# reduced margins
par(mar=c(1,1,1,2))
# adjust default y-offset and depth scaling for following examples
plotSPC(sp1, y.offset=10, scaling.factor=0.5)

# get plotting parameters for profile widths and depth scaling factors
lsp <- get("last_spc_plot", envir = aqp.env)

# positions on x-axis, same for both depth and top "Bt" horizon
x.positions <- (1:length(sp1)) - lsp$width

# annotate contact with unicode right-arrow
# y-position is adjusted based on plot y-offset and scaling factor
y.positions <- lsp$y.offset + (sp1$depth * lsp$scaling.factor)
text(x.positions, y.positions, '\u2192', col='red', adj=1, cex=1.25, lwd=2)

# annotate top "Bt" depth with unicode right-arrow
# y-position is adjusted based on plot y-offset and scaling factor
y.positions <- lsp$y.offset + (sp1$top_Bt * lsp$scaling.factor)
text(x.positions, y.positions, '\u2192', col='blue', adj=1, cex=1.25, lwd=2)

## Not run:
# sample data
data(gopheridge, package='soilDB')

# run on a single profile
estimateSoilDepth(gopheridge[1, ], name = 'hzname')

# apply to an entire collection
profileApply(gopheridge, estimateSoilDepth, name = 'hzname')

## End(Not run)

```

evalGenHZ

*Evaluate Generalized Horizon Labels***Description**

Data-driven evaluation of generalized horizon labels using nMDS and silhouette width.

Usage

```
evalGenHZ(
  obj,
  genhz = GHL(obj, required = TRUE),
  vars,
  non.matching.code = "not-used",
  stand = TRUE,
  metric = "euclidean"
)
```

Arguments

obj	a SoilProfileCollection object
genhz	name of horizon-level attribute containing generalized horizon labels
vars	character vector of horizon-level attributes to include in the evaluation
non.matching.code	code used to represent horizons not assigned a generalized horizon label
stand	standardize variables before computing distance matrix, passed to <code>cluster::daisy()</code>
metric	distance metric, passed to <code>cluster::daisy()</code>

Details

Classic multidimensional scaling is performed via `stats::cmdscale()`. The input distance matrix is generated by `cluster::daisy()` using (complete cases of) horizon-level attributes from obj as named in vars.

Silhouette widths are computed via `cluster::silhouette()`. The input distance matrix is generated by `cluster::daisy()` using (complete cases of) horizon-level attributes from obj as named in vars. Note that observations with genhz labels specified in non.matching.code are removed filtered before calculation of the distance matrix.

Value

a list is returned containing:

- horizons: c('mds.1', 'mds.2', 'sil.width', 'neighbor')
- stats: mean and standard deviation vars, computed by generalized horizon label
- dist: the distance matrix as passed to `stats::cmdscale()`

Author(s)

D.E. Beaudette

See Also[get.ml.hz\(\)](#)

evalMissingData

*Evaluate Missing Data within a SoilProfileCollection***Description**

Evaluate missing data within a SoilProfileCollection object

Data completeness is evaluated by profile or by horizon. Profile-level evaluation is based on the thickness of horizons (method = absolute) with complete horizon-level attributes (vars), optionally divided by the total thickness (method = relative). The REGEX pattern (p) is used to filter non-soil horizons from the calculation.

Usage

```
evalMissingData(
  x,
  vars,
  name = hzdesgnname(x),
  p = "Cr|R|Cd",
  method = c("relative", "absolute", "horizon")
)
```

Arguments

x	SoilProfileCollection object
vars	character vector, naming horizon-level attributes in x
name	character, the name of a horizon-level attribute where horizon designations are stored, defaults to hzdesgnname(x)
p	character, REGEX pattern used to match non-soil horizons
method	character, one of: 'relative' (proportion of total) depth, 'absolute' depth, or 'horizon' (fraction not-missing by horizon)

Value

A vector values ranging from 0 to 1 (method = 'relative') or 0 to maximum depth in specified depth units (method = 'absolute') representing the quantity of non-missing data (as specified in vars) for each profile. When method = 'horizon' a non-missing data fraction is returned for each horizon.

Author(s)

D.E. Beaudette

Examples

```
# example data
data("jacobs2000")

# fully populated
plotSPC(jacobs2000, name.style = 'center-center',
        cex.names = 0.8, color = 'time_saturated')

# missing some data
plotSPC(jacobs2000, name.style = 'center-center',
        cex.names = 0.8, color = 'concentration_color')

# very nearly complete
plotSPC(jacobs2000, name.style = 'center-center',
        cex.names = 0.8, color = 'matrix_color')

# variables to consider
v <- c('time_saturated', 'concentration_color', 'matrix_color')

# compute data completeness by profile
# ignore 2C horizons
jacobs2000$data.complete <- evalMissingData(
  jacobs2000,
  vars = v,
  method = 'relative',
  p = '2C'
)

jacobs2000$data.complete.abs <- evalMissingData(
  jacobs2000,
  vars = v,
  method = 'absolute',
  p = '2C'
)

# compute data completeness by horizon
# ignore 2C horizons
jacobs2000$h2.data.complete <- evalMissingData(
  jacobs2000,
  vars = v,
  method = 'horizon',
  p = '2C'
)

# "fraction complete" by horizon
plotSPC(
```

```

    jacobs2000, name.style = 'center-center',
    cex.names = 0.8, color = 'hz.data.complete'
  )

  # rank on profile completeness
  new.order <- order(jacobs2000$data.complete)

  # plot along data completeness ranking
  plotSPC(
    jacobs2000, name.style = 'center-center',
    cex.names = 0.8, color = 'concentration_color',
    plot.order = new.order
  )

  # add relative completeness axis
  # note re-ordering of axis labels
  axis(
    side = 1, at = 1:length(jacobs2000),
    labels = round(jacobs2000$data.complete[new.order], 2),
    line = 0, cex.axis = 0.75
  )

  # add absolute completeness (cm)
  axis(
    side = 1, at = 1:length(jacobs2000),
    labels = jacobs2000$data.complete.abs[new.order],
    line = 2.5, cex.axis=0.75
  )

```

 explainPlotSPC

Visual Explanation for plotSPC

Description

Create a visual explanation for the many arguments to plotSPC. Call this function instead of plotSPC, all objects after x are passed on to plotSPC. Nearly all of the figures in the [Introduction to SoilProfileCollection Objects tutorial](#) are created with this function.

Usage

```
explainPlotSPC(x, ...)
```

Arguments

x	a SoilProfileCollection object
...	arguments passed to <code>plotSPC</code>

Value

a list of internally-used ordering vectors and graphical offsets / scaling factors

Author(s)

D.E. Beaudette

See Also

[plotSPC](#)

Examples

```
# sample data
data(sp4)
depths(sp4) <- id ~ top + bottom

# proposed vector of relative positions, overlap likely
pos <- c(1, 1.1, 3, 4, 5, 5.2, 7, 8, 9, 10)

# try it
explainPlotSPC(sp4, name = 'name', relative.pos=pos)

# attempt to fix using an integer sequence, short-circuit will prevent adjustments
explainPlotSPC(sp4, name = 'name', relative.pos = fixOverlap(1:10))

# attempt to adjust using defaults
explainPlotSPC(sp4, name = 'name', relative.pos = fixOverlap(pos))

# attempt to adjust and tinker with defaults
explainPlotSPC(sp4, name = 'name', relative.pos = fixOverlap(pos, adj = 0.2))

# enforce larger space between
explainPlotSPC(sp4, name = 'name', relative.pos = fixOverlap(pos, thresh = 0.7))

# more complex adjustments required
pos <- c(1, 2, 3, 3.3, 5, 5.1, 5.5, 8, 9, 10)

# tinker
explainPlotSPC(sp4, name = 'name', relative.pos = pos)
explainPlotSPC(sp4, name = 'name', relative.pos = fixOverlap(pos))

explainPlotSPC(sp4, name = 'name', relative.pos = fixOverlap(pos,
thresh = 0.7))

explainPlotSPC(sp4, name = 'name', relative.pos = fixOverlap(pos,
thresh = 0.7, adj = 0.2))

# SANN: solution requires many iterations, and will not always converge
explainPlotSPC(sp4, name = 'name',
relative.pos = fixOverlap(pos, thresh = 0.85, adj = 0.2)
)
```

```
# electrostatics: solution requires larger charge (q)
explainPlotSPC(sp4, name = 'name',
relative.pos = fixOverlap(pos, thresh = 0.85, method = 'E', q = 2)
)
```

fillHzGaps

*Find and Fill Horizon Gaps***Description**

This function attempts to find "gaps" in the horizon records of a `SoilProfileCollection` object and fill with placeholder horizons (profile ID, horizon ID, to/bottom depths, all else NA). Missing horizon records between the top of each profile and `to_top`, or the bottom of each profile and `to_bottom` are treated as gaps when those arguments are not NULL. You can use this function to prepare a potentially messy `SoilProfileCollection` for subsequent analyses that are sensitive to horizon sequence inconsistencies or require a conformal "rectangle" of data spanning known depths.

Gaps are defined as:

- within each profile, for horizons `i` to `n_hz`:
- `bottom_i != top_i+1` (but only to `i = 1:(n_hz - 1)`)

Usage

```
fillHzGaps(x, flag = TRUE, to_top = 0, to_bottom = max(x))
```

Arguments

<code>x</code>	<code>SoilProfileCollection</code> object
<code>flag</code>	logical, flag empty horizons that have been added. default: TRUE
<code>to_top</code>	numeric, fill from shallowest top depth in each profile to specified depth? default: 0
<code>to_bottom</code>	numeric, fill from deepest bottom depth in each profile to specified depth? default: <code>aqp::max(x)</code>

Value

a possibly modified `SoilProfileCollection` object

Author(s)

A.G. Brown and D.E. Beaudette

Examples

```

data(sp4)
depths(sp4) <- id ~ top + bottom

# introduce depth logic errors
idx <- c(2, 6:7, 8, 12)
sp4$top[idx] <- NA

# check
horizons(sp4)[idx, ]

# create gaps by removing logic errors
x <- HzDepthLogicSubset(sp4, byhz = TRUE)

# check on removed horizons (hzID values)
metadata(x)$removed.horizons

# inspect
par(mar = c(0, 0, 0, 2))
plotSPC(x, width = 0.3, default.color = 'royalblue',
name = 'hzID', name.style = 'center-center', cex.names = 0.8,
cex.id = 0.66)

# fill gaps left by HzDepthLogicSubset()
z <- fillHzGaps(x, flag = TRUE)

# graphical check
plotSPC(z, width = 0.3, color = '.filledGap', name = 'hzID',
show.legend = FALSE, name.style = 'center-center', cex.names = 0.8,
cex.id = 0.66)

# fill top to 0 cm
z2 <- fillHzGaps(x, flag = TRUE, to_top = 0)
plotSPC(z2, width = 0.3, color = '.filledGap', name = 'hzID', show.legend = FALSE)

# fill bottom to max(SPC)
z3 <- fillHzGaps(x, flag = TRUE, to_top = 0, to_bottom = max(x))
plotSPC(z3, width = 0.3, color = '.filledGap', name = 'hzID', show.legend = FALSE)

## another example
data(sp4)
depths(sp4) <- id ~ top + bottom

# remove 1st horizons from profiles 1:4
idx <- sp4[, , .FIRST, .HZID]
replaceHorizons(sp4) <- horizons(sp4)[-idx[1:4], ]

# prepare for dice()
z <- fillHzGaps(sp4, to_top = 0, to_bottom = 50, flag = TRUE)

# empty-horizon padding is in place for formula interface to dice()
d <- dice(z, fm = 0:50 ~ .)

```

```
plotSPC(d, color = 'Ca', show.legend = FALSE)
plotSPC(d, color = '.filledGap', show.legend = FALSE)
```

findOverlap

Find Overlap within a Sequence

Description

Establish which elements within a vector of horizontal positions overlap beyond a given threshold
 Desc.

Usage

```
findOverlap(x, thresh)

overlapMetrics(x, thresh)
```

Arguments

x vector of relative horizontal positions, one for each profile
 thresh threshold defining "overlap", typically < 1
 @return a list:

- idx: unique index to overlapping elements in x
- ov: normalized overlap (see details)

Value

unique index to affected (overlapping) elements in x

Examples

```
x <- c(1, 2, 3, 3.4, 3.5, 5, 6, 10)

findOverlap(x, thresh = 0.5)

x <- c(1, 2, 3, 3.4, 3.5, 5, 6, 10)

overlapMetrics(x, thresh = 0.5)
```

fixOverlap	<i>Fix Overlap within a Sequence</i>
------------	--------------------------------------

Description

Fix Overlap within a Sequence

Usage

```
fixOverlap(x, thresh = 0.6, method = c("S", "E"), trace = FALSE, ...)
```

Arguments

x	vector of initial positions, pre-sorted
thresh	numeric, overlap threshold defined on the same scale as x
method	character vector, 'S' for simulated annealing via SANN_1D() or 'E' for electro-static simulation via electroStatics_1D()
trace	logical, return full output
...	additional arguments to SANN_1D() or electroStatics_1D()

Value

When trace = FALSE, a vector of the same length as x, preserving rank-ordering and boundary conditions. When trace = TRUE a list containing the new sequence along with information about objective functions and decisions made during adjustment of x.

See Also

[electroStatics_1D\(\)](#), [SANN_1D\(\)](#)

Examples

```
s <- c(1, 2, 2.3, 4, 5, 5, 7)

# simulated annealing, solution is non-deterministic
fixOverlap(s, thresh = 0.6, method = 'S')

# electrostatics-inspired simulation of particles
# solution is deterministic
fixOverlap(s, thresh = 0.6, method = 'E')

# create a very busy profile with lots of possible overlapping
# depth annotation
x <- quickSPC(
  "SPC:AAA|BBB|CCC|D|EEEE|FF|GG|HH|I|I|JJ|KK|LL|M|N|O|P|QQQ|RR|S|TTTTT|U",
  interval = 1
)
```

```

# convert horizon ID to numeric
x$z <- as.numeric(x$hzID)

# plotSPC arguments
.a <- list(
  width = 0.2,
  hz.depths = TRUE,
  name.style = 'center-center',
  cex.names = 1.5,
  depth.axis = FALSE,
  name = NA,
  color = 'z',
  show.legend = FALSE,
  print.id = FALSE,
  col.palette = hcl.colors(n = 25, palette = 'Spectral', rev = TRUE)
)

# set plotSPC default arguments
options(.aqp.plotSPC.args = .a)

# wrapper function to test label collision solutions
testIt <- function(x, ...) {

  plotSPC(x, ...)

  # a normalized index of label adjustment
  .txt <- sprintf(
    "LAI: %0.3f",
    get('last_spc_plot', envir = aqp.env)$hz.depth.LAI
  )
  mtext(.txt, side = 1, at = 1, line = -2, cex = 0.8)

}

# compare and contrast
op <- par(mar = c(0, 0, 0, 0), mfcol = c(1, 6))

testIt(x)
title('ES (defaults)', line = -3)

testIt(x, fixOverlapArgs = list(method = 'S'))
title('SANN (defaults)', line = -3)

testIt(x, fixOverlapArgs = list(method = 'E', q = 1.5))
title('ES (q = 1.5)', line = -3)

testIt(x, fixOverlapArgs = list(method = 'E', q = 1))
title('ES (q = 1)', line = -3)

testIt(x, fixOverlapArgs = list(method = 'E', q = 0.5))
title('ES (q = 0.5)', line = -3)

```

```
testIt(x, fixOverlapArgs = list(method = 'E', q = 0.1))
title('ES (q = 0.1)', line = -3)

par(op)
```

flagOverlappingHz	<i>Flag perfectly overlapping horizons within a SoilProfileCollection</i>
-------------------	---

Description

Flag perfectly overlapping horizons within a SoilProfileCollection

Usage

```
flagOverlappingHz(x)
```

Arguments

x a SoilProfileCollection object

Details

Horizons with NA depths can be flagged as overlapping. Consider finding these horizons with `checkHzDepthLogic(byhz=TRUE)` and removing or fixing them.

Value

logical vector with length (and order) matching the horizons of x

Author(s)

D.E. Beaudette, A.G. Brown

See Also

[checkHzDepthLogic\(\)](#) [fillHzGaps\(\)](#)

Examples

```
# two overlapping horizons
z <- data.frame(
  id = 'SPC',
  top = c(0, 25, 25, 50, 75, 100, 100),
  bottom = c(25, 50, 50, 75, 100, 125, 125)
)

# init SPC
```

```

depths(z) <- id ~ top + bottom

# flag perfectly overlapping horizons
z$.overlapFlag <- flagOverlappingHz(z)

# thematic sketches
plotSPC(z, color = '.overlapFlag', hz.depths = TRUE,
depth.axis = FALSE, cex.names = 0.85)

```

fragmentClasses

*Coarse Fragment Class Labels and Diameter***Description**

This is a convenience function for accessing coarse fragment class labels and associated diameter (mm), as defined in various classification systems such as USDA, Unified, and AASHTO.

Usage

```

fragmentClasses(
  sys = c("usda_simplified", "usda", "international", "unified", "aashto",
    "mod.wentworth"),
  flat = FALSE,
  rounded = FALSE
)

```

Arguments

sys	character, length 1. This is an abbreviated name used to select class labels and fragment diameter.
flat	logical. Fragments are flat, only used by USDA systems.
rounded	logical. Fragments are rounded, only used by AASHTO system.

Value

named vector of fragment diameter in mm

References

Schoeneberger, P.J., D.A. Wysocki, E.C. Benham, and Soil Survey Staff. 2012. Field book for describing and sampling soils, Version 3.0. Natural Resources Conservation Service, National Soil Survey Center, Lincoln, NE.

See Also

[fragmentSieve\(\)](#)

Examples

```
# use default system: "usda_simplified"
fragmentClasses()
fragmentClasses(flat = TRUE)

fragmentClasses(sys = 'usda')
fragmentClasses(sys = 'USDA', flat = TRUE)

fragmentClasses(sys = 'international')

fragmentClasses(sys = 'unified')

fragmentClasses(sys = 'aashto')
fragmentClasses(sys = 'aashto', rounded = TRUE)

fragmentClasses(sys = 'mod.wentworth')
```

fragmentSieve	<i>Sieve the Coarse Fraction of Soil</i>
---------------	--

Description

Sieve applies thresholds to a numeric vector of fragment diameter values, returning fragment size classes. Particle diameter thresholds are evaluated as $d < \text{threshold}$.

Usage

```
fragmentSieve(
  diameter,
  sieves = NULL,
  ordered = FALSE,
  prefix = "",
  new_names = NULL,
  ...
)
```

Arguments

diameter	numeric. Vector of diameters of coarse fragments to "sieve". Default sieves are specified in millimeters.
sieves	leave as NULL to use fragment class labels and diameters defined by fragmentClasses() , or a named vector of fragment diameters. See examples.
ordered	logical. Return as an ordered factor.
prefix	character. Add a prefix to result names? Default: "" adds no prefix. For example "para" might be used for size classes of pararock fragments.
new_names	Optional: apply new labels to result classes. Should match length of sieves.

... additional arguments to `fragmentClasses()`, such as `sys`, `flat`, and `rounded`, see examples.

Value

character. Size class labels based on names of sieves, `new_names`, and `prefix` (if specified).

References

Soil Science Division Staff. 2017. Soil survey manual. C. Ditzler, K. Scheffe, and H.C. Monger (eds.). USDA Handbook 18. Government Printing Office, Washington, D.C.

See Also

`fragmentClasses()`

Examples

```
# use a simplified version of the USDA system
# common within NRCS/SPSD and NCSS
fragmentSieve(c(30, 125, 180, 500, 1000))

# pararock fragments
fragmentSieve(c(30, 125, 180, 500, 1000), prefix = 'para')

# result as an ordered factor
fragmentSieve(c(30, 125, 180, 500, 1000), ordered = TRUE)

# USDA system, flat size classes
fragmentSieve(c(30, 125, 180, 500, 1000), flat = TRUE)

# alternative classification systems
fragmentSieve(c(30, 125, 180, 500, 1000), sys = 'usda')
fragmentSieve(c(30, 125, 180, 500, 1000), sys = 'international')
fragmentSieve(c(30, 125, 180, 500, 1000), sys = 'unified')
fragmentSieve(c(30, 125, 180, 500, 1000), sys = 'aashto')
fragmentSieve(c(30, 125, 180, 500, 1000), sys = 'mod.wentworth')

# custom fragment labels / diameter
fragmentSieve(
  c(30, 125, 180, 500, 1000),
  sieves = c(clumps = 50, chunks = 300, blocks = 100000)
)

# unnamed sieves, generic labels used
fragmentSieve(c(10, 50), sieves = c(30, 70))

fragmentSieve(c(10, 50), sieves = c(30, 70), ordered = TRUE)
```

generalize.hz

*Generalize Horizon Names***Description**

Generalize a vector of horizon names, based on new classes, and REGEX patterns. Or create a new column ghl in a SoilProfileCollection (requires a horizon designation name to be defined for the collection, see details)

Usage

```
generalize.hz(
  x,
  new,
  pattern,
  non.matching.code = "not-used",
  hzdepn = NULL,
  ordered = !missing(hzdepn),
  na.rm = TRUE,
  ...
)

## S4 method for signature 'character'
generalizeHz(
  x,
  new,
  pattern,
  non.matching.code = "not-used",
  hzdepn = NULL,
  ordered = !missing(hzdepn),
  ...
)

## S4 method for signature 'SoilProfileCollection'
generalizeHz(
  x,
  new,
  pattern,
  non.matching.code = "not-used",
  hzdepn = NULL,
  ordered = !missing(hzdepn),
  ghl = "genhz",
  ...
)
```

Arguments

x character vector of horizon names or a SoilProfileCollection object

new	character vector of generalized horizon labels (GHL)
pattern	character vector of REGEX patterns, same length as new
non.matching.code	character, label used for any horizon not matched by pattern
hzdepn	numeric vector of horizon mid-points; NA values in hzdepn will result in non.matching.code (or NA if not defined) in result
ordered	logical, default TRUE when hzdepn argument is specified
na.rm	logical, default TRUE will ignore missing depths in calculating sort order when hzdepn is specified and ordered=TRUE
...	additional arguments passed to grep() such as perl = TRUE for advanced REGEX
ghl	Generalized Horizon Designation column name (to be created/updated when x is a SoilProfileCollection)

Details

When `x` is a `SoilProfileCollection` the `ghl` column will be updated with the factor results. This requires that the "horizon designation name" metadata be defined for the collection to set the column for input designations.

Value

factor (an ordered factor when `ordered=TRUE`) of the same length as `x` (if character) or as number of horizons in `x` (if `SoilProfileCollection`)

Author(s)

D.E. Beaudette

References

Beaudette, D.E., Roudier, P., Skovlin, J. (2016). Probabilistic Representation of Genetic Soil Horizons. In: Hartemink, A., Minasny, B. (eds) Digital Soil Morphometrics. Progress in Soil Science. Springer, Cham. https://doi.org/10.1007/978-3-319-28295-4_18

See Also

[hzdesgnname\(\)](#)

Examples

```
data(sp1)

# check original distribution of hz designations
table(sp1$name)

# generalized horizon labels
# character vector input
sp1$genhz <- generalizeHz(
```

```

    sp1$name,
    new = c('O', 'A', 'B', 'C', 'R'),
    pattern = c('O', '^A', '^B', 'C', 'R'),
    ordered = TRUE
  )

# see how we did / what we missed
table(sp1$genhz, sp1$name)

## a more advanced example, requires `perl = TRUE`
# example data
x <- c('A', 'AC', 'Bt1', '^AC', 'C', 'BC', 'CB')

# new labels
n <- c('A', '^AC', 'C')

# patterns:
# "A anywhere in the name"
# "literal '^A' anywhere in the name"
# "C anywhere in name, but without preceding A"
p <- c('A', '^A', '(?!A)C')

# note additional argument
res <- generalizeHz(
  x,
  new = n,
  pattern = p,
  perl = TRUE
)

# double-check: OK
table(res, x)

## apply to a SoilProfileCollection
data(sp1)
depths(sp1) <- id ~ top + bottom

# must set horizon designation metadata
hzdesgnname(sp1) <- 'name'

# result is a SoilProfileCollection
x <- generalizeHz(
  sp1,
  new = c('O', 'A', 'B', 'C', 'R'),
  pattern = c('O', '^A', '^B', 'C', 'R'),
  ordered = TRUE
)

# GHL stored in 'genhz' column
x$genhz

# GHL metadata is set

```

GHL(x)

genhzTableToAdjMat	<i>Convert cross-tabulation to adjacency matrix.</i>
--------------------	--

Description

Convert a cross-tabulation of e.g. original horizon designations vs. generalized horizon labels to adjacency matrix form.

Usage

```
genhzTableToAdjMat(tab)
```

Arguments

tab	table, cross-tabulation of original and generalized horizon labels e.g. <code>table(original, genhz)</code>
-----	---

Value

matrix of numeric values

Author(s)

D.E. Beaudette

genSlabLabels	<i>Generate Labels for Slabs</i>
---------------	----------------------------------

Description

This method is used by `slab()` for generating labels that assign IDs to layers in a `SoilProfileCollection`

Usage

```
genSlabLabels(
  slab.structure = 1,
  max.d = NULL,
  n.profiles = NULL,
  spc = NULL,
  diced = NULL,
  ...
)
```

Arguments

slab.structure	A user-defined slab thickness (defined by an integer), or user-defined structure (numeric vector). See details for slab().
max.d	Maximum depth
n.profiles	Number of profiles
spc	Optional: A SoilProfileCollection
diced	Optional: The dice()-ed horizon-level data.frame corresponding to spc
...	Additional arguments passed to dice() when spc is specified.

Details

The new routine used in aqp 2.0 requires that, at a minimum, the spc and slab.structure arguments be specified.

Value

factor. slab IDs, labels are the segment top and bottom depth separated by "-"

See Also

[slab\(\)](#)

get.increase.matrix *Compute Pair-wise Distances of Soil Properties over Depth*

Description

Computes pair-wise distance matrix to determine where an attribute increases within a specified vertical distance threshold.

get.increase.depths performs the conversion of the square matrix output of get.increase.matrix back to horizon top depth for where criteria were met.

Usage

```
get.increase.matrix(p, attr, threshold.fun, vertical.distance)
```

```
get.increase.depths(p, attr, threshold.fun, vertical.distance)
```

Arguments

p	a SoilProfileCollection, containing a single profile
attr	horizon attribute name to get the "increase" of
threshold.fun	a function that returns the threshold (as a function of attr); may return a constant single value
vertical.distance	the vertical distance (determined from difference SPC top depth variable) within which increase must be met

Details

Uses matrix outer product to determine all pair-wise differences in `attr` for the horizons of `p`. Supplies `attr` to `threshold.fun` to determine the minimum value criterion to return TRUE in output matrix for an "increase". Also, computes all pair-wise distances in depth dimension to determine whether the vertical distance criteria have been met simultaneously with `attr` increase.

This function assumes that the `threshold.fun` supplied by the user returns either a constant or a vector of equal length to its input.

Note that the `threshold.fun` result is allowed to contain NA, but that will result in no output for affected cells.

`get.increase.depths()` performs the conversion of the square matrix output of `get.increase.matrix` back to horizon top depth for where criteria were met.

Note that the `threshold.fun` result is allowed to contain NA, but that will result in no output for affected cells.

Value

Returns a square logical matrix reflecting where the increase criteria were met.

`get.increase.depths` converts to horizon top depth by using above matrix output to determine depths where increase is met.

Returns a numeric vector of depths where the increase requirement is met. For the argillic, the first is the one of interest.

`get.increase.depths()` converts to horizon top depth by using above matrix output to determine depths where increase is met.

Author(s)

Andrew Gene Brown

See Also

[getArgillicBounds\(\)](#), [crit.clay.argillic\(\)](#)
[getArgillicBounds\(\)](#) [crit.clay.argillic\(\)](#)

Examples

```
data(sp1, package = 'aqp')
depths(sp1) <- id ~ top + bottom
site(sp1) <- ~ group

p <- sp1[1]
attr <- 'prop' # clay contents
foo <- get.increase.matrix(p, threshold.fun = crit.clay.argillic,
                           attr = attr, vertical.distance = 30)
foo

data(sp1, package = 'aqp')
```

```

depths(sp1) <- id ~ top + bottom
site(sp1) <- ~ group

p <- sp1[[1]]
attr <- 'prop' # clay contents
foo <- get.increase.depths(p, threshold.fun = crit.clay.argillic,
                           attr = attr, vertical.distance = 30)
foo

```

get.ml.hz

*Determine ML Horizon Boundaries***Description**

This function accepts input from `slab()` (a `data.frame`) along with a vector of horizon names, and returns a `data.frame` of the most likely horizon boundaries.

This function expects that `x` is a `data.frame` generated by `slab()`. If `x` was not generated by `slab()`, then `o.names` is required.

Usage

```
get.ml.hz(x, o.names = attr(x, which = "original.levels"))
```

Arguments

<code>x</code>	data.frame, output from <code>slab()</code>
<code>o.names</code>	an optional character vector of horizon designations that will be used in the final table

Value

A `data.frame` with the following columns:

- `hz`: horizon names
- `top`: horizon top depth
- `bottom`: horizon bottom depth
- `confidence`: integrated probability over thickness of each ML horizon, rounded to the nearest integer
- `pseudo.brier`: A "pseudo" Brier Score for a multi-class prediction, where the most-likely horizon label is treated as the "correct" outcome. Details on the calculation for traditional Brier Scores here: https://en.wikipedia.org/wiki/Brier_score. Lower values suggest better agreement between ML horizon label and class-wise probabilities.
- `mean.H`: mean Shannon entropy (bits), derived from probabilities within each most-likely horizon. Larger values suggest more confusion within each ML.

Author(s)

D.E. Beaudette

References

Beaudette, D. E., Roudier, P., & Skovlin, J. (2016). Probabilistic representation of genetic soil horizons. Digital soil morphometrics, 281-293.

See Also[slab\(\)](#)**Examples**

```
# init SPC
data(sp1)
depths(sp1) <- id ~ top + bottom

# set horizon designation metadata
hzdesgnname(sp1) <- 'name'

# generalize horizon designations from character vector
# result is an ordered factor
sp1$genhz <- generalizeHz(
  sp1$name,
  new = c('O', 'A', 'B', 'C'),
  pat = c('O', '^A', '^B', 'C'),
  ordered = TRUE
)

# compute slice-wise GHL probability
# so that it sums to contributing fraction
# from 0-150cm
a <- slab(sp1, fm = ~ genhz, cpm = 1, slab.structure = 0:150)

# note original GHL names are set by slab()
attr(a, 'original.levels')

# generate table of ML horizonation
get.ml.hz(a)
```

getArgillicBounds

Estimate upper and lower boundary of argillic diagnostic subsurface horizon

Description

getArgillicBounds estimates the upper and lower boundary of argillic diagnostic subsurface horizon for a profile in a single-profile SoilProfileCollection object (p).

The upper boundary is where the clay increase threshold is met. The function uses `crit.clay.argillic` as the threshold function for determining whether a clay increase occurs and `get.increase.matrix` to determine whether the increase is met, whether vertical distance of increase is sufficiently small, and in which horizon.

Usage

```
getArgillicBounds(
  p,
  hzdesign = hzdesignname(p, required = TRUE),
  clay.attr = hzmetaname(p, "clay", required = TRUE),
  texcl.attr = hztexclname(p, required = TRUE),
  require_t = TRUE,
  bottom.pattern = "Cr|R|Cd",
  lower.grad.pattern = "[2-9]*B*CB*[^rtd]*[1-9]*$",
  sandy.texture.pattern = "-S$|^S$|COS$|L[^V]FS$|[^L]VFS$|LS$|LFS$",
  vertical.distance = 30,
  simplify = TRUE,
  verbose = FALSE
)
```

Arguments

p	A SoilProfileCollection
hzdesign	the name of the column/attribute containing the horizon designation; default="hzname"
clay.attr	the name of the column/attribute containing the clay content; default="clay"
texcl.attr	the name of the column/attribute containing the textural class (used for finding sandy horizons); default="texcl"
require_t	require a "t" subscript for positive identification of upper and lower bound of argillic? default: TRUE
bottom.pattern	regular expression passed to estimateSoilDepth to match the lower boundary of the soil. default is "Cr RICd" which approximately matches paralithic, lithic and densic contacts.
lower.grad.pattern	this is a pattern for adjusting the bottom depth of the argillic horizon upwards from the bottom depth of the soil. The absence of illuviation is used as a final control on horizon pattern matching.
sandy.texture.pattern	this is a pattern for matching sandy textural classes: -S\$ ^S\$ COS\$ L[^V]FS\$ [^L]VFS\$ LS\$ LFS\$
vertical.distance	Vertical distance in which clay increase must be met. Default 30 cm
simplify	Return a length 2 vector with upper and lower boundary when p has length 1? Default TRUE.

verbose Print out information about 't' subscripts, sandy textures, plow layers and lower gradational horizons?

Details

The lower boundary is first approximated as the depth to a lithic/paralithic/densic contact, or some other horizon matchable by a custom regular expression pattern. Subsequently, that boundary is extended upwards to the end of "evidence of illuviation."

The depth to contact is estimated using 'bottom.pattern' "Cr|R|Cd" by default. It matches anything containing Cr, R or Cd.

The lower gradational horizon regular expression 'lower.grad.pattern' default is `^[2-9]*B*CB*[^rtd]*[1-9]*$`. It matches anything that starts with a lithologic discontinuity (or none) and a C master horizon designation. May contain B as second horizon designation in transitional horizon. May not contain 'r' or 't' subscript.

The minimum thickness of the argillic horizon is dependent on whether all subhorizons are "sandy" or not. The `sandy.texture.pattern` default `-S$|^S$|COS$|L[^V]FS$|[^L]VFS$|LS$|LFS$` captures USDA textural class fine earth fractions that meet "sandy" particle size class criteria.

There also is an option 'require_t' to omit the requirement for evidence of eluviation in form of 't' subscript in 'hzdesgn'. Even if "t" subscript is not required for positive identification, the presence of lower gradational C horizons lacking 't' will still be used to modify the lower boundary upward from a detected contact, if needed. If this behavior is not desired, just set 'lower.grad.pattern' to something that will not match any horizons in your data.

Value

Returns a numeric vector; first value is top depth, second value is bottom depth. If `as.list` is TRUE, returns a list with top depth named "ubound" and bottom depth named "lbound". If `p` has more than one profile or if `simplify` = FALSE the result is a data.frame containing profile ID, upper and lower boundary columns.

Author(s)

Andrew G. Brown

Examples

```
data(sp1, package = 'aqp')
depths(sp1) <- id ~ top + bottom
site(sp1) <- ~ group

# set required metadata
hzdesgnname(sp1) <- 'name'
hztexclname(sp1) <- 'texture'
hzmetaname(sp1, 'clay') <- 'prop'

x <- getArgillicBounds(sp1)
x
```

 getCambicBounds

Find all intervals that are potentially part of a Cambic horizon

Description

Find all intervals that are potentially part of a Cambic horizon excluding those that are part of an argillic horizon (defined either by depth interval or getArgillicBounds()).

There may be multiple cambic horizons (indexes) in a profile. Each cambic index has a top and bottom depth associated: cambic_top and cambic_bottom. This result is designed to be used for single profiles, or with profileApply(..., frameify = TRUE)

Usage

```
getCambicBounds(
  p,
  hzdesign = hzdesignname(p, required = TRUE),
  texcl.attr = hztexclname(p, required = TRUE),
  clay.attr = hzmetaname(p, "clay", required = TRUE),
  argi_bounds = NULL,
  d_value = "d_value",
  m_value = "m_value",
  m_chroma = "m_chroma",
  sandy.texture.pattern = "-S$|^S$|COS$|L[^V]FS$|[^L]VFS$|LS$|LFS$",
  ...
)
```

Arguments

p	A single-profile SoilProfileCollection
hzdesign	Column name containing horizon designations.
texcl.attr	Arguments to getArgillicBounds()
clay.attr	Arguments to getArgillicBounds()
argi_bounds	Optional: numeric vector of length 2 with top and bottom of argillic; (Default: NULL)
d_value	Column name containing dry value. Default: d_value
m_value	Column name containing moist value. Default: m_value
m_chroma	Column name containing moist chroma Default: m_chroma
sandy.texture.pattern	this is a pattern for matching sandy textural classes: -S\$ ^S\$ COS\$ L[^V]FS\$ [^L]VFS\$ LS\$ LFS\$
...	Arguments to getArgillicBounds()

Value

A data.frame containing profile, cambic indexes, along with top and bottom depths.

Author(s)

Andrew G. Brown

Examples

```
# construct a fake profile
spc <- data.frame(id=1, taxsubgrp = "Lithic Haploxerepts",
  hzname   = c("A", "AB", "Bw", "BC", "R"),
  hzdept   = c(0, 20, 32, 42, 49),
  hzdepb   = c(20, 32, 42, 49, 200),
  clay     = c(19, 22, 22, 21, NA),
  texcl    = c("1", "1", "1", "1", "br"),
  d_value  = c(5, 5, 5, 6, NA),
  m_value  = c(2.5, 3, 3, 4, NA),
  m_chroma = c(2, 3, 4, 4, NA))

# promote to SoilProfileCollection
depths(spc) <- id ~ hzdept + hzdepb

# set required metadata
hzdesgnname(spc) <- 'hzname'
hztexclname(spc) <- 'texcl'
hzmetaname(spc, 'clay') <- 'clay'

# print results in table
getCambicBounds(spc)
```

getClosestMunsellChip *Get Approximate Munsell Chip*

Description

Non-standard Munsell notation ('7.9YR 2.7/2.0') can be matched (nearest-neighbor, no interpolation) to the closest color within the munsell sRGB/CIELAB look-up table via `getClosestMunsellChip()`. A more accurate estimate of sRGB values from non-standard notation can be achieved with the [munsellinterpol](#) package. For example, conversion from Munsell to CIELAB, assuming a D65 illuminant via: `MunsellToLab('0.1Y 3.3/4.4', white='D65', adapt='Bradford')`.

Usage

```
getClosestMunsellChip(munsellColor, convertColors = TRUE, ...)
```

Arguments

<code>munsellColor</code>	character vector of strings containing Munsell notation of color, e.g. '10YR 4/3', not NA-safe
<code>convertColors</code>	logical, should parsed Munsell colors be converted into sRGB values
<code>...</code>	further arguments to <code>munsell2rgb</code>

Value

a data.frame when convertColors=TRUE, otherwise character vector

Examples

```
# convert a non-standard color to closest "chip" in `munsell` look-up table
getClosestMunsellChip('7.9YR 2.7/2.0', convertColors = FALSE)

# convert directly to R color
getClosestMunsellChip('7.9YR 2.7/2.0')

# special case for 2.5 value -> no rounding, we have these records in the conversion LUT
getClosestMunsellChip('7.5YR 2.5/2', convertColors = FALSE)

getClosestMunsellChip('7.5YR 6.8/4.4', convertColors = FALSE)
```

getLastHorizonID	<i>Get IDs of Deepest Horizons by Profile</i>
------------------	---

Description

Return horizon IDs of the deepest horizon within each profile of a SoilProfileCollection. IDs are returned in the same order as profile_id(x). Horizon top depths are used because there are cases where bottom depths may be missing.

Usage

```
getLastHorizonID(x)
```

Arguments

x a SoilProfileCollection

getSoilDepthClass	<i>Generate Soil Depth Class Matrix</i>
-------------------	---

Description

Generate a boolean matrix of soil depth classes, actual soil depth class, and estimate of soil depth from a SoilProfileCollection object. Soil depths are estimated using pattern matching applied to horizon designations, by [estimateSoilDepth\(\)](#). The default REGEX pattern (p = 'Cr|R|Cd') will match most "contacts" described using the USDA / Soil Taxonomy horizon designation conventions.

Usage

```
getSoilDepthClass(  
  f,  
  depth.classes = c(very.shallow = 25, shallow = 50, mod.deep = 100, deep = 150,  
    very.deep = 10000),  
  ...  
)
```

Arguments

f	a SoilProfileCollection object
depth.classes	a named vector of classes and depth breaks
...	arguments passed to estimateSoilDepth

Value

a data.frame containing soil depth and depth class for each profile, see examples

Author(s)

D.E. Beaudette and J.M. Skovlin

See Also

[estimateSoilDepth](#)

Examples

```
data(sp1)  
depths(sp1) <- id ~ top + bottom  
  
# generate depth-class matrix  
sdc <- getSoilDepthClass(sp1, name = 'name')  
  
# inspect  
head(sdc)  
  
# join back into sp1 as site-level data  
site(sp1) <- sdc  
  
## Not run:  
# sample data  
data(gopheridge, package='soilDB')  
  
getSoilDepthClass(gopheridge, name = 'hzname')  
  
## End(Not run)
```

getSurfaceHorizonDepth	<i>Determine thickness of horizons (continuous from surface) matching a pattern</i>
------------------------	---

Description

Find the thickness of horizon designations, or any other character patterns, that are continuous from the soil surface (depth = 0 or shallowest depth in profile).

Usage

```
getSurfaceHorizonDepth(  
  p,  
  pattern,  
  hzdesgn = hzdesgnname(p, required = TRUE),  
  simplify = TRUE  
)  
  
getMineralSoilSurfaceDepth(  
  p,  
  hzdesgn = hzdesgnname(p, required = TRUE),  
  pattern = "O",  
  simplify = TRUE  
)  
  
getPlowLayerDepth(  
  p,  
  hzdesgn = hzdesgnname(p, required = TRUE),  
  pattern = "^Ap[^b]*",  
  simplify = TRUE  
)
```

Arguments

p	a SoilProfileCollection
pattern	a regular expression pattern to match for all horizons to be considered part of the "surface".
hzdesgn	column name containing horizon designation. Default: hzdesgnname(p, required = TRUE).
simplify	logical. Return single profile results as vector (default: TRUE) or data.frame (FALSE)

Details

The horizon designation to match is specified with the regular expression pattern 'pattern'. All horizons matching that pattern, that are continuous from the soil surface, count towards the depth / thickness value that is ultimately returned. For instance: horizon designations: A1-A2-A3-C-Ab , would return A3 bottom depth given pattern = "^A[1-9]*\$".

getSurfaceHorizonDepth is used by getPlowLayerDepth for matching Ap horizons; and, it is used by getMineralSoilSurfaceDepth to find the thickness of O horizons in lieu of lab data.

Value

a numeric value corresponding to the bottom depth of the last horizon matching 'pattern' that is contiguous with other matching horizons up to the soil surface. If length(p) > 1 then a *data.frame* containing profile ID, horizon ID, top or bottom depths, horizon designation and pattern.

Author(s)

Andrew G. Brown

Examples

```
library(aqp)
data(sp1, package = 'aqp')
depths(sp1) <- id ~ top + bottom
site(sp1) <- ~ group

p <- sp1[1]
q <- sp1[2]

# look at horizon designations in p and q
p$name
q$name

# thickness of all surface horizons containing A
getSurfaceHorizonDepth(p, pattern = 'A', hzdesgn = 'name')

# thickness of all surface horizons that start with A
getSurfaceHorizonDepth(p, pattern = '^A', hzdesgn = 'name')

# thickness of all surface horizons that start with A, and the A is not followed by B
getSurfaceHorizonDepth(p, pattern = '^A[^B]*', hzdesgn = 'name')

# thickness of all surface horizons that start with A
# followed by a number from _2_ to 9 (returns ZERO)
getSurfaceHorizonDepth(p, pattern = '^A[2-9]*', hzdesgn = 'name')

# getPlowLayerDepth matches first two horizons in fake Ap horizon data with "buried Ap"
p$aphorizons <- c("Ap1","Ap2","AB", rep('C', nrow(p) - 4), "Apb")
getPlowLayerDepth(p, hzdesgn = 'aphorizons')

# getMineralSoilSurfaceDepth matches first 3 horizons in fake O horizon data
p$o$horizons <- c("Oi1","Oi2","Oe", rep('C', nrow(p) - 4), "2C")
```

```
getMineralSoilSurfaceDepth(p, hzdesgn='ohorizons')

# matches first Oi horizon with original horizon designations of pedon 2
getMineralSoilSurfaceDepth(q, hzdesgn='name')
```

GHL

*Get or Set Generalized Horizon Label (GHL) Column Name***Description**

GHL(): Get column name containing generalized horizon labels
 GHL<-: Set generalized horizon label column name

Usage

```
## S4 method for signature 'SoilProfileCollection'
GHL(object, required = FALSE)

## S4 replacement method for signature 'SoilProfileCollection'
GHL(object, required = FALSE) <- value
```

Arguments

object	a SoilProfileCollection
required	logical, is this attribute required? If it is, set to TRUE to trigger error on invalid value.
value	character, name of column containing generalized horizon labels

Details

Store the column name containing generalized horizon labels in the metadata slot of the SoilProfileCollection.

Examples

```
data(sp1)

# promote to SPC
depths(sp1) <- id ~ top + bottom

# set horizon designation column
GHL(sp1) <- "name"

# get horizon designation column
GHL(sp1)
```

glom, SoilProfileCollection-method

Subset soil horizon data using a depth or depth interval

Description

Make a "clod" of horizons from a SoilProfileCollection given a point or a depth interval to intersect. The interval $[z1, z2]$ may be profile-specific (equal in length to p), or may be recycled over all profiles (if boundaries are length 1). For "point" intersection, z2 may be left as the default value NULL.

trunc() is a wrapper method (using S4 generic) for glom() where truncate=TRUE

Usage

```
## S4 method for signature 'SoilProfileCollection'
glom(
  p,
  z1,
  z2 = NULL,
  ids = FALSE,
  df = FALSE,
  truncate = FALSE,
  invert = FALSE,
  fill = FALSE,
  modality = "all",
  drop = !fill,
  ...
)

## S4 method for signature 'SoilProfileCollection'
trunc(x, z1, z2, ...)
```

Arguments

p	A SoilProfileCollection
z1	numeric vector of top depth to intersect horizon (required). Can be an expression involving siteNames(p) or quoted column name. Should evaluate to numeric length 1 or length equal to length(p)
z2	numeric vector bottom depth of intersection interval (optional). Can also be an expression involving siteNames(p) or quoted column name. Should evaluate to numeric length 1, length equal to length(p) or NULL. Default: NULL is "point" intersection
ids	return only horizon IDs? default: FALSE
df	return a data.frame, by intersection with horizons(p)? default: FALSE
truncate	truncate horizon top and bottom depths to z1 and z2? default: FALSE

invert	get horizons <i>outside</i> the interval [z1, z2]? default: FALSE
fill	keep sites and preserve order for profiles that do not have horizons in interval by filling with a single horizon with NA top and bottom depth. default: FALSE
modality	default: "all" return all horizons; or modality = "thickest") to return the <i>thickest</i> horizon in interval. If multiple horizons have equal thickness, the first (shallowest) is returned.
drop	Inverted alias of fill for consistency with other methods. When drop=FALSE, filling occurs.
...	trunc(): additional arguments passed to glom()
x	A SoilProfileCollection

Details

"To glom" is "to steal" or to "become stuck or attached to". The word is related to the compound "glomalin", which is a glycoprotein produced by mycorrhizal fungi in soil.

The full depth range of horizons included within the interval are returned (a "ragged" SoilProfileCollection) unless the truncate argument is set as TRUE. Horizon intersection is based on unique ID hzidname(spc) and depth range of interest. Profiles that lack data in the range of interest will be dropped from the resulting SoilProfileCollection.

If inverting results with invert, it is possible that thick horizons (whose boundaries span wider than the specified interval) will be split into *two* horizons, where previously they were one. This may make the results from ids = TRUE different from what you expect, as they will be based on a profile with an "extra" horizon and re-calculated unique horizon ID (hzidname(spc)) "hzID".

Value

a SoilProfileCollection, data.frame, or a vector of horizon IDs. NULL if no result.

Author(s)

Andrew G. Brown

See Also

[glomApply trunc](#)

Examples

```
# keep examples from using more than 2 cores
data.table::setDTthreads(Sys.getenv("OMP_THREAD_LIMIT", unset = 2))

data(sp1, package = 'aqp')
depths(sp1) <- id ~ top + bottom
site(sp1) <- ~ group

p <- glom(sp1, 25, 150)

# 28 horizons
```

```

nrow(p)

# inspect graphically
par(mar = c(1,1,3,1))
plot(p, color = "prop", max.depth = 200)
abline(h = c(25, 100), lty = 2)

## glom(..., truncate = TRUE)

p2 <- glom(sp1, 25, 150, truncate = TRUE)

# 28 horizons
nrow(p2)

# inspect graphically
par(mar = c(1,1,3,1))
plot(p2, color = "prop", max.depth = 200)
abline(h = c(25, 100), lty = 2)

## glom(..., truncate = TRUE, invert = TRUE)

p3 <- glom(sp1, 25, 150, truncate = TRUE, invert = TRUE)

# 45 horizons
nrow(p3)

# inspect graphically
par(mar = c(1,1,3,1))
plot(p3, color = "prop", max.depth = 200)
abline(h = c(25, 100), lty = 2)

## profile-specific interval, using expressions evaluated within sp1@site

# calculate some new site-level variables containing target interval
sp1$glom_top <- (1:9) * 10
sp1$glom_bottom <- 10 + sp1$glom_top

# glom evaluates non-standard expressions using siteNames(sp1) column names
p4 <- glom(sp1, glom_top / 2, glom_bottom * 1.2, truncate = TRUE)

# inspect graphically
par(mar = c(1,1,3,1))
plot(p4, color = "prop", max.depth = 200)

# load sample data
data("sp3")

# promote to SPC
depths(sp3) <- id ~ top + bottom

### TRUNCATE all profiles in sp3 to [0,25]

```

```
# set up plot parameters
par(mfrow=c(2,1), mar=c(0,0,0,0))

# full profiles
plot(sp3)

# trunc'd profiles
plot(trunc(sp3, 0, 25))
```

glomApply

*Subset an SPC by applying glom to each profile***Description**

glomApply() is a function used for subsetting SoilProfileCollection objects by depth. It is a wrapper around glom which is intended to subset single-profile SPCs based on depth intervals/intersection.

glomApply works by accepting a function .fun as argument. This function is used on each profile to process a multi-profile SPC for input to glom (via profileApply). For each profile, .fun returns a 2-length numeric vector of top and bottom boundaries glom arguments: z1, z2.

glomApply provides the option to generate profile-specific glom depths for a large SPC and handles iteration and rebuilding of a subset SPC object. Optional arguments include: truncate to cut the boundaries to specified [z1, z2]; invert to the portion outside [z1, z2], modality to either "all" horizons or "thickest" horizon in the glom interval. ... are various expressions you can run on the individual profiles using NSE, similar to mutate.

Usage

```
glomApply(
  object,
  .fun = NULL,
  truncate = FALSE,
  invert = FALSE,
  modality = "all",
  ...,
  chunk.size = 100
)
```

Arguments

object	A SoilProfileCollection
.fun	A function that returns vector with top and bottom depth (z1 and z2 arguments to glom) for a single profile p (as passed by profileApply)
truncate	Truncate horizon top and bottom depths to [z1, z2]
invert	Truncate horizon top and bottom depths to [z1, z2] and then invert result?
modality	Aggregation method for glom result. Default "all": return all horizons; "thickest": return (shallowest) thickest horizon

... A set of comma-delimited R expressions that resolve to a transformation to be applied to a single profile e.g `glomApply(hzdept = max(hzdept) - hzdept)` like `aqp::mutate`

`chunk.size` Chunk size parameter for `profileApply`

Value

A `SoilProfileCollection`.

Author(s)

Andrew G. Brown.

See Also

[glom trunc](#)
[glom glomApply](#)

Examples

```
# keep examples from using more than 2 cores
data.table::setDTthreads(Sys.getenv("OMP_THREAD_LIMIT", unset = 2))

data(sp3)
depths(sp3) <- id ~ top + bottom

# init horizon designation column in metadata, used by estimateSoilDepth
hzdesgnname(sp3) <- 'name'

# constant depths, whole horizon returns by default
plot(glomApply(sp3, function(p) c(25,100)))

# constant depths, truncated
#(see aqp::trunc for helper function)
plot(glomApply(sp3, function(p) c(25,30), truncate = TRUE))

# constant depths, inverted
plot(glomApply(sp3, function(p) c(25,100), invert = TRUE))

# constant depths, inverted + truncated (same as above)
plot(glomApply(sp3, function(p) c(25,30), invert = TRUE, truncate=TRUE))

# random boundaries in each profile
plot(glomApply(sp3, function(p) round(sort(runif(2, 0, max(sp3))))))

# random boundaries in each profile (truncated)
plot(glomApply(sp3, function(p) round(sort(runif(2, 0, max(sp3))))), truncate = TRUE))

# calculate some boundaries as site level attributes
sp3$glom_top <- profileApply(sp3, getMineralSoilSurfaceDepth)
sp3$glom_bottom <- profileApply(sp3, estimateSoilDepth)
```

```
# use site level attributes for glom intervals for each profile
plot(glomApply(sp3, function(p) return(c(p$glom_top, p$glom_bottom))))
```

```
grepSPC
```

```
Subset SPC with pattern-matching for text-based attributes
```

Description

grepSPC() is a shorthand function for subsetting SoilProfileCollection objects. For example, by filter(grepl(spc, ...)) or filter(stringr::str_detect(spc, ...)). It provides pattern matching for a single text-based site or horizon level attribute.

Usage

```
grepSPC(object, attr, pattern, ...)
```

Arguments

object	A SoilProfileCollection
attr	A character vector (column in object) for matching patterns against.
pattern	REGEX pattern to match in attr
...	Additional arguments are passed to grep()

Value

A SoilProfileCollection.

Author(s)

Andrew G. Brown.

```
groupedProfilePlot
```

```
Grouped Soil Profile Plot
```

Description

Plot a collection of soil profiles, sorted by group.

The left-right ordering of groups can be adjusted by converting groups into a factor and explicitly setting factor levels. Alpha-numeric ordering is used for all other types.

Usage

```
groupedProfilePlot(
  x,
  groups,
  group.name.offset = -5,
  group.name.cex = 0.75,
  group.line.col = "RoyalBlue",
  group.line.lwd = 2,
  group.line.lty = 2,
  break.style = c("line", "arrow", "both"),
  break.offset = 0.5,
  arrow.offset = group.name.offset + 5,
  arrow.length = 0.1,
  ...
)
```

Arguments

<code>x</code>	a SoilProfileCollection object
<code>groups</code>	the name of a site-level attribute that defines groups, factor levels will influence plotting order
<code>group.name.offset</code>	vertical offset for group names, single numeric value or vector of offsets
<code>group.name.cex</code>	font size for group names
<code>group.line.col</code>	color for line that splits groups
<code>group.line.lwd</code>	width of line that splits groups
<code>group.line.lty</code>	style of line that splits groups
<code>break.style</code>	style of group boundaries: "line", "arrow", "both"
<code>break.offset</code>	horizontal offset used to place vertical breaks and/or arrows, shifted slightly to the right of default when <code>hz.depths=TRUE</code> is passed to <code>plotSPC()</code>
<code>arrow.offset</code>	vertical offset for "arrow" style boundaries, single numeric value or vector of offsets
<code>arrow.length</code>	value passed to arrows to define arrow head size
<code>...</code>	further arguments to <code>plotSPC</code>

Author(s)

D.E. Beaudette

See Also

[plotSPC](#)

Examples

```

# sample data
data(sp1)
# convert colors from Munsell to hex-encoded RGB
sp1$soil_color <- with(sp1, munsell2rgb(hue, value, chroma))

# promote to SoilProfileCollection
depths(sp1) <- id ~ top + bottom
site(sp1) <- ~ group

# add a groups
sp1$group.2 <- sprintf("%s-%s", rev(LETTERS[1:3]), sp1$group)

# convert fake group to factor with new levels
sp1$group.3 <- factor(sp1$group.2, levels=c('C-2', 'B-2', 'A-2', 'C-1', 'B-1', 'A-1'))

# plot profiles, sorted and annotated by 'group' (integers)
par(mar=c(1,1,1,1))
groupedProfilePlot(sp1, groups='group', max.depth=150, group.name.offset = -5, id.style='side')

# plot profiles, sorted and annotated by 'group.2' (characters)
par(mar=c(1,1,1,1))
groupedProfilePlot(sp1, groups='group.2', max.depth=150, group.name.offset = -5, id.style='side')

# plot profiles, sorted and annotated by 'group.3' (characters)
par(mar=c(1,1,1,1))
groupedProfilePlot(sp1, groups='group.3', max.depth=150, group.name.offset = -5, id.style='side')

# make fake site-level attribute and adjust levels
sp1$new.group <- sample(letters[1:3], size=length(sp1), replace=TRUE)

# tabulate pedons / group
tab <- table(sp1$new.group)

# sort large -> small
tab <- sort(tab, decreasing = TRUE)

# set levels based on sorted tabulation
# assign custom labels
sp1$new.group <- factor(sp1$new.group, levels=names(tab),
labels=paste0(names(tab), '(', tab, ')'))

groupedProfilePlot(sp1, groups='new.group', max.depth=150,
group.name.offset = -10, id.style='side')

# offsets can be set using a vector of values, recycled as needed
groupedProfilePlot(sp1, groups='new.group', max.depth=150,
group.name.offset=c(-10, -5), id.style='side')

# annotate with arrows instead of vertical lines
groupedProfilePlot(sp1, groups='new.group', max.depth=150,

```

```

group.name.offset=c(-10, -12), break.style='arrow', arrow.offset=-3,
group.line.lty = 1, group.line.lwd = 1, id.style='side')

## Not run:
# more complete example using data from soilDB package
data(loafercreek, package='soilDB')
par(mar=c(1,1,1,1))
# lines
groupedProfilePlot(loafercreek, groups='hillslopeprof', group.name.cex = 0.5,
group.name.offset = -10)

# arrows
groupedProfilePlot(loafercreek, groups='hillslopeprof', group.name.cex = 0.5,
group.name.offset = -10, break.style = 'arrow', group.line.lty = 1,
group.line.lwd = 1)

# both
groupedProfilePlot(loafercreek, groups='hillslopeprof', group.name.cex = 0.5,
group.name.offset = -10, break.style = 'both', group.line.lty = 1,
group.line.lwd = 1)

## End(Not run)

```

groupSPC

Store groupings within a profile collection.

Description

Store groupings within a profile collection.

Usage

```
groupSPC(object, ...)
```

Arguments

object	SoilProfileCollection.
...	One or more expressions evaluated within the context of object that resolve to vectors that can be coerced to factor "groups."

guessGenHzLevels

Guess Appropriate Ordering for Generalized Horizon Labels

Description

This function makes an (educated) guess at an appropriate set of levels for generalized horizon labels using the median of horizon depth mid-points.

Usage

```
guessGenHzLevels(x, hz = GHL(x, required = TRUE))
```

Arguments

x	a SoilProfileCollection object
hz	name of horizon-level attribute containing generalized horizon labels, see details

Details

This function is useful when groups of horizons have been generalized via some method other than `generalize.hz`. For example, it may be useful to generalize horizons using labels derived from slice depths. The default sorting of these labels will not follow a logical depth-wise sorting when converted to a factor. `guessGenHzLevels` does a good job of "guessing" the proper ordering of these labels based on median horizon depth mid-point.

Value

a list:

levels	a vector of levels sorted by median horizon depth mid-point
median.depths	a vector of median horizon mid-points

Author(s)

D.E. Beaudette

See Also

[generalize.hz](#)

Examples

```
# load some example data
data(sp1, package='aqp')

# upgrade to SoilProfileCollection
depths(sp1) <- id ~ top + bottom
```

```

# generalize horizon names
n <- c('O', 'A', 'B', 'C')
p <- c('O', 'A', 'B', 'C')
sp1$genhz <- generalize.hz(sp1$name, n, p)

# note: levels are in the order in which originally defined:
levels(sp1$genhz)

# generalize horizons by depth slice
s <- dice(sp1, c(5, 10, 15, 25, 50, 100, 150) ~ .)
s$slice <- paste0(s$top, ' cm')
# not a factor
levels(s$slice)

# the proper ordering of these new labels can be guessed from horizon depths
guessGenHzLevels(s, 'slice')

# convert to factor, and set proper order
s$slice <- factor(s$slice, levels=guessGenHzLevels(s, 'slice')$levels)

# that is better
levels(s$slice)

```

guessHzAttrName

Guess Horizon Slot Column Names

Description

guessHzAttrName(): Guess the horizon column name where possible/preferred formative elements are known. There is a preference for records where more optional requirements are met to handle cases where there will be many matches. For example, working with soil data one might have "low, RV and high" total clay, as well as clay fractions. One could distinguish between these different measurements using standard formative elements for column names from the database of interest. Result is the first match in horizonNames(x) with the most required plus optional patterns matched.

e.g. guessHzAttrName(x, attr="clay", optional=c("total", "_r")) matches (claytotal_r == totalclay_r) over (clay_r == claytotal == totalclay) over clay.

guessHzDesgnName(): **DEPRECATED** This follows the historic convention used by aqp::plotSPC() looking for "hzname" or other column names containing the regular expression "name". If the pattern "name" is not found, the pattern "desgn" is searched as a fallback, as "hzdesgn" or "hz_desgn" are other common column naming schemes for horizon designation name.

guessHzTexC1Name(): **DEPRECATED** This function is used to provide a texture class attribute column name to functions. It will use regular expressions to match "texcl" which is typically the texture of the fine earth fraction, without modifiers or in-lieu textures. Alternately, it will match "texture" for cases where "texcl" is absent (e.g. in NASIS Component Horizon).

Usage

```
guessHzAttrName(x, attr, optional = NULL, verbose = TRUE, required = FALSE)
```

```
guessHzDesgnName(x, required = FALSE)
```

```
guessHzTexClName(x, required = FALSE)
```

Arguments

<code>x</code>	A <code>SoilProfileCollection</code>
<code>attr</code>	<i>character</i> . A regular expression containing required formative element of attribute name.
<code>optional</code>	<i>character</i> . Vector of regular expression(s) containing optional formative elements of attribute name.
<code>verbose</code>	<i>logical</i> . Produce message output about guesses? Default: TRUE
<code>required</code>	<i>logical</i> Default: FALSE. Is this attribute required? If it is, set to TRUE to trigger error on invalid value.

Value

Character containing horizon attribute column name. Result is the first match in `horizonNames(x)` with the most required plus optional patterns matched.

Author(s)

Andrew G. Brown

Examples

```
# a has the required attr pattern, but none of the optional
a <- data.frame(id = 1, top = c(0,10), bottom=c(10,40),
               clay=c(18,19))
depths(a) <- id ~ top + bottom

guessHzAttrName(a, attr="clay", optional=c("total", "_r"))

# b has required attr pattern, and one of the optional patterns
# notice that it also contains "clay" but preferentially matches more optional patterns
b <- data.frame(id = 1, top = c(0,10), bottom=c(10,40),
               clay=c(0.18,0.19), clay_r=c(18,19))
depths(b) <- id ~ top + bottom

guessHzAttrName(b, attr="clay", optional=c("total", "_r"))

# c has total and _r (both optional) on either side of clay
# having all of the optional patterns plus required is best evidence, and first
# column containing that combination will be returned
c <- data.frame(id = 1, top = c(0,10), bottom=c(10,40),
               totalclay_r=c(18,19), claytotal_r=c(0.18,0.19))
```

```
depths(c) <- id ~ top + bottom  
guessHzAttrName(c, attr="clay", optional=c("total", "_r"))
```

harden.melanization	<i>Harden (1982) Melanization</i>
---------------------	-----------------------------------

Description

Calculate "melanization" component of "Profile Development Index" after Harden (1982) "A quantitative index of soil development from field descriptions: Examples from a chronosequence in central California". Accepts vectorized inputs for value and reference value to produce vector output. A convenient use case would be to apply this on a profile-specific basis, where the `value_ref` has a single value, and `value` is a vector of length equal to the number of horizons within the upper 100 cm.

Usage

```
harden.melanization(value, value_ref)
```

Arguments

<code>value</code>	numeric vector containing Munsell values
<code>value_ref</code>	A numeric vector containing Munsell value(s) for reference material

Details

In Harden (1982), "melanization" is calculated relative to a reference parent material for all horizons within 100cm of the soil surface. In addition, several other non-color components are normalized relative to a maximum value and summed to obtain the overall Profile Development Index.

Value

A numeric vector reflecting horizon darkening relative to a reference (e.g. parent) material.

Author(s)

Andrew G. Brown

References

Harden, J.W. (1982) A quantitative index of soil development from field descriptions: Examples from a chronosequence in central California. *Geoderma*. 28(1) 1-28. doi: 10.1016/0016-7061(82)90037-4

Examples

```
# keep examples from using more than 2 cores
data.table::setDTthreads(Sys.getenv("OMP_THREAD_LIMIT", unset = 2))

library(aqp)
data("jacobs2000", package="aqp")

# LEFT JOIN hue, value, chroma matrix color columns
horizons(jacobs2000) <- cbind(horizons(jacobs2000)[,c(idname(jacobs2000), hzidname(jacobs2000))],
                             parseMunsell(jacobs2000$matrix_color_munsell, convertColors = FALSE))

# calculate a mixed 150-200cm color ~"parent material"

jacobs2000$c_horizon_color <- profileApply(jacobs2000, function(p) {

  # and derive the parent material from the 150-200cm interval
  p150_200 <- glom(p, 150, 200, truncate = TRUE)
  p150_200$thickness <- p150_200$bottom - p150_200$top

  # mix colors
  clrs <- na.omit(horizons(p150_200)[,c('matrix_color_munsell', 'thickness')])
  mixMunsell(clrs$matrix_color_munsell, w = clrs$thickness)$munsell

})

# segment profile into 1cm slices (for proper depth weighting)
jacobs2000$melan <- profileApply(jacobs2000, function(p) {

  # sum the melanization index over the 0-100cm interval
  p0_100 <- hz_segment(p, 0:100)

  ccol <- parseMunsell(p$c_horizon_color, convertColors = FALSE)

  sum(harden.melanization(
    value = as.numeric(p0_100$value),
    value_ref = as.numeric(ccol$value)), na.rm = TRUE)

})

jacobs2000$melanorder <- order(jacobs2000$melan)

# Plot in order of increasing Melanization index

plotSPC(jacobs2000,
        color = "matrix_color",
        label = "melan",
        plot.order = jacobs2000$melanorder,
        max.depth = 250
        )

segments(
  x0 = 0.5,
```

```

    x1 = length(jacobs2000) + 0.5,
    y0 = c(0,100,150,200),
    y1 = c(0,100,150,200),
    lty = 2
  )

  # Add [estimated] parent material color swatches
  lapply(seq_along(jacobs2000$c_horizon_color), function(i) {
    rect(i - 0.15, 250, i + 0.15, 225,
        col = parseMunsell(jacobs2000$c_horizon_color[jacobs2000$melanorder[i]]))
  })

```

harden.rubification *Harden (1982) Rubification*

Description

Calculate "rubification" component of "Profile Development Index" after Harden (1982) "A quantitative index of soil development from field descriptions: Examples from a chronosequence in central California". Accepts vectorized inputs for hue and chroma to produce vector output.

In Harden (1982) "rubification" is calculated relative to a reference parent material. Several other non-color components are normalized relative to a maximum value and summed to obtain the overall Profile Development Index.

Usage

```
harden.rubification(hue, chroma, hue_ref, chroma_ref)
```

Arguments

hue	A character vector containing Munsell hues (e.g. "7.5YR")
chroma	A numeric vector containing Munsell chromas
hue_ref	A character vector containing Munsell hue(s) (e.g. "10YR") for reference material
chroma_ref	A numeric vector containing Munsell chroma(s) for reference material

Value

A numeric vector reflecting horizon redness increase relative to a reference (e.g. parent) material.

Author(s)

Andrew G. Brown

References

Harden, J.W. (1982) A quantitative index of soil development from field descriptions: Examples from a chronosequence in central California. *Geoderma*. 28(1) 1-28. doi: 10.1016/0016-7061(82)90037-4

Examples

```

# keep examples from using more than 2 cores
data.table::setDTthreads(Sys.getenv("OMP_THREAD_LIMIT", unset = 2))

library(aqp)
data("jacobs2000", package="aqp")

# LEFT JOIN hue, value, chroma matrix color columns
horizons(jacobs2000) <- cbind(horizons(jacobs2000)[,c(idname(jacobs2000), hzidname(jacobs2000))],
                             parseMunsell(jacobs2000$matrix_color_munsell, convertColors = FALSE))

#' # calculate a mixed 150-200cm color ~"parent material"
jacobs2000$c_horizon_color <- profileApply(jacobs2000, function(p) {

  # and derive the parent material from the 150-200cm interval
  p150_200 <- glom(p, 150, 200, truncate = TRUE)
  p150_200$thickness <- p150_200$bottom - p150_200$top

  # subset colors and thickness
  clrs <- na.omit(horizons(p150_200)[,c('matrix_color_munsell', 'thickness')])

  # simulate a subtractive mixture using thickness as weight
  mixMunsell(
    clrs$matrix_color_munsell,
    w = clrs$thickness,
    mixingMethod = 'exact')$munsell
})

# segment profile into 1cm slices (for proper depth weighting)
jacobs2000$rubif <- profileApply(jacobs2000, function(p) {

  # sum the melanization index over the 0-100cm interval
  p0_100 <- hz_segment(p, 0:100)

  ccol <- parseMunsell(p$c_horizon_color, convertColors = FALSE)

  sum(harden.rubification(
    hue = p0_100$hue,
    chroma = as.numeric(p0_100$chroma),
    hue_ref = ccol$hue,
    chroma_ref = as.numeric(ccol$chroma)
  ), na.rm = TRUE)

})

jacobs2000$rubiforder <- order(jacobs2000$rubif)

# Plot in order of increasing Rubification index

plotSPC(jacobs2000,
color = "matrix_color",
label = "rubif",

```

```

plot.order = jacobs2000$rubiforder,
max.depth = 250
)

segments(
  x0 = 0.5,
  x1 = length(jacobs2000) + 0.5,
  y0 = c(0,100,150,200),
  y1 = c(0,100,150,200),
  lty = 2
)

# Add [estimated] parent material color swatches
trash <- sapply(seq_along(jacobs2000$c_horizon_color), function(i) {
  rect(i - 0.15, 250, i + 0.15, 225,
      col = parseMunsell(jacobs2000$c_horizon_color[jacobs2000$rubiforder[i]]))
})

```

harmonize, SoilProfileCollection-method

Harmonize a property by profile-level denormalization for convenient visualization or analysis of ranges

Description

It is sometimes convenient to be able to "denormalize" to a SoilProfileCollection with fewer attributes but more profiles. This is helpful wherever calculations are made on a profile basis and ranges or repeated measures are depicted with multiple attributes per soil horizon.

harmonize is most commonly used for creating "comparison" soil profile sketches with plotSPC—where the thematic attribute is derived from multiple data sources or summary statistics (such as quantiles of a property for Low-RV-High). However, the method more generally applies wherever one wants to alias between multiple columns containing "similar" data as input to an algorithm.

Data are "harmonized" to a common attribute names specified by the names of list elements in x.names. Profiles are essentially duplicated. In order to satisfy uniqueness constraints of the SoilProfileCollection, the label from the sub-elements of x.names are used to disambiguate profiles. A new column in the site table is calculated to reflect these groupings and facilitate filtering. See examples below.

Usage

```

## S4 method for signature 'SoilProfileCollection'
harmonize(x, x.names, keep.cols = NULL, grp.name = "hgroup")

```

Arguments

x	A SoilProfileCollection.
x.names	a named list of character vectors specifying target names, profile ID suffixes and source attribute names for harmonization

keep.cols	a character vector of column names to keep unaltered from the horizon data
grp.name	a character vector with column name to store grouping variable in site table (default: "hgroup")

Details

If attributes reflecting the same or similar property within a soil layer have different names (e.g. socQ05, socQ50, socQ95) it is sometimes inconvenient to work with them as multiple attributes within the same profile. These similar attributes may need to be analyzed together, or in sequence by profile, displayed using the same name or using a common scale. It is also useful to be able to alias different data sources that have the same attributes with different names.

Each list element in `x.names` specifies a single "harmonization," which is comprised of one or more mappings from new to old. Each named "sub-element" of `x.names` specifies the name and attribute to use for updating the profile ID and site table of the duplicated profiles.

Value

A (redundant) `SoilProfileCollection`, with one profile for each set of harmonizations specified by `x.names`.

Author(s)

Andrew G. Brown

Examples

```
### single source "harmonization" of single-profile with range -> single attribute, multi-profile

# make some test data
spc <- combine(lapply(1:10, random_profile, SPC = TRUE))

# assume that p1, p2 and p3 are the low RV and high quantiles for a hypothetical property "foo"
h1 <- harmonize(spc, x.names = list(foo = c(q05 = "p1", q50 = "p2", q95 = "p3")))

# inspect result
plotSPC(h1, color = "foo")

# filter with calculated "harmonized group" to get just RV profiles
plotSPC(subset(h1, hgroup == "q50"), color="foo")

### single source, two properties at once; with common labels: "method1" "method2"

# assume that p1, p2 are measurements by two (!=) methods for a hypothetical property "foo"
#           p3, p4 are measurements by same two methods for a hypothetical property "bar"
h3 <- harmonize(spc, x.names = list(foo = c(method1 = "p1", method2 = "p2"),
                                       bar = c(method1 = "p3", method2 = "p4")))

plotSPC(h3, color = "foo")
plotSPC(h3, color = "bar")
head(horizons(h3))

# a slight modification, "method 1" onlyused for "foo" and "method 3" for "bar"
```

```

h3 <- harmonize(spc, x.names = list(foo = c(method1 = "p1", method2 = "p2"),
                                     bar = c(method2 = "p3", method3 = "p4")))
plotSPC(h3, color = "foo") # note the pattern of values missing for foo (*_method3)
plotSPC(h3, color = "bar") # likewise for bar (*_method1)

#' the new labels need not match across harmonizations -- not sure how useful this is but it works
h3 <- harmonize(spc, x.names = list(foo = c(method1 = "p1", method2 = "p2"),
                                     bar = c(method3 = "p3", method4 = "p4")))
plotSPC(h3, color = "foo") # note the pattern of values missing for foo (*_method 3 + 4)
plotSPC(h3, color = "bar") # likewise for bar (*_method 1 + 2)

### two-source harmonization

# make test data
spc1 <- combine(lapply(LETTERS[1:5], random_profile, SPC = TRUE))
spc2 <- combine(lapply(letters[1:5], random_profile, SPC = TRUE))

h4 <- combine(list(harmonize(spc1, list(foo = c(transect1 = "p4"))), # foo is p4 in dataset 1
                 harmonize(spc2, list(foo = c(transect2 = "p2"))))) # foo is p2 in dataset 2

# same property with different name in two different datasets
plotSPC(h4, color = "foo")

### many source harmonization

# make test datasets (n=10); highly redundant IDs (1:3 repeated)
spcs <- lapply(1:10, function(x) pbindlist(lapply(1:3, random_profile, SPC = TRUE)))

# randomly varying column name for demo (in each dataset, foo could be p1 thru p5)
rcolname <- paste0("p", round(runif(10, 0.5, 5.5)))

# iterate over data sources
bigspc <- combine(lapply(1:length(spcs), function(i) {

  # assume each data source has a unique name for the property "foo"
  xn <- rcolname[i]

  # set names attribute to be equal to index i [creating unique profile IDs]
  # i.e. 2_10 will be profile ID 2 from 10th dataset
  names(xn) <- i

  # harmonize each data source, using unique column name and target name "foo"
  harmonize(spcs[[i]], x.names = list(foo = xn))
})))

# inspect a subset
plotSPC(bigspc[1:30,], color = "foo")

```

Description

hasDarkColors returns a boolean value by horizon representing whether darkness thresholds are met. The code is fully vectorized and deals with missing data and optional thresholds.

Default arguments are set up for "5-3-3 colors" – the basic criteria for Mollic/Umbric epipedon/mineral soil darkness. Any of the thresholds or column names can be altered. Any thresholds that are set equal to NA will be ignored.

Usage

```
hasDarkColors(
  p,
  d_hue = NA,
  m_hue = NA,
  d_value = 5,
  d_chroma = NA,
  m_value = 3,
  m_chroma = 3,
  dhuenm = "d_hue",
  dvalnm = "d_value",
  dchrnm = "d_chroma",
  mhuenm = "m_hue",
  mvalnm = "m_value",
  mchrnm = "m_chroma"
)
```

Arguments

p	A SoilProfileCollection.
d_hue	Optional: character vector of dry hues to match (default: NA)
m_hue	Optional: character vector of moist hues to match (default: NA)
d_value	Maximum value of dry value (default: 5)
d_chroma	Optional: Maximum value of dry chroma (default: NA)
m_value	Maximum value of moist value (default: 3)
m_chroma	Maximum value of moist chroma (default: 3)
dhuenm	Column name containing dry hue.
dvalnm	Column name containing dry value.
dchrnm	Column name containing dry chroma.
mhuenm	Column name containing moist hue.
mvalnm	Column name containing moist value.
mchrnm	Column name containing moist chroma.

Value

Boolean value (for each horizon in p) reflecting whether "darkness" criteria are met.

Author(s)

Andrew G. Brown

Examples

```
# construct a fake profile
spc <- data.frame(id=1, taxsubgrp = "Lithic Haploxeralfs",
  hzdesgn = c("A","AB","Bt","BCt","R"),
  hzdept = c(0, 20, 32, 42, 49),
  hzdepb = c(20, 32, 42, 49, 200),
  d_value = c(5, 5, 5, 6, NA),
  m_value = c(2.5, 3, 3, 4, NA),
  m_chroma = c(2, 3, 4, 4, NA))

# promote to SoilProfileCollection
depths(spc) <- id ~ hzdept + hzdepb

# print results in table
data.frame(id = spc[[idname(spc)]],
  hz_desgn = spc$hzdesgn,
  has_dark_colors = hasDarkColors(spc))
```

horizonColorIndices *Horizon Color Indices*

Description

Calculate basic horizon-level color indices for a SoilProfileCollection. Basic indices do not require aggregation over the whole profile or comparison to a "reference" (e.g. parent material) color. Includes Hurst (1977) Redness Index, Barron-Torrent Redness Index (1986) and Buntley-Westin Index (1965). This is a wrapper method around several horizon-level indices. See the individual functions for more details.

Usage

```
horizonColorIndices(p, hue = "m_hue", value = "m_value", chroma = "m_chroma")
```

Arguments

p	A SoilProfileCollection
hue	Column name containing moist hue; default: "m_hue"
value	Column name containing moist value; default: "m_value"
chroma	Column name containing moist chroma; default: "m_chroma"

Value

A data.frame containing unique pedon and horizon IDs and horizon-level color indices.

Author(s)

Andrew G. Brown

See Also[hurst.redness](#) [barron.torrent.redness.LAB](#) [buntley.westin.index](#)**Examples**

```
# keep examples from using more than 2 cores
data.table::setDTthreads(Sys.getenv("OMP_THREAD_LIMIT", unset = 2))

data(sp1)

# promote sp1 data to SoilProfileCollection
depths(sp1) <- id ~ top + bottom

# move site data
site(sp1) <- ~ group

# use Munsell color notation as horizon name
sp1$m <- sprintf("%s %s/%s", sp1$hue, sp1$value, sp1$chroma)

# compute indices
# merged into `sp1` with left-join on hzidname(sp1)
horizons(sp1) <- horizonColorIndices(sp1, hue="hue", value="value", chroma="chroma")

# visualize
par(mar = c(0, 1, 3, 1))
plotSPC(sp1, color='hurst_redness', name = 'm')
plotSPC(sp1, color='barron_torrent_redness', name = 'm')
plotSPC(sp1, color='buntley_westin', name = 'm')
```

horizonDepths<-	<i>Set horizon depth column names</i>
-----------------	---------------------------------------

Description

Set column name containing horizon ID

Get column names containing horizon depths

Usage

```
## S4 replacement method for signature 'SoilProfileCollection'
horizonDepths(object) <- value

## S4 method for signature 'SoilProfileCollection'
horizonDepths(object)
```

Arguments

object	a SoilProfileCollection
value	a character vector of length two with names of columns containing numeric top and bottom depths

horizonNames<-	<i>Set horizon column names</i>
----------------	---------------------------------

Description

Set horizon column names

Get names of columns in horizon table.

Usage

```
## S4 replacement method for signature 'SoilProfileCollection'
horizonNames(object) <- value
```

```
## S4 method for signature 'SoilProfileCollection'
horizonNames(object)
```

Arguments

object	a SoilProfileCollection
value	a unique vector of equal length to number of columns in horizons length(horizonNames(object))

horizons,SoilProfileCollection-method	<i>Retrieve horizon data from SoilProfileCollection</i>
---------------------------------------	---

Description

Get horizon data from SoilProfileCollection. Result is returned in the same data.frame class used to initially construct the SoilProfileCollection.

Horizon data in an object inheriting from data.frame can easily be added via merge (LEFT JOIN). There must be one or more same-named columns (with at least some matching data) on the left and right hand side to facilitate the join: horizons(spc) <- newdata

Usage

```
## S4 method for signature 'SoilProfileCollection'
horizons(object)
```

```
## S4 replacement method for signature 'SoilProfileCollection'
horizons(object) <- value
```

Arguments

object	A SoilProfileCollection
value	An object inheriting data.frame

Examples

```
# load test data
data(sp2)

# promote to SPC
depths(sp2) <- id ~ top + bottom

# assign true to surface horizon
newdata <- data.frame(top = 0,
                      newvalue = TRUE)

# do left join
horizons(sp2) <- newdata

# inspect site table: newvalue TRUE only for horizons
# with top depth equal to zero
horizons(sp2)
```

huePosition

Munsell Hue Reference and Position Searching

Description

The 40 Munsell hues are typically arranged from 5R to 2.5R moving clock wise on the unit circle. This function matches a vector of hues to positions on that circle, with options for setting a custom origin or search direction.

This function is fully vectorized.

Usage

```
huePosition(
  x,
  returnHues = FALSE,
  includeNeutral = FALSE,
  origin = "5R",
  direction = c("cw", "ccw")
)
```

Arguments

x	character vector of hues, e.g. c('10YR', '5YR'), optional if returnHues = TRUE
returnHues	logical, should the full set of Munsell hues be returned? See details.
includeNeutral	logical, add 'N' to the end of the full set of Munsell hues
origin	hue to be used as the starting point for position searches (position 1)
direction	indexing direction, should be cw (clock wise) or ccw (counter-clock wise)

Value

A vector of integer hue positions is returned, of the same length and order as x. If returnHues = TRUE, then all hue names and ordering are returned and x is ignored.

Author(s)

D.E. Beaudette

References

- Soil Survey Technical Note 2 [wayback machine URL](#)
- Munsell book of color. 1976. Macbeth, a Division of Kollmorgen Corp., Baltimore, MD.

See Also

[colorContrast](#), [huePositionCircle](#)

Examples

```
# get hue ordering for setting levels of a factor
huePosition(returnHues = TRUE)

# get hue ordering including N (neutral)
huePosition(returnHues = TRUE, includeNeutral = TRUE)

# get position of the '10YR' hue, relative to standard origin of '5R'
# should be 7
huePosition(x = '10YR')

# get position of the '10YR' hue, relative to standard origin of '5YR'
# should be 3
huePosition(x = '10YR', origin = '5YR')

# visualize
op <- par(mar = c(0, 0, 0, 0), fg = 'white', bg = 'black')

huePositionCircle(huePosition(returnHues = TRUE, origin = '5YR'))

par(op)
```

Description

Munsell hues are arranged on the unit circle with "neutral" at the center.

Usage

```
huePositionCircle(
  hues = huePosition(returnHues = TRUE),
  value = 6,
  chroma = 10,
  chip.cex = 5.5,
  label.cex = 0.66,
  seg.adj = 0.8,
  seg.col = grey(0.4),
  plot = TRUE,
  simulateCVD = NULL,
  CVDseverity = 1
)
```

Arguments

hues	vector of Munsell hues, commonly derived from huePosition()
value	single integer, Munsell value used to create an actual color
chroma	single integer, Munsell chroma used to create an actual color
chip.cex	numeric, scaling for color chips
label.cex	numeric, scaling labels
seg.adj	numeric, scaling for line segment cues
seg.col	single color, color used for line segment cues
plot	logical, generate output on the current graphics device
simulateCVD	simulate color vision deficiencies with the colorspace package, should be the character representation of a function name, one of: 'deutan', 'protan', or 'tritan'.
CVDseverity	numeric value between 0 (none) and 1 (total), describing the severity of the color vision deficiency

Value

an invisible data.frame of data used to create the figure

Note

The best results are obtained when setting margins to zero, and inverting foreground / background colors. For example: `par(mar = c(0, 0, 0, 0), fg = 'white', bg = 'black')`.

References

Munsell book of color. 1976. Macbeth, a Division of Kollmorgen Corp., Baltimore, MD.

Examples

```
# keep examples from using more than 2 cores
data.table::setDTthreads(Sys.getenv("OMP_THREAD_LIMIT", unset = 2))

# better graphics defaults
op <- par(
  mar = c(0, 0, 0, 0),
  fg = 'white',
  bg = 'black',
  xpd = NA
)

# full set of hues, as generated by huePosition(returnHues = TRUE)
huePositionCircle()

# just a few hues
huePositionCircle(hues = c('5R', '5Y', '5G', '5B', '5P'))

# adjust Munsell value and chroma
huePositionCircle(value = 3, chroma = 6)

# reset graphics state
par(op)
```

hurst.redness	<i>Hurst (1977) Redness Index</i>
---------------	-----------------------------------

Description

Calculate Redness Index after Hurst (1977) "Visual estimation of iron in saprolite" DOI: 10.1130/0016-7606(1977)88<174:VEOIS>2.0.CO;2. Accepts vectorized inputs for hue, value and chroma, produces vector output.

Usage

```
hurst.redness(hue, value, chroma)
```

Arguments

hue	A character vector containing Munsell hues (e.g. "7.5YR")
value	A numeric vector containing Munsell values
chroma	A numeric vector containing Munsell chromas

Value

A numeric vector of horizon redness index (lower values = redder).

Author(s)

Andrew G. Brown

References

Hurst, V.J. (1977) Visual estimation of iron in saprolite. GSA Bulletin. 88(2): 174–176. doi: [https://doi.org/10.1130/0016-7606\(1977\)88<174:VEOIS>2.0.CO;2](https://doi.org/10.1130/0016-7606(1977)88<174:VEOIS>2.0.CO;2)

hzAbove	<i>Horizons Above or Below</i>
---------	--------------------------------

Description

Horizons Above or Below

Usage

```
hzAbove(x, ..., offset = 1, SPC = TRUE, simplify = SPC)
hzBelow(x, ..., offset = 1, SPC = TRUE, simplify = SPC)
hzOffset(x, hzid, offset, SPC = FALSE, simplify = TRUE)
```

Arguments

x	A SoilProfileCollection
...	Comma-separated set of R expressions that evaluate as TRUE or FALSE in context of horizon data frame. Length for individual expressions matches number of horizons, in x.
offset	Integer offset in terms of SoilProfileCollection [,j] (horizon/slice) index
SPC	Return a SoilProfileCollection? Default TRUE for horizon_* methods.
simplify	If TRUE return a vector (all elements combined), or a list (1 element per profile). If SPC is TRUE then simplify is TRUE.
hzid	A vector of target horizon IDs. These are calculated from ... for horizon_*() methods

Details

To minimize likelihood of issues with non-standard evaluation context, especially when using hzAbove()/hzBelow() inside another function, all expressions used in ... should be in terms of variables that are in the horizon data frame.

Value

A `SoilProfileCollection` (when `SPC = TRUE`) or a vector of horizon row indices (when `SPC = FALSE` and `simplify = TRUE`) or a list (when `SPC = FALSE` and `simplify = FALSE`)

Examples

```
data(sp4)
depths(sp4) <- id ~ top + bottom

# get the horizon above the last horizon (j-index of bottom horizon minus 1)
hzAbove(sp4, hzID(sp4) %in% getLastHorizonID(sp4))

# get horizons below the last horizon (none; j-index of bottom horizon plus 1)
hzBelow(sp4, hzID(sp4) %in% getLastHorizonID(sp4))
```

HzDepthLogicSubset	<i>Subset</i>	SoilProfileCollection	<i>Objects</i>	<i>or</i>	<i>Horizons</i>	<i>via</i>
		checkHzDepthLogic				

Description

This function removes profiles or horizons from a `SoilProfileCollection` that are flagged as having invalid horizon depth logic by [checkHzDepthLogic](#). Invalid profiles may be created when setting `byhz = TRUE`; use caution as some functions may not work properly in the presence of gaps. Consider using [fillHzGaps](#) to fill these gaps.

Usage

```
HzDepthLogicSubset(x, byhz = FALSE)
```

Arguments

x	a <code>SoilProfileCollection</code> object
byhz	logical, evaluate horizon depth logic at the horizon level (profile level if <code>FALSE</code>)

Value

a `SoilProfileCollection` object

Note

This function cannot identify (and remove) overlapping horizons when `byhz = TRUE`.

hzDepthTests

*Tests of horizon depth logic***Description**

Function used internally by `checkHzDepthLogic()`, `glom()` and various other functions that operate on horizon data from single soil profiles and require a priori depth logic checks. Checks for bottom depths less than top depth / bad top depth order ("depthLogic"), bottom depths equal to top depth ("sameDepth"), overlaps/gaps ("overlapOrGap") and missing depths ("missingDepth"). Use `names(res)[res]` on result `res` of `hzDepthTest()` to determine type of logic error(s) found – see examples below.

Usage

```
hzDepthTests(top, bottom = NULL)
```

Arguments

<code>top</code>	A numeric vector containing horizon top depths. Or a <code>data.frame</code> with two columns (first containing top depths, second containing bottom)
<code>bottom</code>	A numeric vector containing horizon bottom depths.

Value

A named logical vector containing TRUE for each type of horizon logic error found in the given data.

Author(s)

Andrew G. Brown & Dylan E. Beaudette

Examples

```
# no logic errors
res <- hzDepthTests(top = c(0,10,20,30), bottom = c(10,20,30,50))
names(res)[res]

# bottom < top
hzDepthTests(top = c(10,20,30,50), bottom = c(0,10,20,30))
names(res)[res]

# bottom == top
hzDepthTests(top = c(10,20,30,50), bottom = c(0,20,20,30))
names(res)[res]

# overlap
hzDepthTests(top = c(0,5,20,30), bottom = c(10,20,30,50))
names(res)[res]
```

```
# gap
hzDepthTests(top = c(0,15,20,30), bottom = c(10,20,30,50))
names(res)[res]

# missing
hzDepthTests(c(0,15,NA,30),c(10,NA,30,50))
names(res)[res]
```

hzDesgn,SoilProfileCollection-method
<i>Get horizon designation column name</i>

Description

Get horizon designation names

Usage

```
## S4 method for signature 'SoilProfileCollection'
hzDesgn(object)
```

Arguments

object a SoilProfileCollection

hzdesgnname	<i>Get or Set Horizon Designation Column Name</i>
-------------	---

Description

hzdesgnname(): Get column name containing horizon designations
hzdesgnname<=: Set horizon designation column name

Usage

```
## S4 method for signature 'SoilProfileCollection'
hzdesgnname(object, required = FALSE)

## S4 replacement method for signature 'SoilProfileCollection'
hzdesgnname(object, required = FALSE) <- value
```

Arguments

object a SoilProfileCollection
required logical, is this attribute required? If it is, set to TRUE to trigger error on invalid value.
value character, name of column containing horizon designations

Details

Store the column name containing horizon designations or other identifiers in the metadata slot of the SoilProfileCollection.

See Also

[hzDesign\(\)](#)

Examples

```
data(sp1)

# promote to SPC
depths(sp1) <- id ~ top + bottom

# set horizon designation column
hzdesgnname(sp1) <- "name"

# get horizon designation column
hzdesgnname(sp1)
```

hzDistinctnessCodeToOffset

Convert Horizon Boundary Distinctness to Vertical Offset

Description

This function will convert USDA-NCSS horizon boundary distinctness codes into vertical (+/-) offsets in cm, based on the [Field Book for Describing and Sampling Soils, version 3.0](#).

Usage

```
hzDistinctnessCodeToOffset(
  x,
  codes = c("very abrupt", "abrupt", "clear", "gradual", "diffuse"),
  offset = c(0.5, 2, 5, 15, 20)/2
)
```

Arguments

x	vector of boundary distinctness codes to be converted
codes	character vector of distinctness terms ('clear') or codes ('C'), case insensitive, see details
offset	vertical offset factors (cm), approximating 1/2 of the transitional zone thickness, see details

Details

The default offsets are based on the high-end of ranges presented in "transitional zone thickness criteria" from the Field Book version 3.0 (page 2-6). Offsets are returned as 1/2 of the transitional zone thickness so that horizon boundaries can be adjusted up/down from horizon depths. See [plotSPC](#), specifically the `hz.distinctness.offset` argument for visualization ideas. Missing data in `x` (NA) or codes that are not defined in codes are returned as 0 offsets.

Either format (or mixture) are accepted, case insensitive:

- terms: `c('very abrupt', 'abrupt', 'clear', 'gradual', 'diffuse')`
- coded values: `c('v', 'a', 'c', 'g', 'd')`

Additional examples are available in the [Visualization of Horizon Boundaries tutorial](#).

Value

vector of offsets with same length as `x`

Author(s)

D.E. Beaudette

References

[Field Book for Describing and Sampling Soils, version 3.0](#)

See Also

[plotSPC](#)

Examples

```
# example data
data(sp1)

# compute 1/2 transitional zone thickness from distinctness codes
sp1$hzdo <- hzDistinctnessCodeToOffset(sp1$bound_distinct)

# convert colors from Munsell to hex-encoded RGB
sp1$soil_color <- with(sp1, munsell2rgb(hue, value, chroma))

# promote to SoilProfileCollection
depths(sp1) <- id ~ top + bottom
hzdesgnname(sp1) <- 'name'

# adjust margins
op <- par(mar=c(0,0,0,1.5))

# sketches, adjust width, adjust text size, include coded hz distinctness offsets
plotSPC(sp1, width=0.3, cex.names=0.75, hz.distinctness.offset = 'hzdo')

# clean-up
```

par(op)

hzID<-	SoilProfileCollection-method
	<i>Set horizon IDs</i>

Description

Set vector containing horizon IDs
Get vector containing horizon IDs

Usage

```
## S4 replacement method for signature 'SoilProfileCollection'  
hzID(object) <- value  
  
## S4 method for signature 'SoilProfileCollection'  
hzID(object)
```

Arguments

object	a SoilProfileCollection
value	a unique vector of equal length to number of horizons nrow(object)

hzidname<-	<i>Set horizon ID column name</i>
------------	-----------------------------------

Description

Set unique horizon ID column name
Get column name containing unique horizon ID

Usage

```
## S4 replacement method for signature 'SoilProfileCollection'  
hzidname(object) <- value  
  
## S4 method for signature 'SoilProfileCollection'  
hzidname(object)
```

Arguments

object	a SoilProfileCollection
value	character, column name containing unique horizon ID values

Examples

```
data(sp1)

# promote to SPC
depths(sp1) <- id ~ top + bottom

# create new horizon ID
sp1$hzIDrev <- rev(sp1$hzID)

# set horizon designation column
hzidname(sp1) <- "hzIDrev"

# get horizon designation column
hzidname(sp1)
```

hzMetadata,SoilProfileCollection-method
<i>Get horizon-level metadata</i>

Description

Get idname(object) and hzidname(object), with hzdesgnname(object), hztexclname(object) (if defined)

Usage

```
## S4 method for signature 'SoilProfileCollection'
hzMetadata(object)
```

Arguments

object a SoilProfileCollection

hzmetaname	<i>Get or Set Horizon Metadata Column Name</i>
------------	--

Description

hzmetaname(): Get column name containing horizon data of interest
hzmetaname<=: Set horizon designation column name

Usage

```
## S4 method for signature 'SoilProfileCollection'
hzmetaname(object, attr, required = FALSE)

## S4 replacement method for signature 'SoilProfileCollection'
hzmetaname(object, attr, required = FALSE) <- value
```

Arguments

object	<i>A SoilProfileCollection</i>
attr	<i>character</i> . Base name for attribute to be stored in metadata. This is prefixed with "aqp_hz" for horizon-level metadata for column attributes. e.g. attr="clay" results in metadata value retrieved from "aqp_hzclay".
required	<i>logical</i> . Is this attribute required? If it is, set to TRUE to trigger error on invalid value.
value	<i>character</i> . Name of horizon-level column containing data corresponding to attr.

Details

Store the column name containing a specific type of horizon data in the metadata slot of the Soil-ProfileCollection.

See Also

[guessHzAttrName\(\)](#)

Examples

```
data(sp1)

# promote to SPC
depths(sp1) <- id ~ top + bottom

# set important metadata columns
hzdesgname(sp1) <- "name"
hztexclname(sp1) <- "texture"

# set custom horizon property (clay content) column
hzmetaname(sp1, "clay") <- "prop"

# inspect metadata list
metadata(sp1)

# get horizon clay content column
hzmetaname(sp1, "clay")

# uses hzdesgname(), hztexclname(), hzmetaname(attr="clay") in function definition
estimatePSCS(sp1)
```

hztexclname	<i>Get or Set Horizon Texture Class Column Name</i>
-------------	---

Description

hztexclname(): Get column name containing horizon designation name
hztexclname<=: Set horizon texture class column name for a SoilProfileCollection

Usage

```
## S4 method for signature 'SoilProfileCollection'
hztexclname(object, required = FALSE)

## S4 replacement method for signature 'SoilProfileCollection'
hztexclname(object, required = FALSE) <- value
```

Arguments

object	a SoilProfileCollection
required	logical, is this attribute required? If it is, set to TRUE to trigger error on invalid value.
value	character, name of column containing horizon texture classes

Details

Store the column name containing horizon texture classes or other identifiers in the metadata slot of the SoilProfileCollection.

Examples

```
data(sp1)

# promote to SPC
depths(sp1) <- id ~ top + bottom

# set horizon texture class column
hztexclname(sp1) <- "texture"

# get horizon texture class column
hztexclname(sp1)
```

hzTopographyCodeToLineType

Convert Horizon Boundary Topography to Line Type

Description

This function will convert USDA-NCSS horizon boundary topography codes into line types, based on the [Field Book for Describing and Sampling Soils, version 3.0](#).

Usage

```
hzTopographyCodeToLineType(
  x,
  codes = c("smooth", "wavy", "irregular", "broken"),
  lty = c(1, 2, 3, 4)
)
```

Arguments

x	vector of boundary topography codes to be converted
codes	character vector of topography terms ('smooth') or codes ('S'), case insensitive, see details
lty	line types

Details

Visualization of horizon boundary topography can be difficult, line type offers an additional visual cue. See `hzTopographyCodeToOffset` for an offset-based approach. Additional examples are available in the [Visualization of Horizon Boundaries tutorial](#). Missing data in `x` (NA) or codes that are not defined in `codes` are returned as line type 1.

Either format (or mixture) are accepted, case insensitive:

- terms: `c('smooth', 'wavy', 'irregular', 'broken')`
- coded values: `c('s', 'w', 'i', 'b')`

Value

vector of line types with same length as `x`

Author(s)

D.E. Beaudette

References

[Field Book for Describing and Sampling Soils, version 3.0](#)

See Also

[plotSPC](#), [hzTopographyCodeToOffset](#)

hzTopographyCodeToOffset
<i>Convert Horizon Boundary Topography to Vertical Offset</i>

Description

This function will convert USDA-NCSS horizon boundary topography codes into a vertical offset, suitable for use in `plotSPC`. Default values are reasonable starting points for encoding smooth, wavy, irregular, or broken style horizon boundary topography as defined in [Field Book for Describing and Sampling Soils, version 3.0](#).

Usage

```
hzTopographyCodeToOffset(  
  x,  
  codes = c("smooth", "wavy", "irregular", "broken"),  
  offset = c(0, 4, 8, 12)  
)
```

Arguments

x	vector of boundary topography codes to be converted
codes	character vector of topography terms ('smooth') or codes ('S'), case insensitive, see details
offset	vertical offset (depth units) used to create "chevron" effect

Details

Additional examples are available in the [Visualization of Horizon Boundaries tutorial](#). Missing data in x (NA) or codes that are not defined in codes are returned with an offset of 0.

Either format (or mixture) are accepted, case insensitive:

- terms: c('smooth', 'wavy', 'irregular', 'broken')
- coded values: c('s', 'w', 'i', 'b')

Value

vector of vertical offsets with same length as x

Author(s)

D.E. Beaudette

References

[Field Book for Describing and Sampling Soils, version 3.0](#)

See Also

[plotSPC](#)

hzTransitionProbabilities

Horizon Transition Probabilities

Description

Functions for creating and working with horizon (sequence) transition probability matrices.

See the following tutorials for some ideas:

- [horizon designation TP](#)
- [soil color TP](#)

Usage

```
hzTransitionProbabilities(
  x,
  name = GHL(x, required = TRUE),
  loopTerminalStates = FALSE
)

mostLikelyHzSequence(mc, t0, maxIterations = 10)
```

Arguments

x	a SoilProfileCollection object.
name	A horizon level attribute in x that names horizons.
loopTerminalStates	should terminal states loop back to themselves? This is useful when the transition probability matrix will be used to initialize a markovchain object. See examples below.
mc	Passed to markovchain conditionalDistribution()
t0	Passed to markovchain conditionalDistribution()
maxIterations	Maximum number of iterations. Default: 10

Value

A square matrix of transition probabilities. See examples.

The function [genhzTableToAdjMat\(\)](#) returns a square adjacency matrix. See examples.

The function [mostLikelyHzSequence\(\)](#) returns the most likely sequence of horizons, given a markovchain object initialized from horizon transition probabilities and an initial state, t0. See examples.

Note

These functions are still experimental and subject to change.

Author(s)

D.E. Beaudette

See Also[generalize.hz\(\)](#)**Examples**

```
data(sp4)
depths(sp4) <- id ~ top + bottom

# horizon transition probabilities: row -> col transitions
(tp <- hzTransitionProbabilities(sp4, 'name'))
```

hz_dissolve*Dissolving horizon boundaries by grouping variables*

Description

This function dissolves or combines horizons that have a common set of grouping variables. It only combines those horizon records that are sequential (e.g. share a horizon boundary). Thus, it can be used to identify discontinuities in the grouping variables along a profile and their unique depths. It is particularly useful for determining the depth to the top or bottom of horizons with a specific category, and should be simpler than previous methods that require aggregating over profiles.

Usage

```
hz_dissolve(
  object,
  by,
  idcol = "id",
  depthcols = c("top", "bottom"),
  collapse = FALSE,
  order = FALSE
)

dissolve_hz(
  object,
  by,
  id = "idcol",
  hztop = "top",
  hzbot = "bottom",
  collapse = FALSE,
  order = FALSE
)
```

Arguments

object	a data.frame
by	character: column names, to be used as grouping variables, within the object.
idcol	character: column name of the pedon ID within the object.
depthcols	a character vector of length 2 specifying the names of the horizon depths (e.g. c("top", "bottom")).
collapse	logical: indicating whether to not combine grouping variables before dissolving.
order	logical: indicating whether or not to order the object by the id, hztop, and hzbot columns.
id	deprecated and replaced with idcol.
hztop	deprecated and replaced by depthcols.
hzbot	deprecated and replaced by depthcols.

Details

This function assumes the profiles and horizons within the object follow the logic defined by `checkHzDepthLogic` (e.g. records are ordered sequentially by id, hztop, and hzbot and without gaps). If the records are not ordered, set the `order = TRUE`.

Value

A data.frame with the original idcol, by grouping variables, and non-consecutive horizon depths.

Author(s)

Stephen Roecker

See Also

[hz_lag\(\)](#), [hz_intersect\(\)](#), [hz_segment\(\)](#), [checkHzDepthLogic\(\)](#)

Examples

```
# example 1
data(jacobs2000)
spc <- jacobs2000

spc$dep_5 <- spc$depletion_pct >= 5
spc$genhz <- generalize.hz(spc$name, c("A", "E", "B", "C"), c("A", "E", "B", "C"))
h <- horizons(spc)

test <- hz_dissolve(h, by = c("genhz", "dep_5"), idcol = "id", depthcols = c("top", "bottom"))

vars <- c("id", "top", "bottom", "genhz", "dep_5")
h[h$id == "92-1", vars]
test[test$id == "92-1", ]
```

```
# example 2
df <- data.frame(
  id = 1,
  top   = c(0, 5, 10, 15, 25, 50),
  bottom = c(5, 10, 15, 25, 50, 100),
  hzname = c("A1", "A2", "E/A", "2Bt1", "2Bt2", "2C"),
  genhz  = c("A", "A", "E", "2Bt", "2Bt", "2C"),
  texcl  = c("sil", "sil", "sil", "sl", "sl", "s")
)

df

hz_dissolve(df, c("genhz", "texcl"))
hz_dissolve(df, c("genhz", "texcl"), collapse = TRUE)

test <- hz_dissolve(df, "genhz")
subset(test, value == "2Bt")
```

hz_intersect

*Intersecting horizon boundaries by horizon depths***Description**

This function intersects two horizon tables by harmonizing their depths and merging them where they overlap. This can be useful to rejoin the results of `hz_dissolve()` to its original horizon table, and then perform an aggregation on the dissolved variables.

Usage

```
hz_intersect(x, y, idcol = "id", depthcols = c("top", "bottom"))
```

Arguments

<code>x</code>	a <code>data.frame</code>
<code>y</code>	a <code>data.frame</code>
<code>idcol</code>	character: column name of the pedon ID within the object.
<code>depthcols</code>	a character vector of length 2 specifying the names of the horizon depths (e.g. <code>c("top", "bottom")</code>).

Details

.

Value

A `data.frame` with harmonized depth intervals (i.e. `segment_id`) and columns from both of the original `data.frame`. If both `data.frame` contain the same column names, they will both be returned (with the exception of the `idcol` and `depthcols`), and appended with either `x` or `y` to indicate which `data.frame` they originated from.

Author(s)

Stephen Roecker

See Also[hz_dissolve\(\)](#), [hz_lag\(\)](#), [hz_segment\(\)](#)**Examples**

```
h <- data.frame(
  id = 1,
  top   = c(0, 25, 44, 46, 50),
  bottom = c(25, 44, 46, 50, 100),
  by     = c("Yes", "Yes", "No", "No", "Yes"),
  clay   = c(10, 12, 27, 35, 16)
)

hz_dissolve(h, "by")

hz_intersect(x = hz_dissolve(h, "by"), y = h)

hi <- hz_intersect(x = h, y = hz_dissolve(h, "by"))
aggregate(clay ~ dissolve_id, data = hi, mean)
```

hz_lag*Find lagged horizon values*

Description

This function finds adjacent values to a horizon values at lagged distances.

Usage

```
hz_lag(
  object,
  lag = 1,
  unit = "index",
  idcol = "id",
  depthcols = c("top", "bottom"),
  order = FALSE
)
```

Arguments

object	a data.frame
lag	integer: number of horizons to lag
unit	character: lag units in index or depth.

idcol	character: column name of the pedon ID within the object.
depthcols	a character vector of length 2 specifying the names of the horizon depths (e.g. <code>c("top", "bottom")</code>).
order	logical: indicating whether or not to order the #'

Details

.

Value

A `data.frame` with lagged values.

Author(s)

Stephen Roecker

See Also

[hz_dissolve\(\)](#), [hz_intersect\(\)](#), [hz_segment\(\)](#)

Examples

```
h <- data.frame(
  id = 1,
  top    = c(0, 25, 44, 46, 50),
  bottom = c(25, 44, 46, 50, 100),
  texcl  = c("SL", "SL", "CL", "CL", "L"),
  clay   = c(10, 12, 27, 35, 16)
)

hz_lag(h)

hz_lag(h, -1)

hz_lag(h, 10:15, unit = "depth")

transform(cbind(h, lag = hz_lag(h)),
  clay_dif = lag.clay_bot.1 - clay,
  texcl_contrast = paste0(texcl, "-", lag.texcl_bot.1)
)
```

hz_segment

*Segmenting of Soil Horizon Data by Depth Interval***Description**

This function segments or subdivides horizon data from a `SoilProfileCollection` or `data.frame` by depth interval (e.g. `c(0, 10)`, `c(0, 50)`, or `25:100`). This results in horizon records being split at the specified depth intervals, which duplicates the original horizon data but also adds new horizon depths. In addition, labels (i.e. `"segment_id"`) are added to each horizon record that correspond with their depth interval (e.g. `025-100`). This function is intended to harmonize horizons to a common support (i.e. depth interval) for further aggregation or summary. See the examples.

Usage

```
hz_segment(object, intervals, trim = TRUE, depthcols = c("top", "bottom"))
```

```
segment(object, intervals, trim = TRUE, hzdepcols = c("top", "bottom"))
```

Arguments

<code>object</code>	either a <code>SoilProfileCollection</code> or <code>data.frame</code>
<code>intervals</code>	a vector of integers over which to slice the horizon data (e.g. <code>c(25, 100)</code> or <code>25:100</code>)
<code>trim</code>	logical, when <code>TRUE</code> horizons in <code>object</code> are truncated to the min/max specified in <code>intervals</code> . When <code>FALSE</code> , those horizons overlapping an interval are marked as such. Care should be taken when specifying more than one depth interval and <code>trim = FALSE</code> .
<code>depthcols</code>	a character vector of length 2 specifying the names of the horizon depths (e.g. <code>c("top", "bottom")</code>), only necessary if <code>object</code> is a
<code>hzdepcols</code>	deprecated being replaced by <code>depthcols</code> .

Details

`hz_segment()` performs no aggregation or resampling of the source data, rather, labels are added to horizon records for subsequent aggregation or summary. This makes it possible to process a very large number of records outside of the constraints associated with e.g. `slice()` or `slab()`.

Value

Either a `SoilProfileCollection` or `data.frame` with the original horizon data segmented by depth intervals. There are usually more records in the resulting object, one for each time a segment interval partially overlaps with a horizon. A new column called `segment_id` identifying the depth interval is added.

Author(s)

Stephen Roecker

See Also

`dice()`, `glom()`, `hz_dissolve()`, `hz_lag()`, `hz_intersect()`

Examples

```
# example data
data(sp1)

# upgrade to SPC
depths(sp1) <- id ~ top + bottom

# segment and trim
z <- hz_segment(sp1, intervals = c(0, 10, 20, 30), trim = TRUE)

# display segment labels
# note that there are new horizon boundaries at segments
par(mar = c(0, 0, 3, 1))
plotSPC(z, color = 'segment_id', width = 0.3)

# highlight new horizon records
par(mar = c(0, 0, 2, 1))
plotSPC(z, color = NA, default.color = NA, width = 0.3, lwd = 1)
plotSPC(sp1, color = NA, default.color = NA,
width = 0.3, lwd = 3, add = TRUE, name = NA, print.id = FALSE)
legend('top', horiz = TRUE,
legend = c('original', 'segmented'),
lwd = c(1, 3), cex = 0.85, bty = 'n')

# same results as slab()
# 10 random profiles
s <- lapply(1:10, random_profile, n_prop = 1, SPC = TRUE, method = 'random_walk')
s <- combine(s)

a.slab <- slab(s, fm = ~ p1, slab.structure = c(0, 10, 20, 30), slab.fun = mean, na.rm = TRUE)

z <- hz_segment(s, intervals = c(0, 10, 20, 30), trim = TRUE)
z <- horizons(z)
z$thick <- z$bottom - z$top

a.segment <- sapply(split(z, z$segment_id), function(i) {
  weighted.mean(i$p1, i$thick)
})

res <- data.frame(
  slab = a.slab$value,
  segment = a.segment,
  diff = a.slab$value - a.segment
)

print(res)
```

```

res$diff < 0.001

data(sp5)

# segment by upper 25-cm
test1 <- hz_segment(sp5, intervals = c(0, 100))
print(test1)
nrow(test1)
print(object.size(test1), units = "Mb")

# segment by 1-cm increments
test2 <- hz_segment(sp5, intervals = 0:100)
print(test2)
nrow(test2)
print(object.size(test2), units = "Mb")

# segment and aggregate
test3 <- hz_segment(horizons(sp5),
                    intervals = c(0, 5, 15, 30, 60, 100, 200),
                    depthcols = c("top", "bottom")
)
test3$hzthk <- test3$bottom - test3$top
test3_agg <- by(test3, test3$segment_id, function(x) {
  data.frame(
    hzID = x$hzID[1],
    segment_id = x$segment_id[1],
    average = weighted.mean(x$cloy, w = x$hzthk)
  )
})
test3_agg <- do.call("rbind", test3_agg)

head(test3_agg)

```

hz_to_taxpartsize

Allocate Particle Size Class for the Control Section.

Description

This function aggregates information in the horizon table and allocates it to the particle size class for the control section.

Usage

```

hz_to_taxpartsize(
  x,
  y,

```

```

    taxpartsize = "taxpartsize",
    clay = "clay",
    idcol = "id",
    depthcols = c("top", "bottom")
  )

```

Arguments

<code>x</code>	a data.frame containing the original horizon table.
<code>y</code>	a data.frame containing the particle size control section depths for each idcol.
<code>taxpartsize</code>	character column name for taxonomic family particle size class.
<code>clay</code>	character column name for clay percent.
<code>idcol</code>	character: column name of the pedon ID within the object.
<code>depthcols</code>	a character vector of length 2 specifying the names of the horizon depths (e.g. <code>c("top", "bottom")</code>).

Details

This function differs from [texture_to_taxpartsize](#) in that it aggregates the results of [texture_to_taxpartsize](#), and accounts for strongly contrasting particle size classes.

Value

A data.frame object containing the original idcol, the aggregated particle size control section allocation, and an aniso column to indicate more than one contrasting class.

Author(s)

Stephen Roecker

See Also

[texture_to_taxpartsize\(\)](#), [lookup_taxpartsize\(\)](#)

Examples

```

h <- data.frame(
  id = 1,
  hzname = c("A", "BA", "Bw", "BC", "C"),
  top = c(0, 10, 45, 60, 90),
  bottom = c(10, 45, 60, 90, 150),
  clay = c(15, 16, 45, 20, 10),
  sand = c(10, 35, 40, 50, 90),
  frags = c(0, 5, 10, 38, 40)
)

h <- cbind(h,
  texcl = ssc_to_texcl(clay = h$clay, sand = h$sand))

```

```

pacs <- data.frame(id = 1,
                  top = 25,
                  bottom = 100)

h <- cbind(h,
           taxpartsize = texture_to_taxpartsize(
             texcl = h$texcl,
             clay = h$clay,
             sand = h$sand,
             fragvoltot = h$frags
           ))

depths(h) <- id ~ top + bottom

# set required metadata for estimatePACS()
hzdesgnname(h) <- "hzname"
hztexclname(h) <- "texcl"
hzmetaname(h, "clay") <- "clay"

pacs <- data.frame(id = h$id, rbind(estimatePACS(h)))
names(pacs)[2:3] <- c("top", "bottom")

hz_to_taxpartsize(horizons(h), pacs)

```

```

idname, SoilProfileCollection-method
  Get profile ID column name

```

Description

Get column name containing unique profile IDs

Usage

```

## S4 method for signature 'SoilProfileCollection'
idname(object)

```

Arguments

object a SoilProfileCollection

initSpatial<-	<i>Initialize Spatial Data in a SoilProfileCollection</i>
---------------	---

Description

initSpatial()<-: Set the column names containing spatial data and the corresponding coordinate reference system for a SoilProfileCollection.

getSpatial(): Get spatial data associated with a SoilProfileCollection

Usage

```
## S4 replacement method for signature 'SoilProfileCollection,ANY,ANY'
initSpatial(object, crs = NULL) <- value

## S4 replacement method for signature 'SoilProfileCollection,ANY,character'
initSpatial(object, crs = NULL) <- value

## S4 method for signature 'SoilProfileCollection'
getSpatial(object)

## S4 method for signature 'SoilProfileCollection'
coordinates(obj)

## S4 replacement method for signature 'SoilProfileCollection,ANY'
coordinates(object) <- value

## S4 replacement method for signature 'SoilProfileCollection,character'
coordinates(object) <- value
```

Arguments

object	A SoilProfileCollection
crs	Optional: character. Representation of Coordinate Reference System as "authority:code", integer EPSG code, WKT2019 or PROJ4 string, an sf crs or sp CRS object.
value	A formula specifying names of columns containing geometry (x and y coordinates), or character with the column names
obj	A SoilProfileCollection

See Also

[prj\(\)](#)

Examples

```
data(sp5)

# coordinates are stored in x and y column of site
```

```

sp5$x <- rnorm(length(sp5))
sp5$y <- rnorm(length(sp5))

# coordinates takes a formula object as input
initSpatial(sp5) <- ~ x + y

# optionally specify Coordinate Reference System (crs) on left-hand side
initSpatial(sp5, crs = "OGC:CRS84") <- ~ x + y

```

invertLabelColor	<i>Make High Contrast Label Colors</i>
------------------	--

Description

Generate a vector of white or black label colors conditioned on a vector of colors to maximize label contrast.

Usage

```
invertLabelColor(colors, threshold = 0.65)
```

Arguments

colors	vector of colors
threshold	black white threshold

Value

vector of label colors

Author(s)

D.E. Beaudette

Examples

```

# test with shades of grey
s <- seq(0, 1, by = 0.05)
cols <- grey(s)
soilPalette(cols, lab = as.character(s))

# test with 10YR x/3
m <- sprintf('10YR %s/3', 1:8)
cols <- parseMunsell(m)
soilPalette(cols, lab = m)

```

 isEmpty,SoilProfileCollection-method

Check for "empty" profiles in a SoilProfileCollection

Description

"Empty" profiles are used as placeholders for positions in a SoilProfileCollection. These profiles result from operations that remove or extract portions of horizons from source profiles.

Usage

```
## S4 method for signature 'SoilProfileCollection'
isEmpty(object, ...)
```

Arguments

object	A SoilProfileCollection
...	Additional arguments not used.

Details

In a SoilProfileCollection an empty profile occurs when it has one horizon, with NA top and bottom depths. Generally all non-profile ID site and horizon-level values are all also NA, but only the depths are checked by isEmpty().

Value

logical. Vector of length equal to number of profiles in object. Returns TRUE when a profile has one horizon with NA top and bottom depths

 jacobs2000

Soil Morphologic Data from Jacobs et al. 2002.

Description

Select soil morphologic data from "Redoximorphic Features as Indicators of Seasonal Saturation, Lowndes County, Georgia". This is a useful sample dataset for testing the analysis and visualization of redoximorphic features.

Usage

```
data(jacobs2000)
```

Format

A SoilProfileCollection object.

References

Jacobs, P. M., L. T. West, and J. N. Shaw. 2002. Redoximorphic Features as Indicators of Seasonal Saturation, Lowndes County, Georgia. *Soil Sci. Soc. Am. J.* 66:315-323. doi:[doi:10.2136/sssaj2002.3150](https://doi.org/10.2136/sssaj2002.3150)

Examples

```
# keep examples from using more than 2 cores
data.table::setDTthreads(Sys.getenv("OMP_THREAD_LIMIT", unset = 2))

# load
data(jacobs2000)

# basic plot
par(mar = c(0, 1, 3, 1.5))
plotSPC(jacobs2000, name='name', color='matrix_color', width=0.3)

# add concentrations
addVolumeFraction(jacobs2000, 'concentration_pct',
                  col = jacobs2000$concentration_color, pch = 16, cex.max = 0.5)

# add depletions
plotSPC(jacobs2000, name='name', color='matrix_color', width=0.3)
addVolumeFraction(jacobs2000, 'depletion_pct',
                  col = jacobs2000$depletion_color, pch = 16, cex.max = 0.5)

# time saturated
plotSPC(jacobs2000, color='time_saturated', cex.names=0.8, col.label = 'Time Saturated')

# color contrast: matrix vs. concentrations
cc <- colorContrast(jacobs2000$matrix_color_munsell, jacobs2000$concentration_munsell)
cc <- na.omit(cc)

cc <- cc[order(cc$dE00), ]
cc <- unique(cc)

par(bg = 'black', fg = 'white')
colorContrastPlot(cc$m1[1:10], cc$m2[1:10], labels = c('matrix', 'concentration'))
colorContrastPlot(cc$m1[11:21], cc$m2[11:21], labels = c('matrix', 'concentration'))

# color contrast: depletion vs. concentrations
cc <- colorContrast(jacobs2000$depletion_munsell, jacobs2000$concentration_munsell)
cc <- na.omit(cc)

cc <- cc[order(cc$dE00), ]
cc <- unique(cc)

par(bg = 'black', fg = 'white')
colorContrastPlot(cc$m1, cc$m2, labels = c('depletion', 'concentration'))
```

Description

The L1 estimator, or **geometric median**, is a multivariate generalization of the (univariate) **median** concept. This function performs a multivariate aggregation (via L1 estimator) according to a suite of ratio-scale soil properties. The L1 estimator is applied to soil profile data that have been sliced to a 1-depth-unit basis. Data should be well stratified by groups defined in `fm`, otherwise the L1 median may not make any sense.

See the **L1 Profiles Tutorial** for additional examples.

Usage

```
L1_profiles(
  x,
  fm,
  basis = 1,
  method = c("regex", "simple", "constant"),
  maxDepthRule = c("max", "min"),
  maxDepthConstant = NULL
)
```

Arguments

<code>x</code>	SoilProfileCollection object
<code>fm</code>	formula, for example: <code>group ~ p1 + p2 + p3</code> , where "group" is a site-level grouping variable, and "p1", "p2", and "p3" are horizon level variables
<code>basis</code>	positive integer, aggregation basis (e.g. 1 for 1-depth-unit intervals). Values other than 1 are not currently supported.
<code>method</code>	soil depth evaluation method: "regex" for regular expression, "simple", or "constant". See details.
<code>maxDepthRule</code>	maximum depth rule: "max" or "min" See details.
<code>maxDepthConstant</code>	positive integer, maximum depth when <code>maxDepthRule = 'constant'</code>

Details

See [this related tutorial](#) for additional examples. The `method`, `maxDepthRule`, and `maxDepthConstant` arguments set the maximum depth (over the entire collection) of analysis used to build "L1 profiles". The following rules are available:

- `method = 'regex'` uses pattern matching on horizon designations (note that `hzdesgnname` metadata must be set with `hzdesgnname(x) <- 'columnname'`)
- `method = 'simple'` uses min or max as applied to `x`, no accounting for non-soil horizons (e.g. Cr or R)

- `method = 'constant'` uses a fixed depth value supplied by `maxDepthConstant`

The `maxDepthRule` argument sets depth calculation constraint, applied to soil depths computed according to method (min or max).

Value

a SoilProfileCollection object

Note

This function requires the Gmedian package.

References

Cardot, H., Cenac, P. and Zitt, P-A. (2013). Efficient and fast estimation of the geometric median in Hilbert spaces with an averaged stochastic gradient algorithm. *Bernoulli*, 19, 18-43.

length, SoilProfileCollection-method

Get the number of profiles in a SoilProfileCollection

Description

Get the number of profiles in a SoilProfileCollection

Usage

```
## S4 method for signature 'SoilProfileCollection'
length(x)
```

Arguments

```
x      a SoilProfileCollection
```

lookup_taxpartsize	<i>Ranking Systems for USDA Taxonomic Particle-Size and Substitute Classes of Mineral Soils</i>
--------------------	---

Description

Generate a lookup table of USDA Particle-Size and Substitute Classes names, ranked according to approximate particle size

Usage

```
lookup_taxpartsize()
```

Value

A data.frame with a rank column, taxonomic family particle size class, and a flag for contrasting.

Author(s)

Stephen Roecker

References

[Field Book for Describing and Sampling Soils, version 3.0](#)

See Also

[hz_to_taxpartsize\(\)](#), [texture_to_taxpartsize\(\)](#), [SoilTextureLevels\(\)](#)

Examples

```
# class codes
lu <- lookup_taxpartsize()

idx <- lu$contrasting == FALSE

lu$taxpartsize[idx]

lu$rank[as.integer(lu$taxpartsize)[idx]]
```

lunique	<i>Eliminate duplicate instances of profile IDs in a list of SoilProfileCollections</i>
---------	---

Description

@description Experimental function to "clean" list input where duplicates exist (that would otherwise prevent pbindlist). Useful for queries that may have overlapping instances of the same data, for instance a list of SoilProfileCollections where each list element contains profiles gathered from a set of (potentially overlapping) extents.

Usage

```
lunique(l)
```

Arguments

1 A list of SoilProfileCollections.

Value

A list of SoilProfileCollections, with duplicate profile IDs removed.

Author(s)

Andrew G. Brown

Examples

```
data(sp5)

# EXAMPLE #1 -- resolving overlap

# 6 profiles in four sets, and 5,6,7 are missing
input <- lapply(list(c(1,3,4), c(2,2,3), NA, c(8,9,1)), function(idx) {
  if(!all(is.na(idx)))
    sp5[idx,]
})

output <- lunique(input)

# 6 profiles are in final SPC; 5,6,7 are missing
match(profile_id(pbindlist(output)), profile_id(sp5))

# EXAMPLE #2 -- exact duplicates

# deliberately duplicate an SPC
sp5_2 <- sp5
res <- lunique(list(sp5, sp5_2))
```

```
# the number of profiles in first element is equal to number in sp5
length(res[[1]]) == length(sp5)

# second list element contains NA b/c all uniques are in #1
res[[2]]
```

```
max,SoilProfileCollection-method
```

Get the maximum bottom depth in a SoilProfileCollection

Description

Get the deepest depth of description out of all profiles in a SoilProfileCollection. Data missing one or more of: bottom depth, profile ID, or any optional attribute are omitted using complete.cases.

Usage

```
## S4 method for signature 'SoilProfileCollection'
max(x, v = NULL, na.rm = TRUE)
```

Arguments

x	a SoilProfileCollection
v	optional: horizon-level column name to refine calculation
na.rm	remove NA? default: TRUE

```
metadata,SoilProfileCollection-method
```

Retrieve metadata from SoilProfileCollection

Description

Get metadata from SoilProfileCollection. Result is a list. Two entries (aqp_df_class, depth_units) should not be edited in the metadata list directly. There are methods that facilitate changing them – and propagating their changes throughout the collection. Otherwise, metadata list is a free-form slot used to store arbitrary information about the data, how it was collected, citations, etc.

Usage

```
## S4 method for signature 'SoilProfileCollection'
metadata(object)

## S4 replacement method for signature 'SoilProfileCollection'
metadata(object) <- value
```

Arguments

object	A SoilProfileCollection
value	A named list (see examples)

Examples

```
data(sp5)

# replace default metadata with itself
metadata(sp5) <- metadata(sp5)

# set new metadata attribute value
metadata(sp5)$newvalue <- 'foo'

# get metadata attribute
metadata(sp5)$newvalue
```

min, SoilProfileCollection-method

Get the minimum bottom depth in a SoilProfileCollection

Description

Get the shallowest depth of description out of all profiles in a SoilProfileCollection. Data missing one or more of: bottom depth, profile ID, or any optional attribute are omitted using `complete.cases`.

Usage

```
## S4 method for signature 'SoilProfileCollection'
min(x, v = NULL, na.rm = TRUE)
```

Arguments

x	a SoilProfileCollection
v	optional: a vector of horizon attribute names to refine calculation
na.rm	remove NA? default: TRUE

missingDataGrid	<i>Missing Data Grid</i>
-----------------	--------------------------

Description

Generate a levelplot of missing data from a SoilProfileCollection object.

Usage

```
missingDataGrid(
  s,
  max_depth,
  vars,
  filter.column = NULL,
  filter.regex = NULL,
  cols = NULL,
  ...
)
```

Arguments

<code>s</code>	a SoilProfileCollection object
<code>max_depth</code>	integer specifying the max depth of analysis
<code>vars</code>	character vector of column names over which to evaluate missing data
<code>filter.column</code>	a character string naming the column to apply the filter REGEX to
<code>filter.regex</code>	a character string with a regular expression used to filter horizon data OUT of the analysis
<code>cols</code>	a vector of colors
<code>...</code>	additional arguments passed on to levelplot

Details

This function evaluates a missing data fraction based on slice-wise evaluation of named variables in a SoilProfileCollection object.

Value

A data.frame describing the percentage of missing data by variable.

Note

A lattice graphic is printed to the active output device.

Author(s)

D.E. Beaudette

See Also[slice](#)**Examples**

```
# 10 random profiles
set.seed(10101)
s <- lapply(as.character(1:10), random_profile)
s <- do.call('rbind', s)

# randomly sprinkle some missing data
s[sample(nrow(s), 5), 'p1'] <- NA
s[sample(nrow(s), 5), 'p2'] <- NA
s[sample(nrow(s), 5), 'p3'] <- NA

# set all p4 and p5 attributes of `soil 1' to NA
s[which(s$id == '1'), 'p5'] <- NA
s[which(s$id == '1'), 'p4'] <- NA

# upgrade to SPC
depths(s) <- id ~ top + bottom

# plot missing data via slicing + levelplot
missingDataGrid(
  s,
  max_depth = 100,
  vars = c('p1', 'p2', 'p3', 'p4', 'p5'),
  main='Missing Data Fraction'
)
```

mixMunsell

Mix Munsell Colors via Spectral Library

Description

Simulate mixing of colors in Munsell notation, similar to the way in which mixtures of pigments operate.

Usage

```
mixMunsell(
  x,
  w = rep(1, times = length(x))/length(x),
  mixingMethod = c("exact", "reference", "estimate", "adaptive"),
  n = 1,
  keepMixedSpec = FALSE,
  distThreshold = 0.025,
  ...
)
```

Arguments

x	vector of colors in Munsell notation
w	vector of proportions, can sum to any number
mixingMethod	approach used to simulate a mixture: • exact: simulate a subtractive mixture of pigments, color conversion via CIE1931 color-matching functions (see details) • reference: simulate a subtractive mixture of pigments, selecting n closest reference spectra from munsell.spectra.wide (requires gower package) • estimate: closest Munsell chip to a weighted mean of CIELAB coordinates (fastest) • adaptive: use exact method when possible, falling-back to estimate (weighted mean of CIELAB coordinates) otherwise
n	number of closest matching color chips (mixingMethod = reference only)
keepMixedSpec	keep weighted geometric mean spectra, final result is a list (mixingMethod = reference only)
distThreshold	spectral distance used to compute scaledDistance, default value is based on an analysis of spectral distances associated with adjacent Munsell color chips. This argument is only used with mixingMethod = 'reference'.
...	additional arguments to spec2Munsell

Details

See the [expanded tutorial](#) for examples.

An accurate simulation of pigment mixtures ("subtractive" color mixtures) is incredibly complex due to factors that aren't easily measured or controlled: pigment solubility, pigment particle size distribution, water content, substrate composition, and physical obstruction to name a few. That said, it is possible to simulate reasonable, subtractive color mixtures given a reference spectra library (350-800nm) and some assumptions about pigment qualities and lighting. For the purposes of estimating a mixture of soil colors (these are pigments after all) we can relax these assumptions and assume a standard light source. The only missing piece is the spectral library for all Munsell chips in our color books.

Thankfully, [Scott Burns has outlined the entire process](#), and Paul Centore has provided a Munsell color chip reflectance spectra library (<http://www.munsellcoloursienceforpainters.com>). The estimation of a subtractive mixture of soil colors can proceed as follows:

1. look up the associated spectra for each color in x
 2. compute the weighted (w argument) geometric mean of the spectra
 3. convert the spectral mixture to the closest Munsell color via:
 - search for the closest n matching spectra in the reference library (mixtureMethod = 'reference')
 - direct conversion of spectra to closest Munsell color via [spec2Munsell\(\)](#) (mixtureMethod = 'exact')
1. suggest resulting Munsell chip(s) as the best candidate for a simulated mixture

Key assumptions include:

- similar particle size distribution
- similar mineralogy (i.e. pigmentation qualities)
- similar water content.

For the purposes of estimating (for example) a "mixed soil color within the top 18cm of soil" these assumptions are usually valid. Again, these are estimates that are ultimately "snapped" to the nearest chip and not do not need to approach the accuracy of paint-matching systems.

A message is printed when scaledDistance is larger than 1.

Value

A data.frame with the closest matching Munsell color(s):

- munsell: Munsell notation of the n-closest spectra
- distance: spectral (Gower) distance to the n-closest spectra
- scaledDistance: spectral distance scaled by distThreshold
- mixingMethod: method used for each mixture

When keepMixedSpec = TRUE then a list:

- mixed: a data.frame containing the same elements as above
- spec: spectra for the 1st closest match

Author(s)

D.E. Beaudette

References

Marcus, R.T. (1998). The Measurement of Color. In K. Nassau (Ed.), Color for Science, Art, and Technology (pp. 32-96). North-Holland.

- [inspiration / calculations based on the work of Scott Burns](#)
- [related discussion on Stack Overflow](#)
- spectral library source: <http://www.munsellcolourscienceforpainters.com/MunsellResources/SpectralReflectancesOf20>

See Also

[munsell.spectra](#)

mollic.thickness.requirement

Calculate the minimum thickness requirement for Mollic epipedon

Description

Utilize horizon depths, designations and textures in a profile to estimate the thickness requirement for the Mollic or Umbric epipedon, per criterion 6 in the U.S. Keys to Soil Taxonomy (12th Edition).

Usage

```
mollic.thickness.requirement(
  p,
  hzdesign = hzdesignname(p, required = TRUE),
  texcl.attr = hztexclname(p, required = TRUE),
  clay.attr = hzmetaname(p, "clay", required = TRUE),
  truncate = TRUE
)
```

Arguments

p	A single-profile SoilProfileCollection.
hzdesign	Column in horizon table containing designations. Default: guessHzDesignName(p)
texcl.attr	Column in horizon table containing texture classes. Default: guessHzTexClName(p)
clay.attr	Column in horizon table containing clay contents. Default: guessHzAttrName(p, 'clay', c('total', '_r'))
truncate	Should sliding scale (Criterion 6C) results be truncated to 18 to 25cm interval? (Experimental; Default: TRUE)

Value

A unit length numeric vector containing Mollic or Umbric epipedon minimum thickness requirement.

Author(s)

Andrew G. Brown

Examples

```
# construct a fake profile
spc <- data.frame(id=1, taxsubgrp = "Lithic Haploxeralfs",
  hzname   = c("A", "AB", "Bt", "BCt", "R"),
  hzdept   = c(0, 20, 32, 42, 49),
  hzdepb   = c(20, 32, 42, 49, 200),
  prop     = c(18, 22, 28, 24, NA),
  texcl    = c("1", "1", "cl", "1", "br"),
```

```

      d_value = c(5, 5, 5, 6, NA),
      m_value = c(2.5, 3, 3, 4, NA),
      m_chroma = c(2, 3, 4, 4, NA))

# promote to SoilProfileCollection
depths(spc) <- id ~ hzdept + hzdepb
hzdesgnname(spc) <- 'hzname'
hztexclname(spc) <- 'texcl'

# print results in table
data.frame(id = spc[[idname(spc)]],
           thickness_req = mollic.thickness.requirement(spc, clay.attr='prop'),
           thickness_req_nobound = mollic.thickness.requirement(spc,
                                                                clay.attr='prop', truncate=FALSE))

```

munsell

Munsell to sRGB Lookup Table for Common Soil Colors

Description

A lookup table of interpolated Munsell color chips for common soil colors.

Usage

```
data(munsell)
```

Format

A data.frame with 8825 rows.

- hue: Munsell Hue, upper case
- value: Munsell Value
- chroma: Munsell Chroma
- r: sRGB "red" value (0-1)
- g: sRGB "green" value (0-1)
- b: sRGB "blue" value (0-1)
- L: CIELAB "L" coordinate
- A: CIELAB "A" coordinate
- B: CIELAB "B" coordinate

Details

See `munsell2rgb` for conversion examples. Values are referenced to the D65 standard illuminant.

Source

Color chip XYZ values: <https://www.rit.edu/science/munsell-color-science-lab-educational-resources#munsell-renotation-data>

References

- Color conversion equations
 - <http://www.brucelindbloom.com/index.html?ColorCalcHelp.html>
- Methods used to generate this table
 - <http://dx.doi.org/10.1016/j.cageo.2012.10.020>

Examples

```
data(munsell)
```

munsell.spectra	<i>Spectral Library of Munsell Colors</i>
-----------------	---

Description

The original database "SpectralReflectancesOf2007MunsellBookOfColorGlossy.txt" was provided by Paul Centore and downloaded July, 2020. Reflectance values for odd chroma and 8.5-value chips have been interpolated from adjacent chips. See `aqp/misc/utils/Munsell/` for the entire set of processing steps.

Munsell value typically ranges from 2-9, and chroma from 1-12. Ranges vary by hue. Run `aqp:::summarizeMunsellSpectraRanges()` for a detailed listing by hue.

The original database contains the following description:

This file contains spectral reflectance measurements of X-Rite's 2007 Munsell Book of Color (Glossy Finish). The measurements were made in 2012 with a ColorMunki spectrophotometer. The first column is the Munsell name. The remaining columns give reflectance values for 380 nm to 730 nm, in steps of 10 nm. The reflectance is a value between 0 (indicating that no light at that wavelength is reflected) and 1 (indicating that all the light at that wavelength is reflected). Occasionally an entry is slightly greater than 1. The likely cause is random variability, and those entries can be adjusted to 1 with negligible loss. In all, 1485 colour samples were measured. Researchers are invited to analyze the data in this file.

Usage

```
data(munsell.spectra)
```

Format

A data frame with 89496 rows and 10 variables:

munsell munsell color
hue hue component
value value component
chroma chroma component
wavelength wavelength (nm)
reflectance reflectance

References

Centore, Paul. Colour Tools for Painters. <http://www.munsellcolourscienceforpainters.com/>.

munsell2rgb	<i>Convert Munsell Color Notation to other Color Space Coordinates (sRGB and CIELAB)</i>
-------------	--

Description

Color conversion based on a look-up table of common soil colors.

Usage

```
munsell2rgb(
  the_hue,
  the_value,
  the_chroma,
  alpha = 1,
  maxColorValue = 1,
  return_triplets = FALSE,
  returnLAB = FALSE
)
```

Arguments

the_hue	a vector of one or more more hues, upper-case (e.g. '10YR')
the_value	a vector of one or more values (e.g. '4')
the_chroma	a vector of one or more chromas (e.g. '6'), may be NA for neutral hues
alpha	numeric, transparency setting used when return_triplets = FALSE and returnLAB = FALSE
maxColorValue	maximum sRGB color value, typically 1 (see rgb)
return_triplets	logical, return sRGB coordinates (range 0-1) instead of standard hex notation of sRGB (e.g. '#8080B')
returnLAB	logical, return CIELAB coordinates (D65 illuminant)

Details

This function is vectorized without recycling: i.e. the length of each argument must be the same. Both functions will pad output with NA if there are any NA present in the inputs.

Neutral hues are approximated by greyscale shades ranging from 20\

Gley soil colors that are missing a chroma will not be correctly interpreted. Consider using a chroma of 1. Non-standard Munsell notation (e.g. '7.9YR 2.7/2.0') can be matched (nearest-neighbor, no interpolation) to the closest color within the munsell sRGB/CIELAB look-up table via `getClosestMunsellChip()`. A more accurate estimate of sRGB values from non-standard notation can be achieved with the [munsellinterpol](#) package.

See examples below.

Value

A vector of R colors is returned that is the same length as the input data. When `return_triplets = TRUE` and/or `returnLAB = TRUE`, then a data.frame (of sample length as input) is returned.

Note

Care should be taken when using the resulting sRGB values; they are close to their Munsell counterparts, but will vary based on your monitor and ambient lighting conditions. Also, the value used for `maxColorValue` will affect the brightness of the colors. The default value (1) will usually give acceptable results, but can be adjusted to force the colors closer to what the user thinks they should look like.

Author(s)

D.E. Beaudette

References

- <http://www.bruceindbloom.com/index.html?ColorCalcHelp.html>
- <https://www.munsellcolourscienceforpainters.com/MunsellAndKubelkaMunkToolbox/MunsellAndKubelkaMunkToolbox>
- <https://www.rit.edu/science/munsell-color-lab>

Examples

```
# neutral hues (N) can be defined with chroma of 0 or NA
g <- expand.grid(hue = 'N', value = 2:8, chroma = 0, stringsAsFactors = FALSE)
(m <- munsell2rgb(g$hue, g$value, g$chroma))
soilPalette(m)

# back-transform to Munsell notation
col2Munsell(t(col2rgb(m)) / 255)

# basic example
d <- expand.grid(hue = '10YR', value = 2:8, chroma = 1:8, stringsAsFactors = FALSE)
d$color <- with(d, munsell2rgb(hue, value, chroma))
```

```

# similar to the 10YR color book page
plot(value ~ chroma, data = d, col = d$color, pch = 15, cex = 3, las = 1)

# multiple pages of hue:
hues <- c('2.5YR', '5YR', '7.5YR', '10YR')
d <- expand.grid(
  hue = hues,
  value = c(2, 2.5, 3:8),
  chroma = seq(2, 8, by = 2),
  stringsAsFactors = FALSE
)
# convert Munsell -> sRGB
d$color <- with(d, munsell2rgb(hue, value, chroma))

# extract CIELAB coordinates
with(d, munsell2rgb(hue, value, chroma, returnLAB = TRUE))

# plot: note that we are setting panel order from red --> yellow
library(lattice)

xyplot(
  value ~ factor(chroma) | factor(hue, levels = hues),
  main = "Common Soil Colors", layout = c(4, 1), scales = list(alternating = 1),
  strip = strip.custom(bg = grey(0.85)),
  data = d, as.table = TRUE, subscripts = TRUE,
  xlab = 'Chroma', ylab = 'Value',
  panel = function(x, y, subscripts, ...) {
    panel.xyplot(x, y, pch = 15, cex = 4, col = d$color[subscripts])
  }
)

# convert a non-standard color to closest "chip" in `munsell` look-up table
getClosestMunsellChip('7.9YR 2.7/2.0', convertColors = FALSE)

# convert directly to hex notation of sRGB
getClosestMunsellChip('7.9YR 2.7/2.0')

```

```
munsell2spc, SoilProfileCollection-method
```

*Merge Munsell Hue, Value, Chroma converted to sRGB & CIELAB
into a SoilProfileCollection*

Description

Convert Munsell hue, value and chroma into sRGB (rgb_R, rgb_G, rgb_B) and CIELAB (lab_L, lab_A, lab_B) color coordinates using `munsell2rgb`. The converted values are stored in the `horizons()` slot unless `as.spc` is FALSE, in which case the results are combined with profile and horizon ID columns and returned as the `data.frame` subclass used by the SPC.

Usage

```
## S4 method for signature 'SoilProfileCollection'
munsell2spc(
  object,
  hue = "hue",
  value = "value",
  chroma = "chroma",
  .data = NULL,
  as.spc = TRUE
)
```

Arguments

object	A SoilProfileCollection
hue	Column name containing numeric hue values. Default: "hue"
value	Column name containing numeric value values. Default: "value"
chroma	Column name containing numeric chroma values. Default: "chroma"
.data	Optional: a character vector of equal length to number of horizons (containing Munsell notation), or a column name in the horizon data OR a data.frame containing three columns (names specified in hue, value, chroma)
as.spc	Return a data.frame-like object with ID columns?

Value

A SoilProfileCollection or data.frame-like object

See Also

[parseMunsell](#) [rgb2munsell](#) [munsell2rgb](#)

Examples

```
data(sp3)
depths(sp3) <- id ~ top + bottom

# inspect input data
horizons(sp3)[,c("hue", "value", "chroma")]

# do color conversions to sRGB and LAB, join into horizon data
sp3 <- munsell2spc(sp3)

# plot rgb "R" coordinate by horizon
plot(sp3, color = "rgb_R")

# plot lab "A" coordinate by horizon
plot(sp3, color = "lab_A")

# note that `lab_A` values do not exactly match the original `A` values
# this is because `lab_A` was computed from the (field determined) Munsell color notation,
```

```
# while `A` was directly measured in the lab by colorimeter
plot(sp3$A, sp3$lab_A, xlab = 'Measured', ylab = 'Converted from Field Observed Munsell')
```

<code>munsellHuePosition</code>	<i>Munsell Hue Position Reference</i>
---------------------------------	---------------------------------------

Description

Position data for the 40 standard Munsell hues (and neutral). Data include angular positions (compass-style, origin at [x = 0, y = 1], CW rotation) and Cartesian coordinates on the unit circle.

Usage

```
data(munsellHuePosition)
```

Format

An object of class `data.frame` with 41 rows and 4 columns.

References

Munsell book of color. 1976. Macbeth, a Division of Kollmorgen Corp., Baltimore, MD.

<code>mutate_profile</code>	<i>Transform a SPC (by profile) with a set of expressions</i>
-----------------------------	---

Description

`mutate_profile()` is a function used for transforming `SoilProfileCollections`. Each expression is applied to site or horizon level attributes of individual profiles. This distinguishes this function from `transform`, which is applied to all values in a collection, regardless of which profile they came from.

Usage

```
mutate_profile(object, ..., col_names = NULL, horizon_level = NULL)

mutate_profile_raw(object, expr, col_names = NULL, horizon_level = NULL)
```

Arguments

object	A SoilProfileCollection
...	A set of comma-delimited R expressions that resolve to a transformation to be applied to a single profile e.g <code>mutate_profile(hzdept = max(hzdept) - hzdept)</code>
col_names	character. Optional column names. Should match the number of expressions in
horizon_level	logical. If TRUE results of expressions are added to the SoilProfileCollection's horizon slot, if FALSE the results are added to the site slot. If NULL (default) the results are stored in the site or horizon slot based on the number of rows in each slot compared to the length of the result calculated from the <i>first</i> and <i>last</i> profile in the collection.
expr	A list of expressions in terms of column names in site or horizon table of object

Details

If the length an expression's result matches the number of horizons, the result is stored as a horizon-level variable. If the result has length 1, it is stored as a site-level variable. In the ambiguous case where the first and last profile have only *one* horizon, the results are stored in the horizon slot by default. To force results into site slot use `horizon_level = FALSE`.

Value

A SoilProfileCollection.

Author(s)

Andrew G. Brown.

Examples

```
data(sp4)
depths(sp4) <- id ~ top + bottom

mutate_profile(sp4, clay_wtd_average = weighted.mean(clay, bottom - top))

data(jacobs2000)

set.seed(123)

## col_names allows for column names to be calculated
x <- mutate_profile(jacobs2000, bottom - top / sum(bottom - top),
                    col_names = paste0("relthk", floor(runif(1, 0, 100))))
x$relthk28

# mutate_profile_raw allows for lists of expressions to be evaluated
master_desgn <- c("O", "A", "E", "B", "C", "R", "L", "M")
thk_names <- paste0("thk_", master_desgn)
```

```

# calculate thickness for each horizon
x$thk <- x$bottom - x$top

## construct an arbitrary number of expressions using variable inputs
ops <- lapply(master_design, function(x) {
  substitute(sum(thk[grepl(PATTERN, name)], na.rm = TRUE), list(PATTERN = x))
})
names(ops) <- thk_names

# do mutation
y <- mutate_profile_raw(x, ops)

site(y)[c(idname(y), thk_names)]

```

names, SoilProfileCollection-method

Get names of columns in site and horizons table

Description

Get names of columns in site and horizons table of a SoilProfileCollection.

Usage

```

## S4 method for signature 'SoilProfileCollection'
names(x)

```

Arguments

x a SoilProfileCollection

NCSP

Numerical Classification of Soil Profiles

Description

Replacement for profile_compare().

Performs a numerical comparison of soil profiles using named properties, based on a weighted, summed, depth-segment-aligned dissimilarity calculation.

Variability in soil depth can interfere significantly with the calculation of between-profile dissimilarity—what is the numerical “distance” (or dissimilarity) between a slice of soil from profile A and the corresponding, but missing, slice from a shallower profile B? Gower’s distance metric would yield a NULL distance, despite the fact that intuition suggests otherwise: shallower soils should be more dissimilar from deeper soils. For example, when a 25 cm deep profile is compared with a 50 cm deep profile, numerical distances are only accumulated for the first 25 cm of soil (distances from 26 - 50 cm are NULL). When summed, the total distance between these profiles will generally be less

than the distance between two profiles of equal depth. Our algorithm will replace NULL distances with the maximum distance between any pair of profiles for the current depth slice. In this way, the numerical distance between a slice of soil and a corresponding slice of non-soil reflects the fact that these two materials should be treated very differently.

This alternative calculation of dissimilarities between soil and non-soil slices solves the problem of comparing shallow profiles with deeper profiles. However, it can result in a new problem: distances calculated between two shallow profiles will be erroneously inflated beyond the extent of either profile's depth. Our algorithm will preserve NULL distances between slices when both slices represent non-soil material. Therefore, shallow profiles will only accumulate mutual dissimilarity to the depth of the deeper profile.

Slices are classified as 'soil' down to the maximum depth to which at least one of variables used in the dissimilarity calculation is not NA. This will cause problems when profiles within a collection contain all NAs within the columns used to determine dissimilarity. An approach for identifying and removing these kind of profiles is presented in the examples section below.

Our approach builds on the work of (Moore, 1972) and the previously mentioned depth-slicing algorithm. See references below for a detailed explanation of the NCSP algorithm.

Usage

```
NCSP(
  x,
  vars,
  fm = NULL,
  weights = rep(1, times = length(vars)),
  maxDepth = max(x),
  k = 0,
  isColor = FALSE,
  rescaleResult = FALSE,
  verbose = TRUE,
  returnDepthDistances = FALSE
)
```

Arguments

<code>x</code>	SoilProfileCollection object, should be pre-filtered to remove profiles with horizon depth logic, see HzDepthLogicSubset
<code>vars</code>	character vector, names of horizon attributes to use in the classification
<code>fm</code>	formula, formula as specified to dice() , not yet implemented
<code>weights</code>	numeric vector, same length as vars: variable importance weights, need not sum to 1
<code>maxDepth</code>	numeric, maximum depth of analysis
<code>k</code>	numeric, weighting coefficient, usually between 0-1. A value of 0 results in no depth-weighting. See examples.
<code>isColor</code>	logical: variables represent color, should be CIELAB coordinates (D65 illuminant), weights are ignored. Variables should be named L, A, B in specified in that order.

rescaleResult logical, distance matrix is rescaled based on max(D)
 verbose logical, extra output messages
 returnDepthDistances
 logical, return a list of distances by depth slice

Note

NCSP() will overwrite the removed.profiles metadata from x.

Author(s)

Dylan E. Beaudette and Jon Maynard

References

- J.J Maynard, S.W. Salley, D.E. Beaudette, J.E Herrick. Numerical soil classification supports soil identification by citizen scientists using limited, simple soil observations. Soil Sci. Soc. Am. J. 2020; 84: 1675-1692. doi:10.1002/saj2.20119.
- D.E. Beaudette, P. Roudier, A.T. O’Geen, Algorithms for quantitative pedology: A toolkit for soil scientists, Computers & Geosciences, Volume 52, 2013, Pages 258-268, ISSN 0098-3004, doi:10.1016/j.cageo.2012.10.020.
- Moore, A.; Russell, J. & Ward, W. Numerical analysis of soils: A comparison of three soil profile models with field classification. Journal of Soil Science, 1972, 23, 194-209.

See Also

[dice\(\)](#), [cluster::daisy\(\)](#), [compareSites\(\)](#)

nrow, SoilProfileCollection-method

Get the number of horizons in a SoilProfileCollection

Description

Get the number of horizons in a SoilProfileCollection

Usage

```
## S4 method for signature 'SoilProfileCollection'
nrow(x)
```

Arguments

x a SoilProfileCollection

osd	<i>Example Output from soilDB::fetchOSD()</i>
-----	---

Description

An example SoilProfileCollection object created by soilDB::fetchOSD(), derived from the Cecil, Appling, and Bonneau Official Series Descriptions.

Usage

```
data(osd)
```

Format

A SoilProfileCollection

panel.depth_function	<i>Lattice Panel Function for Soil Profiles</i>
----------------------	---

Description

Panel function for plotting grouped soil property data, along with upper and lower estimates of uncertainty.

This function can be used to replace panel.superpose when plotting depth function data. When requested, contributing fraction data are printed using colors the same color as corresponding depth function lines unless a single color value is given via cf.col.

This function is not able to apply transformations (typically log = 10) applied in the scales argument to xyplot to upper/lower bounds. These will have to be manually applied. See examples.

Usage

```
panel.depth_function(
  x,
  y,
  id,
  upper = NA,
  lower = NA,
  subscripts = NULL,
  groups = NULL,
  sync.colors = FALSE,
  cf = NA,
  cf.col = NA,
  cf.interval = 20,
  ...
)
```

```
prepanel.depth_function(
  x,
  y,
  upper = NA,
  lower = NA,
  subscripts,
  groups = NULL,
  ...
)
```

Arguments

<code>x</code>	x values (generated by calling lattice function)
<code>y</code>	y values (generated by calling lattice function)
<code>id</code>	vector of id labels, same length as x and y—only required when plotting segments (see Details section)
<code>upper</code>	vector of upper confidence envelope values
<code>lower</code>	vector of lower confidence envelope values
<code>subscripts</code>	paneling indices (generated by calling lattice function)
<code>groups</code>	grouping data (generated by calling lattice function)
<code>sync.colors</code>	optionally sync the fill color within the region bounded by (lower–upper) with the line colors
<code>cf</code>	optionally annotate contributing fraction data at regular depth intervals see slab
<code>cf.col</code>	optional color for contributing fraction values, typically used to override the line color
<code>cf.interval</code>	number of depth units to space printed contributing fraction values
<code>...</code>	further arguments to lower-level lattice plotting functions, see below

Author(s)

D.E. Beaudette

See Also

[sp1](#), [slice](#), [slab](#)

Examples

```
library(lattice)
data(sp1)

# 1. plotting mechanism for step-functions derived from soil profile data
xyplot(
  cbind(top, bottom) ~ prop,
  data = sp1,
  id = sp1$id,
```

```

    panel = panel.depth_function,
    ylim = c(250, -10),
    scales = list(y = list(tick.number = 10)),
    xlab = 'Property',
    ylab = 'Depth (cm)',
    main = 'panel.depth_function() demo'
  )

# 1.1 include groups argument to leverage lattice styling framework
sp1$group <- factor(sp1$group, labels = c('Group 1', 'Group2'))

xyplot(
  cbind(top, bottom) ~ prop,
  groups = group,
  data = sp1,
  id = sp1$id,
  panel = panel.depth_function,
  ylim = c(250, -10),
  scales = list(y = list(tick.number = 10)),
  xlab = 'Property',
  ylab = 'Depth (cm)',
  main = 'panel.depth_function() demo',
  auto.key = list(
    columns = 2,
    points = FALSE,
    lines = TRUE
  ),
  par.settings = list(superpose.line = list(col = c(
    'Orange', 'RoyalBlue'
  )))
)

# more complex examples, using step functions with grouped data
# better looking figures with less customization via tactile package
if(requireNamespace('tactile')) {

  library(data.table)
  library(lattice)
  library(tactile)

  # example data
  data(sp6)

  # a single profile
  x <- sp6[1:5, ]

  # wide -> long format
  x.long <- data.table::melt(
    data.table::data.table(x),
    id.vars = c('id', 'top', 'bottom'),
    measure.vars = c('sand', 'silt', 'clay')
  )
}

```

```

# (optional) convert back to data.frame
x.long <- as.data.frame(x.long)

# three variables sharing a common axis
# factor levels set by melt()
xyplot(
  cbind(top, bottom) ~ value | id,
  groups = variable,
  data = x.long,
  id = x.long$id,
  ylim = c(200, -5), xlim = c(10, 60),
  scales = list(alternating = 1, y = list(tick.number = 10)),
  par.settings = tactile.theme(superpose.line = list(lwd = 2)),
  xlab = 'Sand, Silt, Clay (%)',
  ylab = 'Depth (cm)',
  panel = panel.depth_function,
  auto.key = list(columns = 3, lines = TRUE, points = FALSE),
  asp = 1.5
)

# all profiles
x <- sp6

# wide -> long format
x.long <- data.table::melt(
  data.table::data.table(x),
  id.vars = c('id', 'top', 'bottom'),
  measure.vars = c('sand', 'silt', 'clay')
)

# (optional) convert back to data.frame
x.long <- as.data.frame(x.long)

# three variables sharing a common axis
# factor levels set by melt()
xyplot(
  cbind(top, bottom) ~ value | id,
  groups = variable,
  data = x.long,
  id = x.long$id,
  ylim = c(200, -5), xlim = c(0, 70),
  scales = list(alternating = 1, y = list(tick.number = 10)),
  par.settings = tactile.theme(superpose.line = list(lwd = 2)),
  xlab = 'Sand, Silt, Clay (%)',
  ylab = 'Depth (cm)',
  panel = panel.depth_function,
  auto.key = list(columns = 3, lines = TRUE, points = FALSE),
  as.table = TRUE
)

xyplot(

```

```

      cbind(top, bottom) ~ value,
      groups = variable,
      data = x.long,
      id = x.long$id,
      ylim = c(200, -5), xlim = c(0, 70),
      scales = list(alternating = 1, y = list(tick.number = 10)),
      par.settings = tactile.theme(superpose.line = list(lwd = 2)),
      xlab = 'Sand, Silt, Clay (%)',
      ylab = 'Depth (cm)',
      panel = panel.depth_function,
      auto.key = list(columns = 3, lines = TRUE, points = FALSE),
      as.table = TRUE
    )

  xyplot(
    cbind(top, bottom) ~ value | variable,
    groups = variable,
    data = x.long,
    id = x.long$id,
    ylim = c(200, -5), xlim = c(0, 70),
    scales = list(alternating = 1, y = list(tick.number = 10)),
    par.settings = tactile.theme(superpose.line = list(lwd = 2)),
    xlab = 'Sand, Silt, Clay (%)',
    ylab = 'Depth (cm)',
    panel = panel.depth_function,
    auto.key = list(columns = 3, lines = TRUE, points = FALSE),
    as.table = TRUE
  )

  xyplot(
    cbind(top, bottom) ~ value | variable,
    data = x.long,
    id = x.long$id,
    ylim = c(200, -5), xlim = c(0, 70),
    scales = list(alternating = 1, y = list(tick.number = 10)),
    par.settings = tactile.theme(superpose.line = list(lwd = 2)),
    xlab = 'Sand, Silt, Clay (%)',
    ylab = 'Depth (cm)',
    panel = panel.depth_function,
    auto.key = list(columns = 3, lines = TRUE, points = FALSE),
    as.table = TRUE
  )

}

```

Description

Split Munsell color notation into "hue", "value", and "chroma", with optional conversion to sRGB hex notation, sRGB coordinates, and CIELAB coordinates. Conversion is performed by [munsell2rgb\(\)](#).

Usage

```
parseMunsell(munsellColor, convertColors = TRUE, delim = NA, ...)
```

Arguments

munsellColor	character vector of Munsell colors (e.g. <code>c('10YR 3/4', '5YR 4/6')</code>)
convertColors	logical, convert colors to sRGB hex notation, sRGB coordinates, CIELAB coordinates
delim	optional, specify the type of delimiter used between value and chroma parts of the Munsell code. By default ":", ".,", "'", and "/" are supported.
...	additional arguments to munsell2rgb()

Value

a `data.frame` object

Author(s)

P. Roudier and D.E. Beaudette

Examples

```
# just sRGB
parseMunsell("10YR 3/5", return_triplets = TRUE)

# sRGB + CIELAB (D65 illuminant)
parseMunsell("10YR 3/5", return_triplets = TRUE, returnLAB = TRUE)

# CIELAB only
parseMunsell("10YR 3/5", return_triplets = FALSE, returnLAB = TRUE)

# neutral hue
# note chroma encoded as '0'
parseMunsell('N 3/', convertColors = FALSE)
```

pbindlist

*Combine a list of SoilProfileCollection objects***Description**

See `combine(...)` for a connotative short-hand method that does not require that `SoilProfileCollection` be in a list. Profiles will be sorted based on character sorting of profile ID.

Usage

```
pbindlist(l, new.idname = NULL, verbose = TRUE)
```

Arguments

<code>l</code>	a list of <code>SoilProfileCollection</code> objects
<code>new.idname</code>	Optional: a character referring to a new column name to put unique profile IDs in; default: <code>NULL</code> to attempt with existing <code>idname</code> in first element
<code>verbose</code>	Produce warnings and messages regarding results? default: <code>TRUE</code>

Details

Input data must share a common depth unit, and if spatial data are present, a common CRS and coordinate names. In the case of non-conformal `@idname` and/or `@depthcols`, the first `SoilProfileCollection` is used as a template. If one or more subsequent list elements has non-unique values in a site level attribute of that name, the ID name from the second list element is attempted, and so on. Non-conforming spatial data are dropped from the final result (returns default empty `SpatialPoints`).

Value

a `SoilProfileCollection` object

Author(s)

D.E. Beaudette and A.G. Brown

Examples

```
# example data
data(sp2, package = 'aqp')
depths(sp2) <- id ~ top + bottom
site(sp2) <- ~ surface

# copy pieces
x <- sp2[1:5, ]
y <- sp2[6:10, ]

# reset IDs and combine
```

```

profile_id(y) <- sprintf("%s-copy", profile_id(y))

# this should work
z <- pbindlist(list(x, y))

# check
plot(z)

```

perturb

Perturb soil horizon depths using boundary distinctness

Description

"Perturbs" the **boundary between horizons** or the **thickness of horizons** using a standard deviation specified as a horizon-level attribute. This is selected using either `boundary.attr` or `thickness.attr` to specify the column name.

The boundary standard deviation corresponds roughly to the concept of "horizon boundary distinctness." In contrast, the *horizon thickness* standard deviation corresponds roughly to the "variation in horizon thickness" so it may be determined from several similar profiles that have a particular layer "in common."

Usage

```

perturb(
  p,
  n = 100,
  id = NULL,
  thickness.attr = NULL,
  boundary.attr = NULL,
  min.thickness = 1,
  max.depth = NULL,
  new.idname = "pID"
)

```

Arguments

<code>p</code>	A <code>SoilProfileCollection</code>
<code>n</code>	Number of new profiles to generate (default: 100) per profile in <code>p</code>
<code>id</code>	a vector of profile IDs with length equal to <code>(n)</code> . Overrides use of <code>seq_len(n)</code> as default profile ID values.
<code>thickness.attr</code>	Horizon variance attribute containing numeric "standard deviations" reflecting horizon thickness
<code>boundary.attr</code>	Horizon variance attribute containing numeric "standard deviations" reflecting boundary transition distinctness
<code>min.thickness</code>	Minimum thickness of permuted horizons (default: 1)
<code>max.depth</code>	Depth below which horizon depths are not perturbed (default: NULL)
<code>new.idname</code>	New column name to contain unique profile ID (default: <code>pID</code>)

Details

Imagine a Normal curve with mean centered on the vertical (depth axis) at a representative value (RV) horizon bottom depth or thickness. By the Empirical Rule for Normal distribution, two "standard deviations" above or below that "central" mean value represent 95% of the "typical volume" of that horizon or boundary.

`per turb()` can leverage semi-quantitative (ordered factor) levels of boundary distinctness/topography for the upper and lower boundary of individual horizons. A handy function for this is [hzDistinctnessCodeToOffset\(\)](#). The `boundary.attr` is arguably easier to parameterize from a single profile description or "Form 232" where *horizon boundary distinctness* classes (based on vertical distance of transition) are conventionally recorded for each layer.

Alternately, `per turb()` can be parameterized using standard deviation in thickness of layers derived from a group. Say, the variance parameters are defined from a set of pedons correlated to a particular series or component, and the template "seed" profile is, for example, the Official Series Description or the Representative Component Pedon.

Value

a `SoilProfileCollection` with `n` realizations of each profile in `p`

Author(s)

D.E. Beaudette, A.G. Brown

See Also

[random_profile\(\)](#) [hzDistinctnessCodeToOffset\(\)](#)

Examples

```
### THICKNESS

# load sample data and convert into SoilProfileCollection
data(sp3)
depths(sp3) <- id ~ top + bottom

# select a profile to use as the basis for simulation
s <- sp3[3,]

# reset horizon names
s$name <- paste('H', seq_along(s$name), sep = '')

# simulate 25 new profiles
horizons(s)$hz.sd <- 2 # constant standard deviation
sim.1 <- perturb(s, n = 25, thickness.attr = "hz.sd")

# simulate 25 new profiles using different SD for each horizon
horizons(s)$hz.sd <- c(1, 2, 5, 5, 5, 10, 3)
sim.2 <- perturb(s, n = 25, thickness.attr = "hz.sd")

# plot
```

```

par(mfrow = c(2, 1), mar = c(0, 0, 0, 0))
plot(sim.1)
mtext(
  'SD = 2',
  side = 2,
  line = -1.5,
  font = 2,
  cex = 0.75
)
plot(sim.2)
mtext(
  'SD = c(1, 2, 5, 5, 5, 10, 3)',
  side = 2,
  line = -1.5,
  font = 2,
  cex = 0.75
)

# aggregate horization of simulated data
# note: set class_prob_mode=2 as profiles were not defined to a constant depth
sim.2$name <- factor(sim.2$name)
a <- slab(sim.2, ~ name, cpm=2)

# convert to long format for plotting simplicity
library(data.table)
a.long <- data.table::melt(data.table::as.data.table(a),
  id.vars = c('top', 'bottom'),
  measure.vars = levels(sim.2$name))

# plot horizon probabilities derived from simulated data
# dashed lines are the original horizon boundaries
library(lattice)

xyplot(
  top ~ value,
  groups = variable,
  data = a.long,
  subset = value > 0,
  ylim = c(100,-5),
  type = c('l', 'g'),
  asp = 1.5,
  ylab = 'Depth (cm)',
  xlab = 'Probability',
  auto.key = list(
    columns = 4,
    lines = TRUE,
    points = FALSE
  ),
  panel = function(...) {
    panel.xyplot(...)
    panel.abline(h = s$top, lty = 2, lwd = 2)
  }
)

```

```

### BOUNDARIES

# example with sp1 (using boundary distinctness)
data("sp1")
depths(sp1) <- id ~ top + bottom

# specify "standard deviation" for boundary thickness
# consider a normal curve centered at boundary RV depth
# lookup table: ~maximum thickness of boundary distinctness classes, divided by 3
bound.lut <- c('V'=0.5, 'A'=2, 'C'=5, 'G'=15, 'D'=45) / 3

## V          A          C          G          D
## 0.1666667  0.6666667  1.6666667  5.0000000 15.0000000

sp1$bound_sd <- bound.lut[sp1$bound_distinct]

# hold any NA boundary distinctness constant
sp1$bound_sd[is.na(sp1$bound_sd)] <- 0

quantile(sp1$bound_sd, na.rm = TRUE)
p <- sp1[3]

# assume boundary sd is 1/12 midpoint of horizon depth
# (i.e. general relationship: SD increases (less well known) with depth)
sp1 <- transform(sp1, midpt = (bottom - top) / 2 + top, bound_sd = midpt / 12)
quantile(sp1$bound_sd)

perturb(p, boundary.attr = "bound_sd", n = 10)

### Custom IDs

ids <- sprintf("%s-%03d", profile_id(p), 1:10)
perturb(p, boundary.attr = "bound_sd", id = ids)

```

ph_to_rxnclass

Convert pH to/from Reaction Classes

Description

Convert pH to/from Reaction Classes

Usage

```
ph_to_rxnclass(x, halfclass = FALSE, as.is = FALSE, droplevels = TRUE)
```

```
rxnclass_to_ph(x, halfclass = FALSE, digits = 2, simplify = TRUE)
```

```
ReactionClassLevels(halfclass = FALSE, as.is = FALSE)
```

Arguments

<code>x</code>	input pH values (numeric; <code>ph_to_rxnclass()</code>) or reaction classes (character; <code>rxnclass_to_ph()</code>)
<code>halfclass</code>	Split the standard classes in half for higher resolution? Default: FALSE
<code>as.is</code>	logical. Should character vectors be converted to factors? Default: FALSE
<code>droplevels</code>	logical. Drop unused levels in factors? Default: FALSE
<code>digits</code>	Number of digits after decimal place; Default: 2. Used only for <code>rxnclass_to_ph()</code>
<code>simplify</code>	Simplify list result to numeric vector when length of result is 1? Default: TRUE

Value

`ph_to_rxnclass()`: a vector of reaction classes corresponding to numeric input in `x`; if `as.is=FALSE` an ordered factor using `ReactionClassLevels()`

`rxnclass_to_ph()`: a list of data.frame objects containing high/low values of reaction class 1:1 with input; if `simplify=TRUE` and input is a data.frame.

`ReactionClassLevels()`: ordered factor containing descriptive terms for reaction classes

Examples

```
ph_to_rxnclass(6.2)
rxnclass_to_ph("slightly acid")

rxnclass_to_ph(list(c("Slightly Acid", NA, "Moderately Acid"),
                    c("Slightly Acid", NA, "Strongly Acid")), simplify = FALSE)
ReactionClassLevels()
```

plotColorMixture

Visualize Spectral Mixing of Munsell Colors

Description

Lattice visualization demonstrating subtractive mixtures of colors in Munsell notation and associated spectra.

Usage

```
plotColorMixture(
  x,
  w = rep(1, times = length(x))/length(x),
  mixingMethod = c("exact", "reference"),
  n = 1,
  swatch.cex = 1.5,
```

```
label.cex = 0.85,  
showMixedSpec = FALSE,  
overlapFix = TRUE  
)
```

Arguments

x	vector of colors in Munsell notation, should not contain duplicates
w	vector of weights, can sum to any number
mixingMethod	approach used to simulate a mixture: • exact: simulate a subtractive mixture of pigments, color conversion via CIE1931 color-matching functions (see mixMunsell()) • reference : simulate a subtractive mixture of pigments, selecting n closest reference spectra, requires gower package
n	number of closest mixture candidates when mixingMethod = 'reference' (see mixMunsell()), results can be hard to interpret when n > 2
swatch.cex	scaling factor for color swatch rectangle width and height, relative to label.cex, typically between 1 and 3
label.cex	scaling factor for swatch labels
showMixedSpec	show weighted geometric mean (mixed) spectra as dotted line (only when mixingMethod = 'reference')
overlapFix	attempt to "fix" overlapping chip labels via fixOverlap() , using method = 'E'

Details

If present, names attribute of x is used for the figure legend. See the [expanded tutorial](#) for examples.

Value

a lattice graphics object

Author(s)

D.E. Beaudette

See Also

[mixMunsell\(\)](#)

plotColorQuantiles	<i>Visualize Color Quantiles</i>
--------------------	----------------------------------

Description

This function creates a visualization of the output from `colorQuantiles` using lattice graphics.

Usage

```
plotColorQuantiles(res, pt.cex = 7, lab.cex = 0.66)
```

Arguments

<code>res</code>	list returned by <code>colorQuantiles</code>
<code>pt.cex</code>	scaling factor for color chips
<code>lab.cex</code>	chip label scaling factor

Details

Marginal percentiles and L1 median CIELAB values from `colorQuantiles()` are combined into a single plot, arranged in panels according to L, A, and B coordinates. Munsell "chips" (colors and labels) are based on the closest Munsell color found via [col2Munsell\(\)](#).

Value

a lattice graphics object

Author(s)

D.E. Beaudette

plotMultipleSPC	<i>Plot Multiple SoilProfileCollection Objects</i>
-----------------	--

Description

Plot Multiple SoilProfileCollection Objects

Usage

```

plotMultipleSPC(
  spc.list,
  group.labels,
  args = rep(list(NA), times = length(spc.list)),
  merged.legend = NULL,
  merged.colors = c("#5E4FA2", "#3288BD", "#66C2A5", "#ABDDA4", "#E6F598", "#FEE08B",
    "#FDAE61", "#F46D43", "#D53E4F", "#9E0142"),
  merged.legend.title = merged.legend,
  arrow.offset = 2,
  bracket.base.depth = 95,
  label.offset = 2,
  label.cex = 0.75,
  ...
)

```

Arguments

<code>spc.list</code>	a list of SoilProfileCollection objects
<code>group.labels</code>	a vector of group labels, one for each SoilProfileCollection object
<code>args</code>	a list of arguments passed to plotSPC, one for each SoilProfileCollection object
<code>merged.legend</code>	name of a horizon level attribute from which to create thematic sketches and merged legend
<code>merged.colors</code>	vector of colors used to create thematic sketches from a shared horizon level attribute
<code>merged.legend.title</code>	legend title
<code>arrow.offset</code>	vertical offset in depth from base of start / end profiles and group bracket arrows
<code>bracket.base.depth</code>	baseline depth used for group brackets
<code>label.offset</code>	vertical offset of group labels from baseline
<code>label.cex</code>	label size
<code>...</code>	additional arguments to the first call to plotSPC

Details

Combine multiple SoilProfileCollection objects into a single profile sketch, with annotated groups.

See examples below for usage.

Note

For thematic sketches, use the `merged.legend` argument instead of `color` argument to plotSPC

Author(s)

D.E. Beaudette and Ben Marshall

See Also

[profileGroupLabels](#)

Examples

```
##
## Simple Example
##

# using default arguments to plotSPC()

# load sample data
data(sp3)
data(sp4)

# promote to SoilProfileCollection
depths(sp3) <- id ~ top + bottom
depths(sp4) <- id ~ top + bottom

# combine into a list
spc.list <- list(sp3, sp4)

# argument list
arg.list <- list(
  list(name='name', id.style='top'),
  list(name='name', id.style='side')
)

# plot multiple SPC objects,
# with list of named arguments for each call to plotSPC
par(mar=c(1,1,3,3))
plotMultipleSPC(
  spc.list,
  group.labels = c('Collection 1', 'Collection 2'),
  args = arg.list,
  bracket.base.depth = 120, label.cex = 1
)

# specify a different max.depth
plotMultipleSPC(
  spc.list,
  group.labels = c('Collection 1', 'Collection 2'),
  args = arg.list,
  bracket.base.depth = 120, label.cex = 1,
  max.depth = 250
)
```

```

##
## Merged Legend Example
##

# merged legend based on hz attribute 'clay'

# reset sample data
data(sp3)
data(sp4)

# promote to SoilProfileCollection
depths(sp3) <- id ~ top + bottom
depths(sp4) <- id ~ top + bottom

# combine into a list
spc.list <- list(sp3, sp4)

# argument list
arg.list <- list(
  list(name='name', id.style='top'),
  list(name='name', id.style='side')
)

par(mar=c(1,1,3,3))
plotMultipleSPC(
  spc.list,
  group.labels = c('Collection 1', 'Collection 2'),
  args = arg.list,
  label.cex = 1,
  merged.legend = 'clay', merged.legend.title = 'Clay (%)'
)

##
## Complex Merged Legend Example
##

# create a merged legend from "clay" in sp4 and jacobs2000
# use "soil_color" from sp3

# reset sample data
data(sp3)
data(sp4)
data(jacobs2000)

# promote to SoilProfileCollection
depths(sp3) <- id ~ top + bottom
depths(sp4) <- id ~ top + bottom

# remove 'clay' column from sp3

```

```

sp3$clay <- NULL

# combine into a list
spc.list <- list(sp3, sp4, jacobs2000)

# try some variations on the default arguments
# `clay` is missing in the first SPC, safe to specify another column for colors
arg.list <- list(
  list(color = 'soil_color', id.style='top', name = NA, width = 0.3, hz.depths = TRUE),
  list(name='name', id.style='side', name.style = 'center-center'),
  list(name='name', id.style='side', name.style = 'left-center', hz.depths = TRUE)
)

par(mar=c(1,1,3,3))
plotMultipleSPC(
  spc.list,
  group.labels = c('sp3', 'sp4', 'jacobs2000'),
  label.offset = 3,
  args = arg.list,
  merged.legend = 'clay', merged.legend.title = 'Clay (%)',
  depth.axis = list(line = 0)
)

```

plotProfileDendrogram *Plot soil profiles below a dendrogram*

Description

Plot soil profiles below a dendrogram, using methods from the ape package.

Usage

```

plotProfileDendrogram(
  x,
  clust,
  rotateToProfileID = FALSE,
  scaling.factor = 0.01,
  width = 0.1,
  y.offset = 0.1,
  dend.y.scale = max(clust$height * 2, na.rm = TRUE),
  dend.color = par("fg"),
  dend.width = 1,
  dend.type = c("phylogram", "cladogram"),
  debug = FALSE,
  ...
)

```

Arguments

<code>x</code>	a <code>SoilProfileCollection</code> object
<code>clust</code>	a hierarchical clustering object generated by <code>hclust</code> , <code>cluster::agnes</code> , or <code>cluster::diana</code>
<code>rotateToProfileID</code>	logical, attempt rotation of dendrogram according to original profile IDs, requires <code>dendextend</code> package
<code>scaling.factor</code>	vertical scaling of the profile heights (may have to tinker with this)
<code>width</code>	scaling of profile widths
<code>y.offset</code>	vertical offset for top of profiles
<code>dend.y.scale</code>	extent of y-axis (may have to tinker with this)
<code>dend.color</code>	dendrogram line color
<code>dend.width</code>	dendrogram line width
<code>dend.type</code>	dendrogram type, passed to <code>plot.phylo()</code> , either "phylogram" or "cladogram"
<code>debug</code>	logical, optionally print debugging data and return a <code>data.frame</code> of linking structure
<code>...</code>	additional arguments to <code>plotSPC</code>

Value

This function is typically called to create graphical output, when `debug=TRUE` a `data.frame` of IDs and linking structure used to build the figure.

Note

You may have to tinker with some of the arguments to get optimal arrangement and scaling of soil profiles.

Author(s)

D.E. Beaudette

plotSPC

Create Soil Profile Sketches

Description

Generate a diagram of soil profile sketches from a `SoilProfileCollection` object. The [Introduction to SoilProfileCollection Objects Vignette](#) contains many examples and discussion of the large number of arguments to this function. The [Soil Profile Sketches](#) tutorial has longer-form discussion and examples pertaining to suites of related arguments.

Options can be used to conveniently specify sets of arguments that will be used in several calls to `plotSPC()` within a single R session. For example, arguments can be specified in a named list (`.a`) and set using: `options(.aqp.plotSPC.args = .a)`. Reset these options via `options(.aqp.plotSPC.args = NULL)`. Arguments explicitly passed to `plotSPC()` will override arguments set via [options\(\)](#).

Usage

```

plotSPC(
  x,
  color = "soil_color",
  width = ifelse(length(x) < 2, 0.15, 0.25),
  name = hzdesgnname(x),
  name.style = "right-center",
  label = idname(x),
  raggedBottom = NULL,
  hz.depths = FALSE,
  hz.depths.offset = ifelse(fixLabelCollisions, 0.03, 0),
  hz.depths.lines = fixLabelCollisions,
  depth.axis = list(style = "traditional", cex = cex.names * 1.15),
  alt.label = NULL,
  alt.label.col = "black",
  cex.names = 0.5,
  cex.id = cex.names + (0.2 * cex.names),
  font.id = 2,
  srt.id = 0,
  print.id = TRUE,
  id.style = "auto",
  plot.order = 1:length(x),
  relative.pos = 1:length(x),
  add = FALSE,
  scaling.factor = 1,
  y.offset = rep(0, times = length(x)),
  x.idx.offset = 0,
  n = length(x),
  max.depth = ifelse(is.infinite(max(x)), 200, max(x)),
  n.depth.ticks = 10,
  shrink = FALSE,
  shrink.cutoff = 3,
  shrink.thin = NULL,
  abbr = FALSE,
  abbr.cutoff = 5,
  divide.hz = TRUE,
  hz.distinctness.offset = NULL,
  hz.topography.offset = NULL,
  hz.boundary.lty = NULL,
  density = NULL,
  show.legend = TRUE,
  col.label = color,
  col.palette = c("#5E4FA2", "#3288BD", "#66C2A5", "#ABDDA4", "#E6F598", "#FEE08B",
    "#FDAE61", "#F46D43", "#D53E4F", "#9E0142"),
  col.palette.bias = 1,
  col.legend.cex = 1,
  n.legend = 8,
  lwd = 1,

```

```

    lty = 1,
    default.color = grey(0.95),
    fixLabelCollisions = hz.depths,
    fixOverlapArgs = list(method = "E", q = 1),
    cex.depth.axis = cex.names,
    axis.line.offset = -2,
    plot.depth.axis = TRUE,
    ...
)

## S4 method for signature 'SoilProfileCollection'
plot(x, y, ...)

```

Arguments

<code>x</code>	a <code>SoilProfileCollection</code> object
<code>color</code>	quoted column name containing R-compatible color descriptions, or numeric / categorical data to be displayed thematically; see details
<code>width</code>	scaling of profile widths (typically 0.1 - 0.4)
<code>name</code>	quoted column name of the (horizon-level) attribute containing horizon designations or labels, if missing <code>hz.designname(x)</code> is used. Suppress horizon name printing by setting <code>name = NA</code> or <code>name = ''</code> .
<code>name.style</code>	one of several possible horizon designations labeling styles: <code>c('right-center', 'left-center', 'left-top', 'center-center', 'center-top')</code>
<code>label</code>	quoted column name of the (site-level) attribute used to identify profile sketches
<code>raggedBottom</code>	either quoted column name of the (site-level) attribute (logical) used to mark profiles with a truncated lower boundary, or <code>FALSE</code> suppress ragged bottom depths when <code>max.depth < max(x)</code>
<code>hz.depths</code>	logical, annotate horizon top depths to the right of each sketch (<code>FALSE</code>)
<code>hz.depths.offset</code>	numeric, user coordinates for left-right adjustment for horizon depth annotation; reasonable values are usually within 0.01-0.05 (default: 0)
<code>hz.depths.lines</code>	logical, draw segments between horizon depth labels and actual horizon depth; this is useful when including horizon boundary distinctness and/or <code>fixLabelCollisions = TRUE</code>
<code>depth.axis</code>	logical or list. Use a logical to suppress (<code>FALSE</code>) or add depth axis using defaults (<code>TRUE</code>). Use a list to specify one or more of: • <code>style</code>: character, one of 'traditional', 'compact', or 'tape' • <code>line</code>: numeric, negative values move axis to the left (does not apply to <code>style = 'tape'</code>) • <code>cex</code>: numeric, scaling applied to entire depth axis • <code>interval</code>: numeric, axis interval See examples.
<code>alt.label</code>	quoted column name of the (site-level) attribute used for secondary annotation
<code>alt.label.col</code>	color used for secondary annotation text

<code>cex.names</code>	baseline character scaling applied to all text labels
<code>cex.id</code>	character scaling applied to <code>label</code>
<code>font.id</code>	font style applied to <code>label</code> , default is 2 (bold)
<code>srt.id</code>	rotation applied to <code>label</code> , only when <code>id.style</code> = 'top'
<code>print.id</code>	logical, print <code>label</code> above/beside each profile? (TRUE)
<code>id.style</code>	label printing style: 'auto' (default) = simple heuristic used to select from: 'top' = centered above each profile, 'side' = 'along the top-left edge of profiles'
<code>plot.order</code>	integer vector describing the order in which individual soil profiles should be plotted
<code>relative.pos</code>	vector of relative positions along the x-axis, within {1, n}, ignores <code>plot.order</code> see details
<code>add</code>	logical, add to an existing figure
<code>scaling.factor</code>	vertical scaling of profile depths, useful for adding profiles to an existing figure
<code>y.offset</code>	numeric vector of vertical offset for top of profiles in depth units of x, can either be a single numeric value or vector of length = <code>length(x)</code> . A vector of y-offsets will be automatically re-ordered according to <code>plot.order</code> .
<code>x.idx.offset</code>	integer specifying horizontal offset from 0 (left-hand edge)
<code>n</code>	integer describing amount of space along x-axis to allocate, defaults to <code>length(x)</code>
<code>max.depth</code>	numeric. The lower depth for all sketches, deeper profiles are truncated at this depth. Use larger values to arbitrarily extend the vertical dimension, convenient for leaving extra space for annotation.
<code>n.depth.ticks</code>	suggested number of ticks in depth scale
<code>shrink</code>	logical, reduce character scaling for 'long' horizon by 80%
<code>shrink.cutoff</code>	character length defining 'long' horizon names
<code>shrink.thin</code>	integer, horizon thickness threshold for shrinking horizon names by 80%, only activated when <code>shrink</code> = TRUE (NULL = no shrinkage)
<code>abbr</code>	logical, abbreviate <code>label</code>
<code>abbr.cutoff</code>	suggested minimum length for abbreviated <code>label</code>
<code>divide.hz</code>	logical, divide horizons with line segment? (TRUE), see details
<code>hz.distinctness.offset</code>	NULL, or quoted column name (horizon-level attribute) containing vertical offsets used to depict horizon boundary distinctness (same units as profiles), see details and hzDistinctnessCodeToOffset() ; consider setting <code>hz.depths.lines</code> = TRUE when used in conjunction with <code>hz.depths</code> = TRUE
<code>hz.topography.offset</code>	NULL, or quoted column name (horizon-level attribute) containing offsets used to depict horizon boundary topography (same units as profiles), see details and hzTopographyCodeToOffset()
<code>hz.boundary.lty</code>	quoted column name (horizon-level attribute) containing line style (integers) used to encode horizon topography

<code>density</code>	fill density used for horizon color shading, either a single integer or a quoted column name (horizon-level attribute) containing integer values (default is NULL, no shading)
<code>show.legend</code>	logical, show legend? (default is TRUE)
<code>col.label</code>	thematic legend title
<code>col.palette</code>	color palette used for thematic sketches (default is <code>rev(brewer.pal(10, 'Spectral'))</code>)
<code>col.palette.bias</code>	color ramp bias (skew), see colorRamp()
<code>col.legend.cex</code>	scaling of thematic legend
<code>n.legend</code>	approximate number of classes used in numeric legend, max number of items per row in categorical legend
<code>lwd</code>	line width multiplier used for sketches
<code>lty</code>	line style used for sketches
<code>default.color</code>	default horizon fill color used when color attribute is NA
<code>fixLabelCollisions</code>	use fixOverlap() to attempt fixing hz depth labeling collisions, will slow plotting of large collections; enabling also sets <code>hz.depths.lines = TRUE</code> . Additional arguments to fixOverlap() can be passed via <code>fixOverlapArgs</code> . Overlap collisions cannot be fixed within profiles containing degenerate or missing horizon depths (e.g. top == bottom).
<code>fixOverlapArgs</code>	a named list of arguments to fixOverlap() . Overlap adjustments are attempted using electrostatic simulation with arguments: <code>list(method = 'E', q = 1)</code> . Alternatively, select adjustment by simulated annealing via <code>list(method = 'S')</code> . See electroStatics_1D() and SANN_1D() for details.
<code>cex.depth.axis</code>	(deprecated, use <code>depth.axis</code> instead) character scaling applied to depth scale
<code>axis.line.offset</code>	(deprecated, use <code>depth.axis</code> instead) horizontal offset applied to depth axis (default is -2, larger numbers move the axis to the right)
<code>plot.depth.axis</code>	(deprecated, use <code>depth.axis</code> instead) logical, plot depth axis?
<code>...</code>	other arguments passed into lower level plotting functions
<code>y</code>	(not used)

Details

Depth limits (`max.depth`) and number of depth ticks (`n.depth.ticks`) are *suggestions* to the [pretty\(\)](#) function. You may have to tinker with both parameters to get what you want.

The 'side' `id.style` is useful when plotting a large collection of profiles, and/or, when profile IDs are long.

If the column containing horizon designations is not specified (the `name` argument), a column (presumed to contain horizon designation labels) is guessed based on regular expression matching of the pattern 'name'—this usually works, but it is best to manually specify the name of the column containing horizon designations.

The `color` argument can either name a column containing R-compatible colors, possibly created via `munSELL2rgb()`, or column containing either numeric or categorical (either factor or character) values. In the second case, values are converted into colors and displayed along with a simple legend above the plot. Note that this functionality makes several assumptions about plot geometry and is most useful in an interactive setting.

Adjustments to the legend can be specified via `col.label` (legend title), `col.palette` (palette of colors, automatically expanded), `col.legend.cex` (legend scaling), and `n.legend` (approximate number of classes for numeric variables, or, maximum number of legend items per row for categorical variables). Currently, `plotSPC` will only generate two rows of legend items. Consider reducing the number of classes if two rows isn't enough room.

Profile sketches can be added according to relative positions along the x-axis (vs. integer sequence) via `relative.pos` argument. This should be a vector of positions within $\{1, n\}$ that are used for horizontal placement. Default values are $1 : \text{length}(x)$. Care must be taken when both `plot.order` and `relative.pos` are used simultaneously: `relative.pos` specifies horizontal placement after sorting. `addDiagnosticBracket()` and `addVolumeFraction()` use the `relative.pos` values for subsequent annotation.

Relative positions that are too close will result in overplotting of sketches. Adjustments to relative positions such that overlap is minimized can be performed with `fixOverlap(pos)`, where `pos` is the original vector of relative positions.

The `x.idx.offset` argument can be used to shift a collection of pedons from left to right in the figure. This can be useful when plotting several different `SoilProfileCollection` objects within the same figure. Space must be pre-allocated in the first plotting call, with an offset specified in the second call. See examples below.

Horizon depths (e.g. cm) are converted to figure y-coordinates via: $y = (\text{depth} * \text{scaling.factor}) + y.\text{offset}$.

Note

A new plot of soil profiles is generated, or optionally added to an existing plot.

Author(s)

D.E. Beaudette

References

Beaudette, D.E., Roudier P., and A.T. O'Geen. 2013. Algorithms for Quantitative Pedology: A Toolkit for Soil Scientists. *Computers & Geosciences*. 52:258 - 268.

See Also

`fixOverlap()`, `explainPlotSPC()`, `SoilProfileCollection`, `pretty()`, `hzDistinctnessCodeToOffset()`, `addBracket()`, `profileGroupLabels()`

Examples

```
# keep examples from using more than 2 cores
data.table::setDTthreads(Sys.getenv("OMP_THREAD_LIMIT", unset = 2))
```

```

# example data
data(sp1)
# usually best to adjust margins
par(mar = c(0,0,3,0))

# add color vector
sp1$soil_color <- with(sp1, munsell2rgb(hue, value, chroma))

# promote to SoilProfileCollection
depths(sp1) <- id ~ top + bottom

# init horizon designation
hzdesgnname(sp1) <- 'name'

# plot profiles
plotSPC(sp1, id.style = 'side')

# title, note line argument:
title('Sample Data 1', line = 1, cex.main = 0.75)

# plot profiles without horizon-line divisions
plotSPC(sp1, divide.hz = FALSE)

# diagonal lines encode horizon boundary distinctness
sp1$hzD <- hzDistinctnessCodeToOffset(sp1$bound_distinct)
plotSPC(sp1, hz.distinctness.offset = 'hzD', name.style = 'center-center')

# plot horizon color according to some property
data(sp4)
depths(sp4) <- id ~ top + bottom
hzdesgnname(sp4) <- 'name'
plotSPC(sp4, color = 'clay')

# another example
data(sp2)
depths(sp2) <- id ~ top + bottom
hzdesgnname(sp2) <- 'name'
site(sp2) <- ~ surface

# some of these profiles are very deep, truncate plot at 400cm
# label / re-order with site-level attribute: `surface`
plotSPC(sp2, label = 'surface', plot.order = order(sp2$surface),
max.depth = 400)

# example using a categorical attribute
plotSPC(sp2, color = "plasticity",
max.depth = 400)

# plot two SPC objects in the same figure
par(mar = c(1,1,1,1))

```

```

# plot the first SPC object and
# allocate space for the second SPC object
plotSPC(sp1, n = length(sp1) + length(sp2))

# plot the second SPC, starting from the first empty space
plotSPC(sp2, x.idx.offset = length(sp1), add = TRUE)

##
## demonstrate horizon designation shrinkage
##

data("jacobs2000")

# shrink "long" horizon names
plotSPC(
  jacobs2000,
  name = 'name',
  name.style = 'center-center',
  shrink = TRUE,
  cex.names = 0.8
)

# shrink horizon names in "thin" horizons
plotSPC(
  jacobs2000,
  name = 'name',
  name.style = 'center-center',
  shrink = TRUE,
  shrink.thin = 15,
  cex.names = 0.8,
)

##
## demonstrate adaptive legend
##

data(sp3)
depths(sp3) <- id ~ top + bottom

# make some fake categorical data
horizons(sp3)$fake.data <- sample(letters[1:15], size = nrow(sp3), replace=TRUE)

# better margins
par(mar=c(0,0,3,1))

# note that there are enough colors for 15 classes (vs. previous limit of 10)
# note that the legend is split into 2 rows when length(classes) > n.legend argument
plotSPC(sp3, color='fake.data', name='fake.data', cex.names=0.8)

# make enough room in a single legend row
plotSPC(sp3, color='fake.data', name='fake.data', cex.names=0.8, n.legend=15)

```

```

##
## demonstrate y.offset argument
## must be of length 1 or length(x)
##

# example data and local copy
data("jacobs2000")
x <- jacobs2000
hzdesgnname(x) <- 'name'

# y-axis offsets, simulating a elevation along a hillslope sequence
# same units as horizon depths in `x`
# same order as profiles in `x`
y.offset <- c(-5, -10, 22, 65, 35, 15, 12)

par(mar = c(0, 0, 2, 2))

# y-offset at 0
plotSPC(x, color = 'matrix_color', cex.names = 0.66)

# constant adjustment to y-offset
plotSPC(x, color = 'matrix_color', cex.names = 0.66, y.offset = 50)

# attempt using invalid y.offset
# warning issued and default value of '0' used
# plotSPC(x, color = 'matrix_color', cex.names = 0.66, y.offset = 1:2)

# variable y-offset
# fix overlapping horizon depth labels
par(mar = c(0, 0, 1, 0))
plotSPC(
  x,
  y.offset = y.offset,
  color = 'matrix_color',
  cex.names = 0.75,
  shrink = TRUE,
  hz.depths = TRUE,
  hz.depths.offset = 0.05,
  fixLabelCollisions = TRUE,
  name.style = 'center-center'
)

# random y-axis offsets
yoff <- runif(n = length(x), min = 1, max = 100)

# random gradient of x-positions
xoff <- runif(n = length(x), min = 1, max = length(x))

# note profiles overlap

```

```

plotSPC(x,
        relative.pos = xoff,
        y.offset = yoff,
        color = 'matrix_color',
        cex.names = 0.66,
        hz.depths = TRUE,
        name.style = 'center-center'
)

# align / adjust relative x positions
set.seed(111)
pos <- alignTransect(xoff, x.min = 1, x.max = length(x), thresh = 0.65)

# y-offset is automatically re-ordered according to
# plot.order

par(mar = c(0.5, 0.5, 0.5, 0.5))
plotSPC(x,
        plot.order = pos$order,
        relative.pos = pos$relative.pos,
        y.offset = yoff,
        color = 'matrix_color',
        cex.names = 0.66,
        hz.depths = TRUE,
        name.style = 'center-center'
)

box()

```

plot_distance_graph *Between Individual Distance Plot*

Description

Plot pair-wise distances between individuals as line segments.

Usage

```
plot_distance_graph(D, idx = 1:dim(as.matrix((D)))[1])
```

Arguments

D	distance matrix, should be of class 'dist' or compatible class
idx	an integer sequence defining which individuals should be compared

Details

By default all individuals are plotting on the same axis. When there are more than about 10 individuals, the plot can become quite messy. See examples below for ideas.

Value

No value is returned.

Author(s)

Dylan E Beaudette

References

<https://casoilresource.lawr.ucdavis.edu/>

See Also

[sp2](#)

Examples

```
data(sp2)
depths(sp2) <- id ~ top + bottom
d <- NCSP(
  sp2,
  vars = c('prop', 'field_ph', 'hue', 'value'),
  maxDepth = 100,
  k = 0.01
)

par(mfcol=c(3,1), mar=c(2.5,4.5,1,1))
plot_distance_graph(d, idx=1:6)
plot_distance_graph(d, idx=7:12)
plot_distance_graph(d, idx=12:18)
```

previewColors

Preview Colors

Description

Preview colors arranged according to CIE2000 distances or manual specification.

Usage

```
previewColors(
  cols,
  method = c("grid", "MDS", "manual"),
  labels = NULL,
  labels.cex = 1,
  col.order = NULL,
  nrow = ceiling(sqrt(length(cols))),
  ncol = nrow,
```

```
border.col = "black",
pt.cex = 2,
pt.pch = 15
)
```

Arguments

<code>cols</code>	vector of R colors
<code>method</code>	either "grid", "MDS", or "manual", see details
<code>labels</code>	optional vector of labels, disabled when <code>length(cols) > 5000</code>
<code>labels.cex</code>	scaling factor for labels
<code>col.order</code>	integer vector used to order colors
<code>nrow</code>	number of rows used by "grid" method
<code>ncol</code>	number of columns used by "grid" method
<code>border.col</code>	border color used by "grid" method
<code>pt.cex</code>	point scaling factor used by "MDS" method
<code>pt.pch</code>	point symbol used by "MDS" method

Details

Color sorting is based on CIE2000 distances as calculated by `farver::compare_colour()`. The "grid" method arranges colors in a rectangular grid with ordering based on divisive hierarchical clustering of the pair-wise distances. Unique colors are used when `cols` contains more than 5,000 colors.

The "MDS" method arranges unique colors via classical multidimensional scaling (principal coordinates) via `cmdscale()`.

Colors can be manually arranged by supplying a vector of integers to `col.order` and setting `method='manual'`.

Value

When `method = "grid"` or `"manual"`, a vector of color order is returned. When `method = "MDS"`, the output from `stats::cmdscale()`.

Author(s)

D.E. Beaudette

Examples

```
# example data
data(sp2)

# convert into SoilProfileCollection object
depths(sp2) <- id ~ top + bottom

previewColors(sp2$soil_color)
```

```

previewColors(sp2$soil_color, method = 'MDS', pt.cex = 3)

# create colors using HCL space
cols.hcl <- hcl(h = 0:360, c = 100, l = 50)

# grid, colors sorted by dE00
previewColors(cols.hcl)

# manual specification
previewColors(cols.hcl, method = 'manual', col.order = 1:361)

# MDS
previewColors(cols.hcl, method = 'MDS', pt.cex = 1)

```

prj,SoilProfileCollection-method

Get or Set Coordinate Reference System for SoilProfileCollection

Description

prj(): Get Coordinate Reference System (Projection) metadata
 prj()<=: Set Coordinate Reference System metadata for the SoilProfileCollection
 proj4string(): (Deprecated) Get Coordinate Reference System as PROJ4 String
 proj4string()<=: (Deprecated) Set Coordinate Reference System metadata for the SoilProfileCollection

Usage

```

## S4 method for signature 'SoilProfileCollection'
prj(object, ...)

## S4 replacement method for signature 'SoilProfileCollection'
prj(object, ...) <- value

## S4 method for signature 'SoilProfileCollection'
proj4string(obj)

## S4 replacement method for signature 'SoilProfileCollection'
proj4string(obj) <- value

```

Arguments

object	A SoilProfileCollection
...	Additional arguments (not used)
value	character. Representation of Coordinate Reference System as "authority:code", integer EPSG code, WKT2019 / PROJ4 string, an sf crs or sp CRS object.
obj	A SoilProfileCollection

See Also

`initSpatial<-()`

profileApply	<i>Iterate over profiles in a SoilProfileCollection</i>
--------------	---

Description

Iterate over all profiles in a SoilProfileCollection, calling FUN on a single-profile SoilProfileCollection for each step.

Usage

```
## S4 method for signature 'SoilProfileCollection'
profileApply(
  object,
  FUN,
  simplify = TRUE,
  frameify = FALSE,
  chunk.size = 100,
  column.names = NULL,
  APPLY.FUN = lapply,
  ...
)
```

Arguments

object	a SoilProfileCollection
FUN	a function to be applied to each profile within the collection
simplify	logical, should the result be simplified to a vector? default: TRUE; see examples
frameify	logical, should the result be collapsed into a data.frame? default: FALSE; overrides simplify argument; see examples
chunk.size	numeric, size of "chunks" for faster processing of large SoilProfileCollection objects; default: 100
column.names	character, optional character vector to replace frameify-derived column names; should match length of colnames() from FUN result; default: NULL
APPLY.FUN	function, optional alternate lapply()-like function for processing chunks. For example <code>future.apply::future_lapply()</code> for processing chunks in parallel. Default base::lapply().
...	additional arguments passed to FUN

Value

When simplify is TRUE, a vector of length `nrow(object)` (horizon data) or of length `length(object)` (site data). When simplify is FALSE, a list is returned. When frameify is TRUE, a data.frame is returned. An attempt is made to identify idname and/or hzidname in the data.frame result, safely ensuring that IDs are preserved to facilitate merging profileApply result downstream.

Examples

```

data(sp1)
depths(sp1) <- id ~ top + bottom

# estimate soil depth using horizon designations
profileApply(sp1, estimateSoilDepth, name='name')

# scale a single property 'prop' in horizon table
# scaled = (x - mean(x)) / sd(x)
sp1$d <- profileApply(sp1, FUN=function(x) round(scale(x$prop), 2))
plot(sp1, name='d')

# compute depth-wise differencing by profile
# note that our function expects that the column 'prop' exists
f <- function(x) { c(x$prop[1], diff(x$prop)) }
sp1$d <- profileApply(sp1, FUN=f)
plot(sp1, name='d')

# compute depth-wise cumulative sum by profile
# note the use of an anonymous function
sp1$d <- profileApply(sp1, FUN=function(x) cumsum(x$prop))
plot(sp1, name='d')

# compute profile-means, and save to @site
# there must be some data in @site for this to work
site(sp1) <- ~ group
sp1$mean_prop <- profileApply(sp1, FUN=function(x) mean(x$prop, na.rm=TRUE))

# re-plot using ranks defined by computed summaries (in @site)
plot(sp1, plot.order=rank(sp1$mean_prop))

## iterate over profiles, calculate on each horizon, merge into original SPC

# example data
data(sp1)

# promote to SoilProfileCollection
depths(sp1) <- id ~ top + bottom
site(sp1) <- ~ group

# calculate horizon thickness and proportional thickness
# returns a data.frame result with multiple attributes per horizon
thicknessFunction <- function(p) {
  hz <- horizons(p)
  depthnames <- horizonDepths(p)
  res <- data.frame(profile_id(p), hzID(p),
    thk=(hz[[depthnames[[2]]]] - hz[[depthnames[1]]]))
  res$hz_prop <- res$thk / sum(res$thk)
  colnames(res) <- c(idname(p), hzidname(p), 'hz_thickness', 'hz_prop')
  return(res)
}

```

```

# list output option with simplify=F, list names are profile_id(sp1)
list.output <- profileApply(sp1, thicknessFunction, simplify = FALSE)
head(list.output)

# data.frame output option with frameify=TRUE
df.output <- profileApply(sp1, thicknessFunction, frameify = TRUE)
head(df.output)

# since df.output contains idname(sp1) and hzidname(sp1),
# it can safely be merged by a left-join via horizons<- setter
horizons(sp1) <- df.output

plot(density(sp1$hz_thickness, na.rm=TRUE), main="Density plot of Horizon Thickness")

## iterate over profiles, subsetting horizon data

# example data
data(sp1)

# promote to SoilProfileCollection
depths(sp1) <- id ~ top + bottom
site(sp1) <- ~ group

# make some fake site data related to a depth of some importance
sp1$dep <- profileApply(sp1, function(i) {round(rnorm(n=1, mean=mean(i$top)))})

# custom function for subsetting horizon data, by profile
# keep horizons with lower boundary < site-level attribute 'dep'
fun <- function(i) {
  # extract horizons
  h <- horizons(i)
  # make an expression to subset horizons
  exp <- paste('bottom < ', i$dep, sep='')
  # subset horizons, and write-back into current SPC
  slot(i, 'horizons') <- subset(h, subset=eval(parse(text=exp)))
  # return modified SPC
  return(i)
}

# list of modified SoilProfileCollection objects
l <- profileApply(sp1, fun, simplify=FALSE)

# re-combine list of SoilProfileCollection objects into a single SoilProfileCollection
sp1.sub <- pbindlist(l)

# graphically check
par(mfrow=c(2,1), mar=c(0,0,1,0))
plot(sp1)
points(1:length(sp1), sp1$dep, col='red', pch=7)
plot(sp1.sub)

```

profileGroupLabels	<i>Soil Profile Group Labels</i>
--------------------	----------------------------------

Description

Labels groups of soil profiles within soil profile sketches.

See examples below for ideas.

Usage

```
profileGroupLabels(  
  x0,  
  x1,  
  labels,  
  y0 = 100,  
  y1 = 98,  
  label.offset = 2,  
  label.cex = 0.75  
)
```

Arguments

x0	integer indices to the first profile within each group
x1	integer indices to the last profile within each group
labels	vector of group labels
y0	baseline depth used for group brackets
y1	depth used for start and end markers for group brackets (see examples)
label.offset	vertical offset of group labels from baseline
label.cex	label size

Note

This function is typically called by some other convenience function such as [plotMultipleSPC](#).

Author(s)

D.E. Beaudette

See Also

[plotMultipleSPC](#)

Examples

```
# keep examples from using more than 2 cores
data.table::setDTthreads(Sys.getenv("OMP_THREAD_LIMIT", unset = 2))

# load sample data
data(sp3)
data(sp4)

# convert soil colors
sp3$h <- NA ; sp3$s <- NA ; sp3$v <- NA
sp3.rgb <- with(sp3, munsell2rgb(hue, value, chroma, return_triplets=TRUE))
sp3[, c('h','s','v')] <- t(with(sp3.rgb, rgb2hsv(r, g, b, maxColorValue=1)))

# promote to SoilProfileCollection
depths(sp3) <- id ~ top + bottom
depths(sp4) <- id ~ top + bottom

# combine into a list
spc.list <- list(sp3, sp4)

# compute group lengths and start/stop locations
n.groups <- length(spc.list)
spc.lengths <- sapply(spc.list, length)
n.pedons <- sum(spc.lengths)
group.starts <- c(1, 1 + cumsum(spc.lengths[-n.groups]))
group.ends <- cumsum(spc.lengths)

# determine depths of first / last profile in each group
yy <- unlist(sapply(spc.list, function(i) profileApply(i, max)))
tick.heights <- yy[c(group.starts, group.ends)] + 2

# plot 2 SoilProfileCollection objects on the same axis
par(mar=c(1,1,1,1))
plotSPC(sp3, n = n.pedons)
plotSPC(sp4, add = TRUE, x.idx.offset = group.ends[1],
depth.axis = FALSE, id.style = 'side')

# annotate groups
profileGroupLabels(x0 = group.starts, x1 = group.ends,
labels=c('Collection 1', 'Collection 2'), y0=120, y1=tick.heights)
```

profileInformationIndex

Soil Profile Information Index

Description

A simple index of "information" content associated with individuals in a `SoilProfileCollection` object. Information content is quantified by number of bytes after compression via `memCompress()`.

Usage

```
profileInformationIndex(
  x,
  vars,
  method = c("joint", "individual"),
  baseline = FALSE,
  numericDigits = 8,
  padNA = FALSE,
  scaleNumeric = FALSE,
  compression = "gzip"
)
```

Arguments

x	SoilProfileCollection object
vars	character vector of site or horizon level attributes to consider
method	character, 'individual' or 'joint' complexity
baseline	logical, compute ratio to "baseline" information content, see details
numericDigits	integer, number of significant digits to retain in numeric -> character conversion
padNA	logical, pad depths to max(x), supplied to <code>dice(fill = padNA)</code>
scaleNumeric	logical, <code>scale()</code> each numeric variable, causing "profile information" to vary based on other profiles in the collection
compression	character, compression method as used by <code>memCompress()</code> : 'gzip', 'bzip2', 'xz', 'none'

Details

Information content via compression (gzip) is the central assumption behind this function: the values associated with a simple soil profile having few horizons and little variation between horizons (isotropic depth-functions) will compress to a much smaller size than a complex profile (many horizons, strong anisotropy). Information content is evaluated a profile at a time, over each site or horizon level attribute specified in `vars`. The `baseline` argument invokes a comparison to the simplest possible representation of each depth-function:

- `numeric`: replication of the mean value to match the number of horizons with non-NA values
- `character` or `factor`: replication of the most frequent value to match the number of horizons with non-NA values

The ratios computed against a "simple" baseline represent something like "information gain". Larger baseline ratios suggest more complexity (more information) associated with a soil profile's depth-functions. Alternatively, the total quantity of information (in bytes) can be determined by setting `baseline = FALSE`.

Value

a numeric vector of the same length as `length(x)` and in the same order, suitable for direct assignment to a new site-level attribute

Author(s)

D.E. Beaudette

Examples

```

# single horizon, constant value
p1 <- data.frame(id = 1, top = 0, bottom = 100, p = 5, name = 'H')

# multiple horizons, constant value
p2 <- data.frame(
  id = 2, top = c(0, 10, 20, 30, 40, 50),
  bottom = c(10, 20, 30, 40, 50, 100),
  p = rep(5, times = 6),
  name = c('A1', 'A2', 'Bw', 'Bt1', 'Bt2', 'C')
)

# multiple horizons, random values
p3 <- data.frame(
  id = 3, top = c(0, 10, 20, 30, 40, 50),
  bottom = c(10, 20, 30, 40, 50, 100),
  p = c(1, 5, 10, 35, 6, 2),
  name = c('A1', 'A2', 'Bw', 'Bt1', 'Bt2', 'C')
)

# multiple horizons, mostly NA
p4 <- data.frame(
  id = 4, top = c(0, 10, 20, 30, 40, 50),
  bottom = c(10, 20, 30, 40, 50, 100),
  p = c(1, NA, NA, NA, NA, NA),
  name = c('A1', 'A2', 'Bw', 'Bt1', 'Bt2', 'C')
)

# shallower version of p1
p5 <- data.frame(id = 5, top = 0, bottom = 50, p = 5, name = 'H')

# combine and upgrade to SPC
z <- rbind(p1, p2, p3, p4, p5)
depths(z) <- id ~ top + bottom
hzdesgnname(z) <- 'name'

z <- fillHzGaps(z)

# visual check
par(mar = c(1, 0, 3, 3))
plotSPC(z, color = 'p', name.style = 'center-center', cex.names = 0.8, max.depth = 110)

# factor version of horizon name
z$name <- factor(z$name)

vars <- c('p', 'name')
# result is total bytes
pi <- profileInformationIndex(z, vars = vars, method = 'joint', baseline = FALSE)

```

```
text(x = 1:5, y = 105, labels = pi, cex = 0.85)
mtext('Profile Information Index (bytes)', side = 1, line = -1)
```

profile_id<-	<i>Set profile IDs</i>
--------------	------------------------

Description

Set vector containing profile IDs

Get or set a vector of profile IDs

Usage

```
## S4 replacement method for signature 'SoilProfileCollection'
profile_id(object) <- value

## S4 method for signature 'SoilProfileCollection'
profile_id(object)
```

Arguments

object	a SoilProfileCollection
value	a unique vector of equal length to number of profiles length(object)

quickSPC	<i>Quickly Assemble a SoilProfileCollection</i>
----------	---

Description

Quickly assemble a single-profile, SoilProfileCollection object from two possible templates. This function is a useful shortcut for creating theoretical SoilProfileCollection objects for testing or demonstrative purposes.

Usage

```
quickSPC(
  x,
  id = "id",
  d = "depths",
  n = "name",
  m = "soil_color",
  interval = 10
)
```

Arguments

<code>x</code>	either a list or character vector, see Details and Examples
<code>id</code>	character, specified when <code>x</code> is a list, name of ID list element
<code>d</code>	character, specified when <code>x</code> is a list, name of depths list element
<code>n</code>	character, specified when <code>x</code> is a list, name of horizon name list element
<code>m</code>	character, specified when <code>x</code> is a list, name of list element containing Munsell color notation
<code>interval</code>	numeric, typically an integer and only specified when using character templates in mode 2. See Details.

Details

The list template for a single SPC allows for full specification of ID, horizon designation, bottom depths, and an arbitrary number of horizon-level attributes. A compact notation is used for profile ID (single value) and horizon depths (bottom depths, assuming datum of 0). Horizon designation and additional data (e.g. clay content) are specified as vectors all of equal length, matching the number of horizons in the profile.

The character template can be provided in one of several formats:

1. 'A-Bt1-Bt2-Bt3-Cr-R'
2. 'ApApAAIElBhsBhsBw1Bw1CCCCC'

Format 1 is interpreted as a horizon sequence delimited by '-' or newline character (`\n`). Random integer thickness are assigned to horizons, and profile ID created via `digest::digest(..., algo = 'xxhash32')`. Iteration over templates in this format is automatic when `x` is a character vector of `length > 1`.

Format 2 is interpreted as a horizon sequence delimited by '|'. Horizon thickness is proportional to replication of horizon designation and scaled by the `interval` argument. Profile ID is created via `digest::digest(..., algo = 'xxhash32')`. Iteration over templates in this format is automatic when `x` is a character vector of `length > 1`.

Explicit naming of profile IDs can be accomplished by specifying an ID via prefix, as in "ID:A-Bt1-Bt2-Cr-R" or "ID:ApApAAIElBhsBhsBw1Bw1CCCCC". Labels specified before a ":" will be interpreted as a profile ID. These labels are optional but if specified must be unique within `x`.

Single-horizon profile templates must include a trailing horizon delimiter: '-', '\n', or '|' depending on the format.

Value

SoilProfileCollection object

Examples

```
# list-based template
x <- list(
  id = 'P1',
  depths = c(25, 33, 100, 150),
  name = c('A', 'Bw', 'Bt', 'Cr'),
```

```

clay = c(12, 15, 22, 25),
soil_color = c('10YR 3/3', '10YR 4/4', '10YR 4/6', '5G 6/2')
)

s <- quickSPC(x)
plotSPC(s, name.style = 'center-center', cex.names = 1)

# character template, mode 1
# horizon thickness is generated at random (uniform [5,20])
x <- 'A-Bt1-Bt2-Bt3-Cr-R'

s <- quickSPC(x)
plotSPC(s, name.style = 'center-center', cex.names = 1)

# multiple templates
x <- c(
'A-Bt1-Bt2-Bt3-Cr-R',
'A-C1-C2-C3-C4-Ab',
'Ap-A-A/E-E-Bhs-Cr'
)

# this interface is vectorized
s <- quickSPC(x)
plotSPC(s, name.style = 'center-center', cex.names = 1)

# optionally specify profile IDs using "ID:" prefix
x <- c(
'P1:A-Bt1-Bt2-Bt3-Cr-R',
'P2:A-C1-C2-C3-C4-Ab',
'P3:Ap-A-A/E-E-Bhs-Cr'
)

s <- quickSPC(x)
plotSPC(s, name.style = 'center-center', cex.names = 1)

# optionally specify:
# horizon bottom depths in cm
# soil color in Munsell notation
x <- c(
'1. simple:0e-A-E-Bhs',
'2. full:0e,10,10YR 2/2-A,20,10YR 3/3-E,30,2.5Y 8/2-Bhs,60,7.5YR 4/6'
)

s <- quickSPC(x)
plotSPC(s, name.style = 'center-center', cex.names = 1)

# use newline character as delimiter, more compact
x <- '0e,10,10YR 2/2
A,20,10YR 3/3
E,30,2.5Y 8/2'

```

```

Bhs,60,7.5YR 4/6
BC,125,7.5YR 6/4
C,150,10YR 6/2'

plotSPC(quickSPC(x), name.style = 'center-center', cex.names = 1)

# character template, mode 2
# horizon thickness is proportional to replication of
# horizon designation and scaled by 'interval' argument
# default of 10 depth units
# e.g. A horizon is 3 * 10 = 30 depth units thick.
x <- c(
  'AAA|BwBwBwBw|CCCCCCC|CdCdCdCd',
  'ApAp|AA|E|BhsBhs|Bw1Bw1|CCCCC',
  'A|Bt1Bt1Bt1|Bt2Bt2Bt2|Bt3|Cr|RRRRR'
)

# each horizon label is '10' depth-units (default)
s <- quickSPC(x)
plotSPC(s, name.style = 'center-center',
        cex.names = 1, depth.axis = FALSE,
        hz.depths = TRUE
)

# each horizon label is '5' depth-units
s <- quickSPC(x, interval = 5)
plotSPC(s, name.style = 'center-center',
        cex.names = 1, depth.axis = FALSE,
        hz.depths = TRUE
)

# optionally specify some / all profile IDs with "ID:" prefix
x <- c(
  'P1:AAA|BwBwBwBw|CCCCCCC|CdCdCdCd',
  'P2:ApAp|AA|E|BhsBhs|Bw1Bw1|CCCCC',
  'A|Bt1Bt1Bt1|Bt2Bt2Bt2|Bt3|Cr|RRRRR'
)

s <- quickSPC(x)
plotSPC(s, name.style = 'center-center',
        cex.names = 1, depth.axis = FALSE,
        hz.depths = TRUE
)

# make a NODATA profile, with a random hash ID
# note the use of trailing horizon delimiter
# note the use of NA soil color field
x <- 'NODATA,150,NA-'
s <- quickSPC(x)
plotSPC(s, name.style = 'center-center',
        cex.names = 1, depth.axis = FALSE,

```

```
hz.depths = TRUE)
```

random_profile

Random Profile

Description

Generate a random soil profile according to set criteria, with correlated depth trends.

The random walk method produces profiles with considerable variation between horizons and is based on values from the normal distribution seeded with means and standard deviations drawn from the uniform distribution of [0, 10].

The logistic power peak (LPP) function can be used to generate random soil property depth functions that are sharply peaked. LPP parameters can be hard-coded using the optional arguments: "lpp.a", "lpp.b", "lpp.u", "lpp.d", "lpp.e". Amplitude of the peak is controlled by ("lpp.a" + "lpp.b"), depth of the peak by "lpp.u", and abruptness by "lpp.d" and "lpp.e". Further description of the method is outlined in (Brenton et al, 2011). Simulated horizon distinctness codes are based on the USDA-NCSS field description methods.

Simulated distinctness codes are constrained according to horizon thickness, i.e. a gradual boundary (+/- 5cm) will not be simulated for horizons that are thinner than 3x this vertical distance

The `rp()` function is a convenient wrapper to this function, when requesting a simulated `SoilProfileCollection` of specified size.

Usage

```
random_profile(
  id,
  n = c(3, 4, 5, 6),
  min_thick = 5,
  max_thick = 30,
  n_prop = 5,
  exact = FALSE,
  method = "random_walk",
  HzDistinctSim = FALSE,
  SPC = FALSE,
  ...
)
```

Arguments

id	a character or numeric id used for this profile
n	vector of possible number of horizons, or the exact number of horizons (see below)
min_thick	minimum thickness criteria for a simulated horizon

max_thick	maximum thickness criteria for a simulated horizon
n_prop	number of simulated soil properties (columns in the returned dataframe)
exact	should the exact number of requested horizons be generated? (defaults to FALSE)
method	named method used to synthesize depth function ('random_walk' or 'LPP'), see details
HxDistinctSim	optionally simulate horizon boundary distinctness codes
SPC	result is a SoilProfileCollection object, otherwise a data.frame object
...	additional parameters passed-in to the LPP .lpp) function

Value

A data.frame or SoilProfileCollection object.

Note

See examples for ideas on simulating several profiles at once.

Author(s)

Dylan E. Beaudette

References

Myers, D. B.; Kitchen, N. R.; Sudduth, K. A.; Miles, R. J.; Sadler, E. J. & Grunwald, S. Peak functions for modeling high resolution soil profile data *Geoderma*, 2011, 166, 74-83.

See Also

[rp\(\)](#), [hzDistinctnessCodeToOffset\(\)](#)

Examples

```
# generate 10 random profiles, result is a list of SoilProfileCollection objects
d <- lapply(1:10, random_profile, SPC=TRUE)

# combine
d <- combine(d)

# plot
opar <- par(mar=c(0,0,3,2))
plotSPC(d, color='p1', name='name', cex.names=0.75)
par(opar)

# simulate horizon boundary distinctness codes:
d <- lapply(1:10, random_profile, SPC=TRUE, HxDistinctSim=TRUE)
d <- combine(d)

d$HxD <- hzDistinctnessCodeToOffset(d$HxDistinctCode)
```

```

opar <- par(mar=c(0,0,3,2))
plotSPC(d, name='name', color='p1', hz.distinctness.offset='HzD')
par(opar)

# depth functions are generated using the LPP function
opar <- par(mfrow=c(2,1), mar=c(0,0,3,0))

# generate data
d.1 <- lapply(1:10, random_profile, SPC=TRUE, n=c(6, 7, 8), n_prop=1, method='LPP')
d.1 <- combine(d.1)

# plot
plotSPC(d.1, name='name', color='p1', col.label = 'LPP Defaults')

# do this again, this time set all of the LPP parameters
d.2 <- lapply(1:10, random_profile, SPC=TRUE, n=c(6, 7, 8), n_prop=1, method='LPP',
             lpp.a=5, lpp.b=10, lpp.d=5, lpp.e=5, lpp.u=25)
d.2 <- combine(d.2)

# plot
plotSPC(d.2, name='name', color='p1', col.label = 'Custom LPP Parameters')

# reset plotting defaults
par(opar)

# try plotting the LPP-derived simulated data
# aggregated over all profiles
a <- slab(d.2, fm= ~ p1)
a$mid <- with(a, (top + bottom) / 2)

library(lattice)
(p1 <- xyplot(mid ~ p.q50, data=a,
              lower=a$p.q25, upper=a$p.q75, ylim=c(150,-5), alpha=0.5,
              panel=panel.depth_function, prepanel=prepanel.depth_function,
              cf=a$contributing_fraction, xlab='Simulated Data', ylab='Depth',
              main='LPP(a=5, b=10, d=5, e=5, u=25)',
              par.settings=list(superpose.line=list(col='black', lwd=2)))
))

# optionally add original data as step-functions
if(require(latticeExtra)) {
  h <- horizons(d.2)
  p1 + as.layer(xyplot(top ~ p1, groups=id, data=h,
                      horizontal=TRUE, type='S',
                      par.settings=list(superpose.line=list(col='blue', lwd=1, lty=2))))
}

```

reactionclass	<i>pH Reaction Classes</i>
---------------	----------------------------

Description

Levels of pH (reaction) classes including descriptive name, and range from low to high pH

Usage

```
data(reactionclass)
```

Format

An object of class `data.frame` with 11 rows and 3 columns.

References

Soil Science Division Staff. (2017) Soil Survey Manual. C. Ditzler, K. Scheffe, and H.C. Monger (eds.). USDA Handbook 18. Government Printing Office, Washington, D.C.

rebuildSPC	<i>Rebuild a SoilProfileCollection object</i>
------------	---

Description

Rebuild a `SoilProfileCollection` object

Usage

```
rebuildSPC(x)
```

Arguments

`x` a `SoilProfileCollection` object

Details

Attempt rebuilding a `SoilProfileCollection` object by splitting into components and re-assembling. Likely only used to fix outdated `SoilProfileCollection` objects that are missing slots.

Value

A valid `SoilProfileCollection` object.

A valid `SoilProfileCollection` object.

Author(s)

D.E. Beaudette

D.E. Beaudette, A.G. Brown

See Also[checkSPC](#) Rebuild a SoilProfileCollection object

Rebuild a SoilProfileCollection object

Attempt rebuilding a SoilProfileCollection object by splitting into components and re-assembling. Likely only used to fix outdated SoilProfileCollection objects that are missing slots.

[checkSPC](#)

reduceSPC

*Select a subset of columns from a SoilProfileCollection***Description**

Reduce the number of columns in a SoilProfileCollection to a minimal set plus additional selected columns. Optional metadata columns are included if set. At a minimum the profile ID, horizon top and bottom depths, and horizon ID are included. Horizon designation and horizon texture class column names are included if metadata attributes are set. See details.

Usage

```
reduceSPC(p, column_names = NULL)
```

Arguments

p a SoilProfileCollection

column_names a set of additional columns to include in the result

Details

Minimum column names included (when column_names = NULL)

- idname(p), horizonDepths(p), hzidname(p)

Optional column names included (when metadata are set)

- hzdesgname(p), hztexclname(p), GHL(p)

Value

a SoilProfileCollection

See Also

hzdesgname() hztexclname() GHL()

reorderHorizons	<i>Re-order corrupted horizon data</i>
-----------------	--

Description

This is a method made available primarily to repair horizon data that have been corrupted relative to their order at time of SoilProfileCollection construction.

There is an option to specify the target order, but this will not update the corresponding metadata entry tracking the original order. Use this functionality at your own risk.

Usage

```
## S4 method for signature 'SoilProfileCollection'
reorderHorizons(object, target.order = NULL)
```

Arguments

object	A SoilProfileCollection
target.order	A numeric vector of equal length to object. Default value is NULL which restores the internal order of the collection.

Value

SoilProfileCollection

repairMissingHzDepths	<i>Repair Problematic Lower Horizon Depths</i>
-----------------------	--

Description

Attempt a simple repair of horizon bottom depths in the presence of NA, or in cases where the horizon shares a common top and bottom depth. Both situations are common in pedon description where "contact" (Cd, Cr, R, etc.) was described without a lower depth.

Usage

```
repairMissingHzDepths(x, adj = 10, max.depth = 200)
```

Arguments

x	SoilProfileCollection
adj	vertical offset applied to "repair" missing bottom depths when top and bottom depth are equal or bottom depth is missing. (NA to use max.depth)
max.depth	If adj is NA, or the resulting offset sum exceeds max.depth, max.depth is used.

Details

This repair is applied to the deepest horizon within a profile as identified by `getLastHorizonID`, as well as to bottom depths of any horizon that has a horizon below it. Horizon bottom depths are adjusted by adding `adj` (if non-NA). If the resulting value exceeds `max.depth`, the `max.depth` value is returned (if not NA).

Value

SoilProfileCollection with a new (logical) horizon-level attribute `.repaired` marking affected horizons

Examples

```
h <- data.frame(
  id = c(1, 1, 1, 2, 2, 2, 2, 3, 3),
  top = c(0:2, 0:3, 0:1) * 10,
  bottom = c(rep(NA_integer_, 7), c(10, 99))
)

# NA depths result in warnings
suppressWarnings({
  depths(h) <- id ~ top + bottom
})

# inspect data before repairs
plotSPC(h)

g <- repairMissingHzDepths(h)

# all depth logic now valid
all(checkHzDepthLogic(g)$valid)

# inspect
plotSPC(g)

# no adj, max.depth only
f <- repairMissingHzDepths(h, adj = NA, max.depth = 200)
all(checkHzDepthLogic(f)$valid)
plotSPC(f)

# max.depth defaults to max(x) if too small
f$bottom[c(3,7)] <- NA
d <- repairMissingHzDepths(f, adj = NA, max.depth = 20)
all(checkHzDepthLogic(d)$valid)
plotSPC(d)
```

```
replaceHorizons<-      Replace Data in Horizon Slot
```

Description

Replaces horizon data with new data.frame object.

Usage

```
## S4 replacement method for signature 'SoilProfileCollection'  
replaceHorizons(object) <- value
```

Arguments

object	A SoilProfileCollection
value	An object inheriting data.frame

Examples

```
# load test data  
data(sp2)  
  
# promote to SPC  
depths(sp2) <- id ~ top + bottom  
  
# one profile  
p <- sp2[1,]  
  
# 23 variables in horizon data  
length(horizonNames(sp2))  
  
# remove all but essential ones  
replaceHorizons(p) <- horizons(p)[,c(idname(p), hzidname(p), horizonDepths(p))]  
  
# inspect result (a clean slate)  
horizons(p)
```

```
restrictions, SoilProfileCollection-method  
      Get or Set Restriction data in a SoilProfileCollection
```

Description

Restrictions describe root-limiting features in the soil. A single profile may have multiple restrictions.

- `restrictions()` (get method): Get restriction data from a `SoilProfileCollection`.
- `restrictions<=` (set method): Set restriction data for a `SoilProfileCollection`. The profile ID column from object (`idname(object)`) must be present in the replacement value object.

Usage

```
## S4 method for signature 'SoilProfileCollection'
restrictions(object)

## S4 replacement method for signature 'SoilProfileCollection'
restrictions(object) <- value
```

Arguments

<code>object</code>	A <code>SoilProfileCollection</code>
<code>value</code>	An <code>data.frame</code> object containing at least a column with name <code>idname(object)</code>

Examples

```
# load test data
data(sp2)

# promote to SPC
depths(sp2) <- id ~ top + bottom

# assign abrupt textural change to a profile
newdata <- data.frame(id = c("hon-21"),
                      restrkind = "abrupt textural change",
                      restrdep = 46)

# do left join
restrictions(sp2) <- newdata

# inspect site table: newvalue TRUE only for horizons
# with top depth equal to zero
restrictions(sp2)
```

Description

Convert sRGB color coordinates to the closest `n` Munsell chips in the `munsell` lookup table. This function will be replaced by `col2Munsell()` in **aqp 2.1**.

Usage

```
rgb2munsell(color, colorSpace = c("CIE2000", "LAB", "sRGB"), nClosest = 1)
```

Arguments

color	a data.frame or matrix object containing sRGB coordinates in the range of (0,1)
colorSpace	distance metric (colorspace) to use for finding the closest chip: CIE2000 is the most accurate but requires farver >= 2.0.3, Euclidean distance in CIELAB is a close second, while Euclidean distance in sRGB is not at all accurate and should only be used for demonstration purposes.
nClosest	number of closest Munsell colors to return (valid range is 1-20)

Value

an (NA-padded) data.frame containing hue, value, chroma, and distance (dE00 when colorSpace = 'CIE2000', Euclidean distance otherwise) to nearest matching color.

Note

This function is fully vectorized and will pad output with NA-records when NA are present in color.

Author(s)

D.E. Beaudette

References

- <http://ncss-tech.github.io/AQP/>
- <http://www.brucelindbloom.com/index.html?ColorCalcHelp.html>
- <http://www.munsellcolourscienceforpainters.com/MunsellAndKubelkaMunkToolbox/MunsellAndKubelkaMunkToolb>
- <http://www.cis.rit.edu/mcsl/online/munsell.php>

Examples

```
# keep examples from using more than 2 cores
data.table::setDTthreads(Sys.getenv("OMP_THREAD_LIMIT", unset = 2))

# Munsell notation to sRGB triplets [0-1]
color <- munsell2rgb(
  the_hue = c('10YR', '2.5YR', '5YR'),
  the_value = c(3, 5, 2.5),
  the_chroma = c(5, 6, 2),
  return_triplets = TRUE
)

# result is a data.frame
color
```

```
# back-transform sRGB -> closest Munsell color
# sigma is the dE00 color contrast metric
rgb2munsell(color)
```

ROSETTA.centroids	<i>Average Hydraulic Parameters from the ROSETTA Model by USDA Soil Texture Class</i>
-------------------	---

Description

Average soil hydraulic parameters generated by the first stage predictions of the ROSETTA model by USDA soil texture class. These data were extracted from [ROSETTA documentation](#) and reformatted for ease of use.

Usage

```
data(ROSETTA.centroids)
```

Format

A data frame:

texture soil texture class, ordered from low to high available water holding capacity

theta_r average saturated water content

theta_s average residual water content

alpha average value, related to the inverse of the air entry suction, log10-transformed values with units of cm

npar average value, index of pore size distribution, log10-transformed values with units of 1/cm

theta_r_sd 1 standard deviation of theta_r

theta_s_sd 1 standard deviation of theta_s

alpha_sd 1 standard deviation of alpha

npar_sd 1 standard deviation of npar

sat approximate volumetric water content at which soil material is saturated

fc approximate volumetric water content at which matrix potential = -33kPa

pwp approximate volumetric water content at which matrix potential = -1500kPa

awc approximate available water holding capacity: VWC(-33kPa)

- VWC(-1500kPa)

Details

Theoretical water-retention parameters for uniform soil material of each texture class have been estimated via van Genuchten model.

See [the related tutorial](#)

Source

ROSETTA Class Average Hydraulic Parameters

References

van Genuchten, M.Th. (1980). "A closed-form equation for predicting the hydraulic conductivity of unsaturated soils". Soil Science Society of America Journal. 44 (5): 892-898.

Schaap, M.G., F.J. Leij, and M.Th. van Genuchten. 2001. ROSETTA: A computer program for estimating soil hydraulic parameters with hierarchical pedotransfer functions. Journal of Hydrology 251(3-4): 163-176.

Examples

```
## Not run:

library(aqp)
library(soilDB)
library(latticeExtra)

data("ROSETTA.centroids")

# iterate over horizons and generate VG model curve
res <- lapply(1:nrow(ROSETTA.centroids), function(i) {
  m <- KSSL_VG_model(VG_params = ROSETTA.centroids[i, ], phi_min = 10^-3, phi_max=10^6)$VG_curve
  # copy generalized hz label
  m$hz <- ROSETTA.centroids$hz[i]
  # copy ID
  m$texture_class <- ROSETTA.centroids$texture[i]
  return(m)
})

# copy over lab sample number as ID
res <- do.call('rbind', res)

# check: OK
str(res)

# visual check: OK
xyplot(
  phi ~ theta | texture_class, data=res,
  type=c('l', 'g'),
  scales=list(alternating=3, x=list(tick.number=10), y=list(log=10, tick.number=10)),
  yscale.components=yscale.components.logpower,
  ylab=expression(Suction~(kPa)),
  xlab=expression(Volumetric~Water~Content~(cm^3/cm^3)),
  par.settings = list(superpose.line=list(col='RoyalBlue', lwd=2)),
  strip=strip.custom(bg=grey(0.85)),
  as.table=TRUE
)
```

```
## End(Not run)
```

rowley2019	<i>Soil Morphologic, Geochemical, and Mineralogy Data from Rowley et al. 2019.</i>
------------	--

Description

Data from Table 1 and Supplementary Tables 1 and 2 from "A cascading influence of calcium carbonate on the biogeochemistry and pedogenic trajectories of subalpine soils, Switzerland".

Usage

```
data(rowley2019)
```

Format

A SoilProfileCollection object:

site-level attributes

id profile ID

group profile group

horizon-level attributes

sample_id sample ID

name horizon name

pH pH

Al_exch cmol(+) / kg, exchangeable Al

Ca_exch cmol(+) / kg, exchangeable Ca

CEC_sum cmol(+) / kg, cation exchange capacity calculated as the sum of exchangeable cations, not including H⁺

Ca_exch_saturation percent

Al_exch_saturation percent

TON percent, total nitrogen

SOC percent, soil organic carbon

C_to_N carbon to nitrogen ratio

Alo g/kg, oxalate-extractable Al

Feo g/kg, oxalate-extractable Fe

Ald g/kg, dithionite-extractable Al
Fed g/kg, dithionite-extractable Fe
Feo_Fed Fe_o to Fe_d ratio
id profile ID
top horizon top (cm)
bottom horizon bottom (cm)
Al g/kg by x-ray fluorescence
Ca g/kg by x-ray fluorescence
Cr g/kg by x-ray fluorescence
Fe g/kg by x-ray fluorescence
K g/kg by x-ray fluorescence
Mg g/kg by x-ray fluorescence
Mn g/kg by x-ray fluorescence
Na g/kg by x-ray fluorescence
Ni g/kg by x-ray fluorescence
P g/kg by x-ray fluorescence
Si g/kg by x-ray fluorescence
Ti g/kg by x-ray fluorescence
Phyllosilicates percent by x-ray diffraction spectra
Quartz percent by x-ray diffraction spectra
K_Feldspar percent by x-ray diffraction spectra
Na_Plagioclase percent by x-ray diffraction spectra
Goethite percent by x-ray diffraction spectra
Unidentified percent by x-ray diffraction spectra
CCE_Total percent
CCE_Reactive percent
Reactive_carbonate percent
Sand percent <2um
Silt percent 2-50um
Clay percent 50-2000um
CaH2O Milliex: grams of Ca per kilogram of dry soil (g kg⁻¹)
Ca2MKCl 2M KCl: grams of Ca per kilogram of dry soil (g kg⁻¹)
CaNa2EDTA 0.05 M Na2EDTA: grams of Ca per kilogram of dry soil (g kg⁻¹)
CaCuCl2 0.5 M CuCl2: grams of Ca per kilogram of dry soil (g kg⁻¹)
hzID horizon ID

References

Mike C. Rowley, Stephanie Grand, Thierry Adate, Eric P. Verrecchia, Cascading influence of calcium carbonate on the biogeochemistry and pedogenic trajectories of subalpine soils), Switzerland, *Geoderma*, 2019, 114065, ISSN 0016-7061, doi:[10.1016/j.geoderma.2019.114065](https://doi.org/10.1016/j.geoderma.2019.114065).

Examples

```
library(lattice)

# load data
data('rowley2019')

# check first 5 rows and 10 columns of horizon data
horizons(rowley2019)[1:5, 1:10]

# check site data
site(rowley2019)

# graphical summary
par(mar=c(1,1,3,1))
plotSPC(rowley2019, color='Feo_Fed', name='name', cex.names=0.85)

plotSPC(rowley2019, color='Ca_exch', name='name', cex.names=0.85)

# grouped plot
groupedProfilePlot(rowley2019, groups = 'group', color='Ca_exch',
name='name', cex.names=0.85, group.name.offset = -10)

# aggregate over 1cm slices, for select properties
a <- slab(rowley2019, group ~ Reactive_carbonate + Ca_exch + pH + K_Feldspar + Na_Plagioclase + Al)

# plot styling
tps <- list(superpose.line=list(lwd=2, col=c('royalblue', 'firebrick'))))

# make the figure
xyplot(top ~ p.q50 | variable, data=a, ylab='Depth', groups=group,
      main='', as.table=TRUE,
      xlab='median bounded by 25th and 75th percentiles',
      lower=a$p.q25, upper=a$p.q75, ylim=c(55,-5),
      panel=panel.depth_function,
      prepanel=prepanel.depth_function,
      cf=a$contributing_fraction,
      alpha=0.33, sync.colors=TRUE,
      scales=list(x=list(relation='free', alternating=1)),
      par.settings=tps,
      auto.key=list(columns=2, lines=TRUE, points=FALSE),
      strip=strip.custom(bg=grey(0.9))
)
```

rp	<i>Generate a SoilProfileCollection of random profiles</i>
----	--

Description

This function provides a convenient abstraction of `lapply()`, `random_profile()`, and `combine()` which are typically used together to create a `SoilProfileCollection` object with >1 soil profiles. `rp()` creates zero-padded integer IDs for logical sorting and indexing of profiles. For more complex IDs or additional flexibility, see `random_profile()`. See `random_profile()` for all possible arguments.

Usage

```
rp(size, prefix = NULL, ...)
```

Arguments

size	integer, number of requested profiles
prefix	prefix added to zero-padded, integer IDs
...	additional arguments to <code>random_profile()</code>

Value

a `SoilProfileCollection` object

Examples

```
# generate a SoilProfileCollection object with 10 profiles
# using 0-padded, integer IDs for intuitive sorting
spc <- rp(10, method = 'LPP')
plotSPC(spc, color = 'p1')

# apply a prefix to the IDs
spc <- rp(10, prefix = 'A-', method = 'LPP')
plotSPC(spc, color = 'p1')
```

SANN_1D

Fix Overlap within a Sequence via Simulated Annealing

Description

This function makes small adjustments to elements of `x` until overlap defined by `thresh` is removed, or until `maxIter` is reached. Rank order and boundary conditions (defined by `min.x` and `max.x`) are preserved. The underlying algorithm is based on simulated annealing. The "cooling schedule" parameters `T0` and `k` can be used to tune the algorithm for specific applications.

Usage

```

SANN_1D(
  x,
  thresh = 0.6,
  adj = thresh * 2/3,
  min.x = min(x) - 0.2,
  max.x = max(x) + 0.2,
  maxIter = 1000,
  trace = FALSE,
  tiny = 1e-04,
  T0 = 500,
  k = 10,
  ...
)

```

Arguments

<code>x</code>	vector of horizontal positions, pre-sorted
<code>thresh</code>	horizontal threshold defining "overlap" or distance between elements of <code>x</code> . For adjusting soil profile sketches values are typically < 1 and likely in (0.3, 0.8).
<code>adj</code>	specifies the size of perturbations within <code>runif(min = adj * -1, max = adj)</code> . Larger values will sometimes reduce the number of iterations required to solve particularly difficult overlap conditions. See <code>coolingRate</code> argument when <code>adj</code> is large
<code>min.x</code>	left-side boundary condition, consider expanding if a solution cannot be found within <code>maxIter</code> .
<code>max.x</code>	right-side boundary condition, consider expanding if a solution cannot be found within <code>maxIter</code> .
<code>maxIter</code>	maximum number of iterations to attempt before giving up and returning a regularly-spaced sequence
<code>trace</code>	print diagnostics, result is a list vs vector
<code>tiny</code>	the smallest allowable overlap
<code>T0</code>	starting temperature
<code>k</code>	cooling constant
<code>...</code>	not used, absorbs additional arguments to fixOverlap()

Details

Ideas for solving difficult overlap scenarios:

- widen the boundary conditions by adjusting `min.x` and `max.x` beyond the original scale of `x`
- reduce the allowable overlap threshold `thresh`
- reduce the magnitude of perturbations (`adj`) and increase `maxIter`
- increase `k`

Value

When `trace = FALSE`, a vector of the same length as `x`, preserving rank-ordering and boundary conditions. When `trace = TRUE` a list containing the new sequence along with information about objective functions and decisions made during iteration.

Author(s)

D.E. Beaudette and K.C. Thompson

See Also

[electroStatics_1D\(\)](#), [fixOverlap\(\)](#)

Examples

```
x <- c(1, 2, 3, 3.4, 3.5, 5, 6, 10)

# easy
z <- fixOverlap(x, thresh = 0.2, trace = TRUE)

# harder
z <- fixOverlap(x, thresh = 0.6, trace = TRUE)

# much harder
z <- fixOverlap(x, thresh = 0.9, trace = TRUE)

# interpret `trace` output

# relatively challenging
x <- c(1, 2, 3.4, 3.4, 3.4, 3.4, 6, 8, 10, 12, 13, 13, 15, 15.5)

# fix overlap, return debugging information
set.seed(10101)
z <- fixOverlap(x, thresh = 0.8, trace = TRUE)

# setup plot device
par(mar = c(4, 4, 1, 1))
layout(matrix(c(1,2,3)), widths = 1, heights = c(1,1,2))

# objective function = overlap + SSD
plot(
  seq_along(z$stats), z$stats,
  type = 'h', las = 1,
  xlab = 'Iteration', ylab = 'Overlap',
  cex.axis = 0.8
)

# SSD: deviation from original configuration
plot(
  seq_along(z$ssd), z$ssd,
  type = 'h', las = 1,
```

```

      xlab = 'Iteration', ylab = 'Deviation',
      cex.axis = 0.8
    )
    # adjustments at each iteration
    matplot(
      z$states, type = 'l',
      lty = 1, las = 1,
      xlab = 'Iteration', ylab = 'x-position'
    )

    # trace log
    # B: boundary condition violation
    # 0: rank (order) violation
    # +: accepted perturbation
    # -: rejected perturbation
    table(z$log)

```

shannonEntropy

Shannon Entropy

Description

A very simple implementation of Shannon entropy.

Usage

```
shannonEntropy(x, b = 2)
```

Arguments

x	vector of probabilities (0,1), must sum to 1, should not contain NA
b	logarithm base

Details

0s are automatically removed by `na.rm = TRUE`, as $(0 * \log(0) = \text{Nan})$

Value

A single numeric value.

Note

When `b = length(x)` the result is the normalized Shannon entropy of (Kempen et al, 2009).

References

Kempen, Bas, Dick J. Brus, Gerard B.M. Heuvelink, and Jetse J. Stoorvogel. 2009. "Updating the 1:50,000 Dutch Soil Map Using Legacy Soil Data: A Multinomial Logistic Regression Approach." *Geoderma* 151: 311-26. doi:10.1016/j.geoderma.2009.04.023

Shannon, Claude E. (July-October 1948). "A Mathematical Theory of Communication". *Bell System Technical Journal*. 27 (3): 379-423. doi:10.1002/j.1538-7305.1948.tb01338.x

Examples

```
# a very simple example
p <- c(0.25, 0.25, 0.4, 0.05, 0.05)

shannonEntropy(p)
```

sierraTransect	<i>Soil Physical and Chemical Data Related to Studies in the Sierra Nevada Mountains, CA, USA.</i>
----------------	--

Description

Soil physical and chemical data associated with two bio-climatic sequences (granitic and andesitic parent material) from the western flank of the Sierra Nevada mountains.

Usage

```
data(sierraTransect)
```

Format

An object of class `SoilProfileCollection` of length 14.

Details

These data were assembled from Dahlgren et al. (1997) and Rasmussen et al. (2007), with permission granted by lead authors, by D.E. Beaudette.

Source

Original manuscripts and personal communication with authors.

References

R.A. Dahlgren, J.L. Boettinger, G.L. Huntington, R.G. Amundson. Soil development along an elevational transect in the western Sierra Nevada, California, *Geoderma*, Volume 78, Issues 3–4, 1997, Pages 207-236.

Rasmussen, C., Matsuyama, N., Dahlgren, R.A., Southard, R.J. and Brauer, N. (2007), Soil Genesis and Mineral Transformation Across an Environmental Gradient on Andesitic Lahar. *Soil Sci. Soc. Am. J.*, 71: 225-237.

Examples

```
data(sierraTransect)

# tighter margins
op <- par(mar=c(0,0,0,0))

# quick sketch
plotSPC(sierraTransect, name.style = 'center-center', width=0.3)

# split by transect
par(mar=c(0,0,1,1))
groupedProfilePlot(
  sierraTransect, groups='transect',
  group.name.offset = -15, width=0.3,
  name.style='center-center'
)

# thematic
groupedProfilePlot(
  sierraTransect, groups='transect',
  group.name.offset = -15, width=0.3,
  name.style='center-center', color='Fe_o_to_Fe_d'
)

# horizon boundary viz
sierraTransect$hzd <- hzDistinctnessCodeToOffset(substr(sierraTransect$hz_boundary, 0, 1))

groupedProfilePlot(
  sierraTransect, groups='transect', group.name.offset = -15,
  width=0.3, name.style='center-center', color='Fe_o_to_Fe_d',
  hz.distinctness.offset='hzd')

# split transects
g <- subset(sierraTransect, transect == 'Granite')
a <- subset(sierraTransect, transect == 'Andesite')

g.order <- order(g$elev)
a.order <- order(a$elev)

# order (left -> right) by elevation
par(mar=c(2,0,0,2), mfrow=c(2,1))
```

```

plot(g, width=0.3, name.style='center-center', cex.names=0.75, plot.order=g.order)
axis(1, at=1:length(g), labels=g$elev[g.order], line=-1.5)

plot(a, width=0.3, name.style='center-center', cex.names=0.75, plot.order=a.order)
axis(1, at=1:length(a), labels=a$elev[a.order], line=-1.5)

par(op)

```

sim

*DEPRECATED Simulate Soil Profiles***Description**

Simulate a collection of soil profiles based on the horization of a single soil profile. Now deprecated: use [perturb\(\)](#) for perturbations of horizon thicknesses or boundaries.

Usage

```
sim(x, n = 1, iterations = 25, hz.sd = 2, min.thick = 2)
```

Arguments

x	a SoilProfileCollection object containing a single profile from which to draw simulated data
n	the number of requested simulations
iterations	sampling iterations used to determine each horizon thickness
hz.sd	standard deviation used to simulate horizon thickness, can be a vector but must divide evenly into the number of horizons found in x
min.thick	minimum horizon thickness allowed in simulation results

Details

This function generates a collection of simulated soil profiles based on the horizon thickness data associated with a single "template" profile. Simulation is based on sampling from a family of Gaussian distribution with means defined by the "template" profile and standard deviation defined by the user.

Value

A SoilProfileCollection object with n simulated profiles, each containing the same number of horizons and same data as x

Author(s)

D. E. Beaudette

See Also

[random_profile perturb](#)

Examples

```
# please see documentation for perturb() for examples
# the sim() function calls perturb() internally
```

simulateColor	<i>Simulate Soil Colors</i>
---------------	-----------------------------

Description

Simulate plausible soil colors based on several possible parameterization of a "range in characteristics" (RIC). Soil color RIC can be specified by a list of parameters:

- soil color proportions, as output from [aggregateColor\(\)](#) – method = 'proportions'
- most likely Munsell color, CIE2000 threshold, and vector of acceptable hues – method = 'dE00'
- data.frame of Munsell hue, value, and chroma representing observed soil colors – method = 'mvnorm'

Usage

```
simulateColor(  
  method = c("dE00", "proportions", "mvnorm"),  
  n,  
  parameters,  
  SPC = NULL  
)
```

Arguments

method	simulation method, see details
n	number of simulated colors per group
parameters	a list, format depends on method: • proportions: output from aggregateColor() • dE00: formatted as <code>list(m = '7.5YR 3/3', thresh = 5, hues = c('7.5YR'))</code> • mvnorm: formatted as <code>list(hvc = x)</code> Where m is a single representative Munsell chip, thresh is a threshold specified in CIE2000 color contrast (dE00), hues is a vector of allowed Munsell hues, and x is a data.frame representing columns of Munsell hue, value, and chroma having at least 3 rows.
SPC	SoilProfileCollection, attempt to modify SPC with simulated colors

Value

a list, unless SPC is specified, then a SoilProfileCollection object

Author(s)

D.E. Beaudette

Examples

```
# restrict examples to 2 cores
data.table::setDTthreads(Sys.getenv("OMP_THREAD_LIMIT", unset = 2))

# m: representative or most likely color
# thresh: dE00 threshold
# hues: allowed Munsell hues
p <- list(
  'A' = list(m = '7.5YR 3/3', thresh = 5, hues = c('7.5YR')),
  'BA' = list(m = '7.5YR 4/4', thresh = 8, hues = c('7.5YR')),
  'Bt1' = list(m = '7.5YR 4/4', thresh = 8, hues = c('5YR', '7.5YR')),
  'Bt2' = list(m = '5YR 4/5', thresh = 8, hues = c('5YR', '7.5YR')),
  'Bt3' = list(m = '10YR 4/6', thresh = 10, hues = c('10YR', '7.5YR')),
  'Cr' = list(m = '2.5G 6/2', thresh = 15, hues = c('2.5G', '2.5GY', '2.5BG'))
)

# simulate
(cols <- simulateColor(method = 'dE00', n = 10, parameters = p))

# preview
previewColors(parseMunsell(unlist(cols)), method = 'MDS')

# another example, this time using a larger dE00 threshold
p <- list(
  'A' = list(m = '7.5YR 3/3', thresh = 20, hues = c('10YR', '7.5YR', '5YR'))
)

# simulate
set.seed(54654)
cols <- simulateColor(method = 'dE00', n = 200, parameters = p)

# flatten
cols <- unlist(cols)

# tabulate, sort: most frequent color should be 7.5YR 3/3
sort(table(cols), decreasing = TRUE)

# review colors
previewColors(parseMunsell(cols))

# what does a dE00 threshold look like on 3 pages of hue?
contrastChart('7.5YR 3/3', hues = c('10YR', '7.5YR', '5YR'), thresh = 20)
```

 site, SoilProfileCollection-method

Retrieve site data from SoilProfileCollection

Description

Get site data from SoilProfileCollection. Result is returned in the same data.frame class used to initially construct the SoilProfileCollection.

There are two options available via the `site<-` setter.

The first is a "normalization" by formula interface, whereby one specifies an attribute that is constant in horizons within profiles to be promoted to a site-level variable: `site(spc) <- ~ horizonvariable`

The second is creation of site data from an external data.frame via merge (LEFT JOIN). There must be one or more same-named columns (with at least some matching data) on the left and right hand side to facilitate the join: `site(spc) <- newdata`

Usage

```
## S4 method for signature 'SoilProfileCollection'
site(object)

site(object) <- value
```

Arguments

object	A SoilProfileCollection
value	A formula or object inheriting data.frame

Examples

```
# load test data
data(sp2)

# promote to SPC
depths(sp2) <- id ~ top + bottom

# normalize a horizon-level attribute to site
site(sp2) <- ~ surface

# inspect site table
site(sp2)

# make some data: classify two geomorphic surfaces with numeric value
newdata <- data.frame(surface = c("holocene",
                                "lower riverbank"),
                      newvalue = c(1,2))

# do left join based on newly-normalized "surface" attribute
```

```

site(sp2) <- newdata

# inspect site table: holocene & lower riverbank have values
site(sp2)

```

siteNames<-	<i>Set site column names</i>
-------------	------------------------------

Description

Set site column names
 Get names of columns in site table.

Usage

```

## S4 replacement method for signature 'SoilProfileCollection'
siteNames(object) <- value

## S4 method for signature 'SoilProfileCollection'
siteNames(object)

```

Arguments

object	a SoilProfileCollection
value	a unique vector of equal length to number of columns in site: length(siteNames(object))

slab	<i>Slab-Wise Aggregation of SoilProfileCollection Objects</i>
------	---

Description

Aggregate soil properties along user-defined slabs, and optionally within groups.

Usage

```

## S4 method for signature 'SoilProfileCollection'
slab(
  object,
  fm,
  slab.structure = 1,
  strict = FALSE,
  byhz = TRUE,
  slab.fun = slab_function(method = "numeric"),
  cpm = 1,

```

```

    weights = NULL,
    ...
)

slab_function(
  method = c("numeric", "factor", "hd", "weighted.numeric", "weighted.factor", "fast")
)

```

Arguments

<code>object</code>	a <code>SoilProfileCollection</code>
<code>fm</code>	A formula: either <code>groups ~ var1 + var2 + var3</code> where named variables are aggregated within groups' OR where named variables are aggregated across the entire collection <code>var1 + var2 + var3</code> . If <code>groups</code> is a factor it must not contain NA's
<code>slab.structure</code>	A user-defined slab thickness (defined by an integer), or user-defined structure (numeric vector). See details below.
<code>strict</code>	logical: should horizons be strictly checked for self-consistency?
<code>byhz</code>	logical: should horizons or whole profiles be removed by logic checks in <code>strict</code> ? Default TRUE removes only offending horizons, FALSE removes whole profiles with one or more illogical horizons.
<code>slab.fun</code>	Function used to process each 'slab' of data, ideally returning a vector with names attribute. Defaults to a wrapper function around <code>stats::quantile()</code> . See details.
<code>cpm</code>	Strategy for normalizing slice-wise probabilities, dividing by either: number of profiles with data at the current slice (<code>cpm=1</code>), or by the number of profiles in the collection (<code>cpm=2</code>). Mode 1 values will always sum to the contributing fraction, while mode 2 values will always sum to 1.
<code>weights</code>	Column name containing site-level weights
<code>...</code>	further arguments passed to <code>slab.fun</code>
<code>method</code>	one of "numeric", "factor", "hd", "weighted.numeric", "weighted.factor", "fast"

Details

Multiple continuous variables OR a single categorical (factor) variable can be aggregated within a call to `slab`. Basic error checking is performed to make sure that top and bottom horizon boundaries make sense. User-defined aggregate functions (`slab.fun`) should return a named vector of results. A new, named column will appear in the results of `slab` for every named element of a vector returned by `slab.fun`. See examples below for a simple example of a slab function that computes mean, mean-1SD and mean+1SD. The default slab function wraps `stats::quantile` from the `Hmisc` package, which requires at least 2 observations per chunk. Note that if `group` is a factor it must not contain NAs.

`slab()` uses `dice()` to "resample" profiles to 1cm slices from depth 0 to `max(x)` (or `slab.structure[2]`, if defined).

Sometimes `slab` is used to conveniently re-arrange data vs. aggregate. This is performed by specifying identity in `slab.fun`. See examples below for a demonstration of this functionality.

The default `slab.fun` was changed 2019-10-30 from a wrapper around `Hmisc::hdquantile` to a wrapper around `stats::quantile`. See examples below for a simple way to switch to the HD quantile estimator.

Execution time scales linearly (slower) with the total number of profiles in object, and exponentially (faster) as the number of profiles / group is increased. `slab` and `slice` are much faster and require less memory if input data are either numeric or character.

There are several possible ways to define slabs, using `slab.structure`:

a single integer e.g. 10: data are aggregated over a regular sequence of 10-unit thickness slabs

a vector of 2 integers e.g. `c(50, 60)`: data are aggregated over depths spanning 50–60 units

a vector of 3 or more integers e.g. `c(0, 5, 10, 50, 100)`: data are aggregated over the depths spanning 0–5, 5–10, 10–50, 50–100 units

`slab_function()`: The default "numeric" aggregation method is the "fast" numeric (quantile) method. Additional methods include "factor" for categorical data, "hd" to use the Harrell-Davis Distribution-Free Quantile Estimator from the `Hmisc` package, and "weighted" to use a weighted quantile method from the `Hmisc` package

Value

Output is returned in long format, such that slice-wise aggregates are returned once for each combination of grouping level (optional), variable described in the `fm` argument, and depth-wise 'slab'.

Aggregation of numeric variables, using the default slab function:

variable The names of variables included in the call to `slab`.

groupname The name of the grouping variable when provided, otherwise a fake grouping variable named 'all.profiles'.

p.q5 The slice-wise 5th percentile.

p.q25 The slice-wise 25th percentile

p.q50 The slice-wise 50th percentile (median)

p.q75 The slice-wise 75th percentile

p.q95 The slice-wise 95th percentile

top The slab top boundary.

bottom The slab bottom boundary.

contributing_fraction The fraction of profiles contributing to the aggregate value, ranges from $1/n_{\text{profiles}}$ to 1.

When a single factor variable is used, slice-wise probabilities for each level of that factor are returned as:

variable The names of variables included in the call to `slab`.

groupname The name of the grouping variable when provided, otherwise a fake grouping variable named 'all.profiles'.

A The slice-wise probability of level A

B The slice-wise probability of level B

list()

n The slice-wise probability of level *n*

top The slab top boundary.

bottom The slab bottom boundary.

contributing_fraction The fraction of profiles contributing to the aggregate value, ranges from $1/n_{\text{profiles}}$ to 1.

`slab_function()`: return an aggregation function based on the method argument

Methods

data = "SoilProfileCollection" Typical usage, where input is a [SoilProfileCollection](#).

Note

Arguments to `slab` have changed with `aqp` 1.5 (2012-12-29) as part of a code clean-up and optimization. Calculation of weighted-summaries was broken in `aqp` 1.2-6 (2012-06-26), and removed as of `aqp` 1.5 (2012-12-29). `slab` replaced the previously defined `soil.slot.multiple` function as of `aqp` 0.98-8.58 (2011-12-21).

Author(s)

D.E. Beaudette

References

D.E. Beaudette, P. Roudier, A.T. O'Geen, Algorithms for quantitative pedology: A toolkit for soil scientists, *Computers & Geosciences*, Volume 52, March 2013, Pages 258-268, 10.1016/j.cageo.2012.10.020.
Harrell FE, Davis CE (1982): A new distribution-free quantile estimator. *Biometrika* 69:635-640.

See Also

[slice](#), [quantile](#)

Examples

```
##
## basic examples
##
library(lattice)
library(grid)
library(data.table)

# load sample data, upgrade to SoilProfileCollection
data(sp1)
depths(sp1) <- id ~ top + bottom

hzdesgnname(sp1) <- "name"

# aggregate entire collection with two different segment sizes
```

```

a <- slab(sp1, fm = ~ prop)
b <- slab(sp1, fm = ~ prop, slab.structure=5)

# check output
str(a)

# stack into long format
ab <- make.groups(a, b)
ab$which <- factor(ab$which, levels=c('a','b'),
labels=c('1-cm Interval', '5-cm Interval'))

# plot median and IQR
# custom plotting function for uncertainty viz.
xyplot(top ~ p.q50 | which, data=ab, ylab='Depth',
xlab='median bounded by 25th and 75th percentiles',
lower=ab$p.q25, upper=ab$p.q75, ylim=c(250,-5),
panel=panel.depth_function,
prepanel=prepanel.depth_function,
cf=ab$contributing_fraction,
alpha=0.5,
layout=c(2,1), scales=list(x=list(alternating=1))
)

###
### re-arrange data / no aggregation
###

# load sample data, upgrade to SoilProfileCollection
data(sp1)
depths(sp1) <- id ~ top + bottom

# arrange data by ID
a <- slab(sp1, fm = id ~ prop, slab.fun=identity)

# convert id to a factor for plotting
a$id <- factor(a$id)

# check output
str(a)

# plot via step function
xyplot(top ~ value | id, data=a, ylab='Depth',
ylim=c(250, -5), as.table=TRUE,
panel=panel.depth_function,
prepanel=prepanel.depth_function,
scales=list(x=list(alternating=1))
)

##
## categorical variable example
##

```

```

data(sp1)
depths(sp1) <- id ~ top + bottom

# normalize horizon names: result is a factor
sp1$name <- generalize.hz(
  sp1$name,
  new = c('O','A','B','C'),
  pat = c('O', '^A','^B','C')
)

# compute slice-wise probability so that it sums to contributing fraction, from 0-150
a <- slab(sp1, fm= ~ name, cpm=1, slab.structure=0:150)

# convert wide -> long for plotting
# result is a data.table
# genhz factor levels are set by order in `measure.vars`
a.long <- data.table::melt(
  data.table::as.data.table(a),
  id.vars = c('top','bottom'),
  measure.vars = c('O', 'A', 'B', 'C'),
)

# plot horizon type proportions using panels
xyplot(top ~ value | variable,
  data = a.long, subset=value > 0,
  col = 1, lwd = 2,
  xlab = 'Class Probability',
  ylab = 'Depth (cm)',
  strip = strip.custom(bg = grey(0.85)),
  scales = list(x = list(alternating = FALSE)),
  ylim = c(150, -5), type=c('S','g'),
  horizontal = TRUE, layout = c(4,1)
)

# again, this time using groups
xyplot(top ~ value,
  data = a.long,
  groups = variable,
  subset = value > 0,
  ylim = c(150, -5),
  type = c('S','g'),
  horizontal = TRUE,
  asp = 2,
  lwd = 2,
  auto.key = list(
    lines = TRUE,
    points = FALSE,
    cex = 0.8,
    columns = 1,
    space = 'right'
  )
)

```

```

# adjust probability to size of collection, from 0-150
a.1 <- slab(sp1, fm= ~ name, cpm = 2, slab.structure = 0:150)

# convert wide -> long for plotting
# result is a data.table
# genhz factor levels are set by order in `measure.vars`
a.1.long <- data.table::melt(
  data.table::as.data.table(a.1),
  id.vars = c('top', 'bottom'),
  measure.vars = c('O', 'A', 'B', 'C')
)

# combine aggregation from `cpm` modes 1 and 2
g <- make.groups(cmp.mode.1 = a.long, cmp.mode.2 = a.1.long)

# plot horizon type proportions
xyplot(top ~ value | variable,
  groups = which,
  data = g, subset = value > 0,
  ylim = c(240, -5),
  type = c('S', 'g'),
  horizontal = TRUE,
  layout = c(4,1),
  auto.key = list(lines = TRUE, points = FALSE, columns = 2),
  par.settings = list(superpose.line = list(col = c(1, 2), lwd = 2)),
  scales = list(alternating = 3),
  xlab = 'Class Probability',
  ylab = 'Depth (cm)',
  strip = strip.custom(bg = grey(0.85))
)

# apply slice-wise evaluation of max probability, and assign ML-horizon at each slice
gen.hz.ml <- get.ml.hz(a, c('O', 'A', 'B', 'C'))

## Not run:
##
## HD quantile estimator
##

library(soilDB)
library(lattice)
library(data.table)

# sample data
data('loafercreek', package = 'soilDB')

# default slab.fun wraps stats::quantile()
a <- slab(loafercreek, fm = ~ total_frgs_pct + clay)

# use HD quantile estimator from Hmisc package instead

```

```

a.HD <- slab(loafercreek, fm = ~ total_frgs_pct + clay, slab.fun = aqp::slab.fun.numeric.HD)

# combine
g <- make.groups(standard=a, HD=a.HD)

# note differences
densityplot(~ p.q50 | variable, data=g, groups=which,
             scales=list(relation='free', alternating=3, tick.number=10, y=list(rot=0)),
             xlab='50th Percentile', pch=NA, main='Loafercreek',
             auto.key=list(columns=2, points=FALSE, lines=TRUE),
             par.settings=list(superpose.line=list(lwd=2, col=c('RoyalBlue', 'Orange2'))))
)

# differences are slight but important
xyplot(
  top ~ p.q50 | variable, data=g, groups=which,
  xlab='Value', ylab='Depth (cm)',
  asp=1.5, main='Loafercreek',
  lower=g$p.q25, upper=g$p.q75,
  sync.colors=TRUE, alpha=0.25, cf=g$contributing_fraction,
  ylim=c(115,-5), layout=c(2,1), scales=list(x=list(relation='free')),
  par.settings=list(superpose.line=list(lwd=2, col=c('RoyalBlue', 'Orange2'))),
  strip=strip.custom(bg=grey(0.85)),
  panel=panel.depth_function,
  prepanel=prepanel.depth_function,
  auto.key=list(columns=2, lines=TRUE, points=FALSE)
)

##
## multivariate examples
##
data(sp3)

# add new grouping factor
sp3$group <- 'group 1'
sp3$group[as.numeric(sp3$id) > 5] <- 'group 2'
sp3$group <- factor(sp3$group)

# upgrade to SPC
depths(sp3) <- id ~ top + bottom
site(sp3) <- ~ group

# custom 'slab' function, returning mean +/- 1SD
mean.and.sd <- function(values) {
  m <- mean(values, na.rm=TRUE)
  s <- sd(values, na.rm=TRUE)
  upper <- m + s
  lower <- m - s
  res <- c(mean=m, lower=lower, upper=upper)
  return(res)
}

# aggregate several variables at once, within 'group'

```

```

a <- slab(sp3, fm = group ~ L + A + B, slab.fun = mean.and.sd)

# check the results:
# note that 'group' is the column containing group labels
xyplot(
  top ~ mean | variable, data=a, groups=group,
  lower=a$lower, upper=a$upper,
  sync.colors=TRUE, alpha=0.5,
  cf = a$contributing_fraction,
  xlab = 'Mean Bounded by +/- 1SD',
  ylab = 'Depth (cm)',
  ylim=c(125,-5), layout=c(3,1),
  scales=list(x=list(relation='free')),
  par.settings = list(superpose.line=list(lwd=2, col=c('RoyalBlue', 'Orange2'))),
  panel = panel.depth_function,
  prepanel = prepanel.depth_function,
  strip = strip.custom(bg=grey(0.85)),
  auto.key = list(columns=2, lines=TRUE, points=FALSE)
)

# compare a single profile to the group-level aggregate values
a.1 <- slab(sp3[1, ], fm = group ~ L + A + B, slab.fun = mean.and.sd)

# manually update the group column
a.1$group <- 'profile 1'

# combine into a single data.frame:
g <- rbind(a, a.1)

# plot with customized line styles
xyplot(
  top ~ mean | variable, data=g, groups=group, subscripts=TRUE,
  lower=a$lower, upper=a$upper, ylim=c(125,-5),
  layout=c(3,1), scales=list(x=list(relation='free')),
  xlab = 'Mean Bounded by +/- 1SD',
  ylab = 'Depth (cm)',
  panel=panel.depth_function,
  prepanel=prepanel.depth_function,
  sync.colors = TRUE, alpha = 0.25,
  par.settings = list(
    superpose.line = list(
      col = c('orange', 'royalblue', 'black'),
      lwd = 2, lty = c(1,1,2)
    )
  ),
  strip = strip.custom(bg=grey(0.85)),
  auto.key = list(columns=3, lines=TRUE, points=FALSE)
)

```

```

## again, this time for a user-defined slab from 40-60 cm
a <- slab(sp3,
          fm = group ~ L + A + B,
          slab.structure = c(40,60),
          slab.fun = mean.and.sd
)

# now we have weighted average properties (within the defined slab)
# for each variable, and each group
# convert long -> wide
data.table::dcast(
  data.table::as.data.table(a),
  formula = group + top + bottom ~ variable,
  value.var = 'mean'
)

## this time, compute the weighted mean of selected properties, by profile ID
a <- slab(sp3,
          fm = id ~ L + A + B,
          slab.structure = c(40,60),
          slab.fun = mean.and.sd
)

# convert long -> wide
data.table::dcast(
  data.table::as.data.table(a),
  formula = id + top + bottom ~ variable,
  value.var = 'mean'
)

## aggregate the entire collection, using default slab function (hdquantile)
## note the missing left-hand side of the formula
a <- slab(sp3, fm= ~ L + A + B)

## weighted-aggregation -- NOT YET IMPLEMENTED --
# load sample data, upgrade to SoilProfileCollection
data(sp1)
depths(sp1) <- id ~ top + bottom

# generate pretend weights as site-level attribute
set.seed(10101)
sp1$site.wts <- runif(n=length(sp1), min=20, max=100)

## End(Not run)

```

Description

A method for "slicing" of SoilProfileCollection objects into constant depth intervals. Now deprecated, see [dice()].

Usage

```
slice.fast(object, fm, top.down = TRUE, just.the.data = FALSE, strict = TRUE)

## S4 method for signature 'SoilProfileCollection'
slice(object, fm, top.down = TRUE, just.the.data = FALSE, strict = TRUE)

get.slice(h, id, top, bottom, vars, z, include = "top", strict = TRUE)
```

Arguments

object	a SoilProfileCollection
fm	A formula: either integer.vector ~ var1 + var2 + var3 where named variables are sliced according to integer.vector OR where all variables are sliced according to integer.vector: integer.vector ~ ..
top.down	logical, slices are defined from the top-down: 0:10 implies 0-11 depth units.
just.the.data	Logical, return just the sliced data or a new SoilProfileCollection object.
strict	Check for logic errors? Default: TRUE
h	Horizon data.frame
id	Profile ID
top	Top Depth Column Name
bottom	Bottom Depth Column Name
vars	Variables of Interest
z	Slice Depth (index).
include	Either 'top' or 'bottom'. Boundary to include in slice. Default: 'top'

Value

Either a new SoilProfileCollection with data sliced according to fm, or a data.frame.

Details

By default, slices are defined from the top-down: 0:10 implies 0-11 depth units.

Author(s)

D.E. Beaudette

References

D.E. Beaudette, P. Roudier, A.T. O'Geen, Algorithms for quantitative pedology: A toolkit for soil scientists, Computers & Geosciences, Volume 52, March 2013, Pages 258-268, 10.1016/j.cageo.2012.10.020.

See Also[slab](#)**Examples**

```

library(aqp)

# simulate some data, IDs are 1:20
d <- lapply(1:20, random_profile)
d <- do.call('rbind', d)

# init SoilProfileCollection object
depths(d) <- id ~ top + bottom
head(horizons(d))

# generate single slice at 10 cm
# output is a SoilProfileCollection object
s <- dice(d, fm = 10 ~ name + p1 + p2 + p3)

# generate single slice at 10 cm, output data.frame
s <- dice(d, 10 ~ name + p1 + p2 + p3, SPC = FALSE)

# generate integer slices from 0 - 26 cm
# note that slices are specified by default as "top-down"
# result is a SoilProfileCollection
# e.g. the lower depth will always be top + 1
s <- dice(d, fm = 0:25 ~ name + p1 + p2 + p3)
par(mar=c(0,1,0,1))
plotSPC(s)

# generate slices from 0 - 11 cm, for all variables
s <- dice(d, fm = 0:10 ~ .)
print(s)

# compute percent missing, for each slice,
# if all vars are missing, then NA is returned
d$p1[1:10] <- NA
s <- dice(d, 10 ~ ., SPC = FALSE, pctMissing = TRUE)
head(s)

## Not run:
##
## check sliced data
##

# test that mean of 1 cm slices property is equal to the
# hz-thickness weighted mean value of that property
data(sp1)
depths(sp1) <- id ~ top + bottom

# get the first profile
sp1.sub <- sp1[which(profile_id(sp1) == 'P009'), ]

```

```

# compute hz-thickness wt. mean
hz.wt.mean <- with(
  horizons(sp1.sub),
  sum((bottom - top) * prop) / sum(bottom - top)
)

# hopefully the same value, calculated via slice()
s <- dice(sp1.sub, fm = 0:max(sp1.sub) ~ prop)
hz.slice.mean <- mean(s$prop, na.rm = TRUE)

# they are the same
all.equal(hz.slice.mean, hz.wt.mean)

## End(Not run)

```

slicedHSD

Tukey's HSD Over Slices

Description

Apply Tukey's HSD over 1-unit depth slices.

Usage

```
slicedHSD(object, fm, conf = 0.95)
```

Arguments

object	SoilProfileCollection object
fm	a formula describing depth sequence, horizon attribute, and site (grouping) attribute. For example 0:100 ~ estimated_oc taxonname
conf	confidence applied in TukeyHSD

Author(s)

D.E. Beaudette and Sharon Perrone

soilColorSignature *Soil Profile Color Signatures*

Description

Generate a color signature for each soil profile in a collection.

Usage

```
soilColorSignature(
  spc,
  r = "r",
  g = "g",
  b = "b",
  method = c("colorBucket", "depthSlices", "pam"),
  pam.k = 3,
  RescaleLightnessBy = 1,
  useProportions = TRUE,
  pigmentNames = c(".white.pigment", ".red.pigment", ".green.pigment", ".yellow.pigment",
    ".blue.pigment"),
  apply.fun = lapply
)
```

Arguments

spc	a SoilProfileCollection object
r	horizon level attribute containing soil color (sRGB) red values
g	horizon level attribute containing soil color (sRGB) green values
b	horizon level attribute containing soil color (sRGB) blue values
method	algorithm used to compute color signature, colorBucket, depthSlices, or pam
pam.k	number of classes to request from cluster::pam()
RescaleLightnessBy	rescaling factor for CIE LAB L-coordinate
useProportions	use proportions or quantities, see details
pigmentNames	names for resulting pigment proportions or quantities
apply.fun	function passed to aqp::profileApply(APPLY.FUN) argument, can be used to add progress bars via pbapply::pblapply, or parallel processing with furrr::future_map

Details

See the [related tutorial](#).

Value

For the `colorBucket` method, a `data.frame` object containing:

- `id` column: set according to `idname(spc)`
- `.white.pigment`: proportion or quantity of CIE LAB L-values
- `.red.pigment`: proportion or quantity of CIE LAB positive A-values
- `.green.pigment`: proportion or quantity of CIE LAB negative A-values
- `.yellow.pigment`: proportion or quantity of CIE LAB positive B-values
- `.blue.pigment`: proportion or quantity of CIE LAB negative B-values

Column names can be adjusted with the `pigmentNames` argument.

For the `depthSlices` method ...

For the `pam` method ...

Author(s)

D.E. Beaudette

References

https://en.wikipedia.org/wiki/Lab_color_space

See Also

[munsell2rgb](#)

Examples

```
# trivial example, not very interesting
data(sp1)
depths(sp1) <- id ~ top + bottom

# convert Munsell -> sRGB triplets
rgb.data <- munsell2rgb(sp1$hue, sp1$value, sp1$chroma, return_triplets = TRUE)
sp1$r <- rgb.data$r
sp1$g <- rgb.data$g
sp1$b <- rgb.data$b

# extract color signature
pig <- soilColorSignature(sp1)
```

soilPalette*Soil Color Palette*

Description

A very simple function for generating labeled swatches of soil colors. Largely based on `colorspace::swatchplot`.

Usage

```
soilPalette(  
  colors,  
  lab = colors,  
  lab.cex = 0.75,  
  dynamic.labels = TRUE,  
  x.inset = 0.01,  
  y.inset = 0.01,  
  ...  
)
```

Arguments

<code>colors</code>	vector of hex colors (e.g. <code>#A66E46FF</code>)
<code>lab</code>	vector of labels
<code>lab.cex</code>	character scaling for labels
<code>dynamic.labels</code>	logical, adjust label colors for maximum contrast via <code>invertLabelColor</code>
<code>x.inset</code>	horizontal adjustment for labels
<code>y.inset</code>	vertical adjustment for labels
<code>...</code>	further arguments to <code>colorspace::swatchplot</code>

Value

nothing is returned, function called for graphic output

Note

The result is a simple figure on the active plotting device.

Author(s)

D.E. Beaudette

Examples

```
# maybe useful for teaching about soil color

par(mfrow=c(2,1), mar=c(1,1,1,1))

# demonstrate range of Munsell value
m <- sprintf('10YR %s/4', 2:8)
# convert to hex representation
cols <- parseMunsell(m)
# plot
soilPalette(cols, m)

# demonstrate range of Munsell chroma
m <- sprintf('10YR 4/%s', 2:8)
# convert to hex representation
cols <- parseMunsell(m)
# plot
soilPalette(cols, m)
```

SoilProfileCollection *An S4 object representation of a group of soil profiles.*

Description

In general, one should use `depths()` to initiate a `SoilProfileCollection` object from data. However, sometimes there are instances where either an empty, or very specific, object is needed. If that is the case, the general constructor `SoilProfileCollection` is available.

Usage

```
SoilProfileCollection(
  idcol = "id",
  hzidcol = "hzID",
  depthcols = c("top", "bottom"),
  metadata = list(aqp_df_class = "data.frame", aqp_group_by = "", aqp_hzdesgn = "",
    aqp_hztexcl = "", stringsAsFactors = FALSE),
  horizons = data.frame(id = character(0), hzID = character(0), top = numeric(0), bottom
    = numeric(0), stringsAsFactors = FALSE),
  site = data.frame(id = character(0), stringsAsFactors = FALSE),
  diagnostic = data.frame(stringsAsFactors = FALSE),
  restrictions = data.frame(stringsAsFactors = FALSE)
)
```

Arguments

<code>idcol</code>	character. Profile ID Column Name
<code>hzidcol</code>	character. Horizon ID Column Name

depthcols	character. length 2 Top and Bottom Depth Column Names
metadata	list. metadata including data.frame class in use and depth units
horizons	data.frame. An object inheriting from data.frame containing Horizon data.
site	data.frame. An object inheriting from data.frame containing Site data.
diagnostic	data.frame. An object inheriting from data.frame containing diagnostic feature data. Must contain profile ID. See <code>diagnostic_hz()</code>
restrictions	data.frame. An object inheriting from data.frame containing restrictive feature data. Must contain profile ID. See <code>restrictions()</code>

Details

After aqp 2.0.2, the @sp slot was removed from the SoilProfileCollection object. If you run into errors related to old object definitions, use `rebuildSPC()` on the problematic object.

Slots

idcol character.
 hzidcol character.
 depthcols character.
 metadata list.
 horizons data.frame.
 site data.frame.
 diagnostic data.frame.
 restrictions data.frame.

Author(s)

Pierre Roudier, Dylan E. Beaudette, Andrew G. Brown

Examples

```
## structure of default, empty SoilProfileCollection
str(SoilProfileCollection())

## use the depths() formula interface to specify
## profile ID, top and bottom depth and set up
## a SPC that is topologically correct and complete

d <- do.call('rbind', lapply(1:10, random_profile))

# promote to SoilProfileCollection and plot
depths(d) <- id ~ top + bottom
plot(d)

# split into new SoilProfileCollection objects by index
d.1 <- d[1, ]
```

```

d.2 <- d[2, ]
d.345 <- d[3:5, ]

# combine profile collections
# note that profiles are sorted according to ID
d.new <- c(d.345, d.1, d.2)
plot(d.new)

data(sp1)

## init SoilProfileCollection objects from data.frame
depths(sp1) <- id ~ top + bottom

## depth units
du <- depth_units(sp1)
depth_units(sp1) <- 'in'
depth_units(sp1) <- du

## horizon designation column
hzdesgnname(sp1) <- "name"
hzdesgnname(sp1)

## all designations in an SPC (useful for single profile SPC)
hzDesgn(sp1)

## horizon texture class column
hztexclname(sp1) <- "texture"
hztexclname(sp1)

## get/set metadata on SoilProfileCollection objects
# this is a 1-row data.frame
m <- metadata(sp1)
m$sampler <- 'Dylan'
metadata(sp1) <- m

## extract horizon data from SoilProfileCollection objects as data.frame
h <- horizons(sp1)

# also merge (left-join) of new columns and
# replacement of existing columns via horizons<-
horizons(sp1) <- h

# get number of horizons
nrow(sp1)

## getting site-level data
site(sp1)

## setting site-level data
# site-level data from horizon-level data (stored in @horizons)
site(sp1) <- ~ group

```

```

# make some fake site data, and append from data.frame
# a matching ID column must be present in both @site and new data
# note that IDs should all be character class
d <- data.frame(id=profile_id(sp1), p=runif(n=length(sp1)), stringsAsFactors=FALSE)
site(sp1) <- d

# edit horizon depths
horizonDepths(sp1) <- c('t', 'b')
horizonDepths(sp1)

# edit profile IDs
p <- sprintf("%s-new", profile_id(sp1))
profile_id(sp1) <- p
profile_id(sp1)

```

soiltexture

Lookup tables for sand, silt, clay, texture class, and textural modifiers.

Description

A list that contains a snapshot of the values generated using the logic from the particle size estimator calculation in NASIS, the average values per texture class, and average rock fragment values by textural modifier.

Usage

```
data(soiltexture)
```

Format

A list with 3 data frames. The first named values which contains values for sand, silt and clay by texture class. The second with average values for sand, silt and clay per texture class. The third has fragvoltot low, rv and high values for texmod.

list("clay") clay percentage of the fine earth fraction, a integer vector

list("sand") sand percentage of the fine earth fraction, a integer vector

list("silt") silt percentage of the fine earth fraction, a integer vector

list("texcl") texture class, a character vector

list("texmod") textural modifiers, a character vector

soilTextureColorPal	<i>Soil Texture Color Palettes</i>
---------------------	------------------------------------

Description

Suggested color palettes for USDA soil texture classes, ranked according to average plant-available water holding capacity. The default color mapping schema is based on a palette used by SoilWeb applications.

Usage

```
soilTextureColorPal(simplify = FALSE, schema = "soilweb")
```

Arguments

simplify	logical, return the base 12 (TRUE) or full 21 (FALSE) soil texture classes
schema	select mapping between soil texture classes, and colors, currently limited to 'soilweb'

Value

data.frame from soil texture class codes and colors

Author(s)

D.E. Beaudette, Mike Walkinshaw, A.T. O'Geen

Examples

```
# base 12 soil texture classes
# ranked by plant available water-holding capacity
d <- soilTextureColorPal(simplify = TRUE)
soilPalette(d$color, lab = d$class, lab.cex = 1)

# full 21 soil texture classes
# ranked by plant available water-holding capacity
d <- soilTextureColorPal(simplify = FALSE)
soilPalette(d$color, lab = d$class, lab.cex = 1)
```

SoilTextureLevels	<i>Ranking Systems for USDA Soil Texture Classes</i>
-------------------	--

Description

Generate a vector of USDA soil texture codes or class names, sorted according to approximate particle size

Usage

SoilTextureLevels(which = "codes", simplify = FALSE)

Arguments

which	'codes' (texture codes) or 'names' (texture class names)
simplify	Return 12-class factor levels (TRUE) or 21-class factor levels (default: FALSE)? The 12-class system does not separate sands, loamy sands and sandy loams into sand fraction variants (e.g. "very fine sandy loam" in the 21-class system is "sandy loam" in 12-class system)

Value

an ordered factor

References

Field Book for Describing and Sampling Soils, version 3.0

Examples

```
# class codes
SoilTextureLevels()

# class names
SoilTextureLevels(which = 'names')

# simpler class names
SoilTextureLevels(which = 'names', simplify = TRUE)
```

soil_minerals

Munsell Colors of Common Soil Minerals

Description

Munsell colors for some common soil minerals.

Usage

```
data(soil_minerals)
```

Format

A data frame with 20 observations on the following 5 variables.

mineral mineral name

color Munsell color

hue Munsell hue

value Munsell value

chroma Munsell chroma

Details

Soil color and other properties including texture, structure, and consistence are used to distinguish and identify soil horizons (layers) and to group soils according to the soil classification system called Soil Taxonomy. Color development and distribution of color within a soil profile are part of weathering. As rocks containing iron or manganese weather, the elements oxidize. Iron forms small crystals with a yellow or red color, organic matter decomposes into black humus, and manganese forms black mineral deposits. These pigments paint the soil (Michigan State Soil). Color is also affected by the environment: aerobic environments produce sweeping vistas of uniform or subtly changing color, and anaerobic (lacking oxygen), wet environments disrupt color flow with complex, often intriguing patterns and points of accent. With depth below the soil surface, colors usually become lighter, yellower, or redder.

References

1. Lynn, W.C. and Pearson, M.J., The Color of Soil, The Science Teacher, May 2000.
2. Schwertmann, U. 1993. Relations Between Iron Oxides, Soil Color, and Soil Formation. "Soil Color". SSSA Special Publication no. 31, pages 51–69.

Examples

```
## Not run:
```

```
library(aqp)
```

```
library(ape)
```

```
library(cluster)
```

```
library(farver)

# load common soil mineral colors
data(soil_minerals)

# convert Munsell to R colors
soil_minerals$col <- munsell2rgb(
  soil_minerals$hue,
  soil_minerals$value,
  soil_minerals$chroma
)

# make a grid for plotting
n <- ceiling(sqrt(nrow(soil_minerals)))

# read from top-left to bottom-right
g <- expand.grid(x=1:n, y=n:1)[1:nrow(soil_minerals),]

# convert Munsell -> sRGB -> LAB
col.rgb <- munsell2rgb(
  soil_minerals$hue,
  soil_minerals$value,
  soil_minerals$chroma,
  return_triplets = TRUE
)

# sRGB values expected to be in the range [0,255]
col.rgb <- col.rgb * 255

# convert from sRGB -> CIE LAB
col.lab <- convert_colour(
  col.rgb, from = 'rgb',
  to = 'lab', white_from = 'D65'
)

# keep track of soil mineral names
# in a way that will persist in a dist obj
row.names(col.lab) <- soil_minerals$mineral

# perceptual distance via CIE dE00
d <- compare_colour(
  from = col.lab,
  to = col.lab,
  from_space = 'lab',
  to_space = 'lab',
  white_from = 'D65',
  method = 'CIE2000'
)

# matrix -> dist
d <- as.dist(d)

# divisive hierarchical clustering of LAB coordinates
```

```

h <- as.hclust(diana(d))
p <- as.phylo(h)

# colors, in order based on clustering
# starting from top-left
min.cols <- rev(soil_minerals$col[h$order])

# mineral names, in order based on clustering
# starting from top-left
min.names <- rev(soil_minerals$mineral[h$order])

min.munsell <- rev(soil_minerals$color[h$order])

# plot grid of mineral names / colors
layout(matrix(c(1, 2), nrow = 1), widths = c(1.25, 1))

par(mar = c(1, 0, 0, 1))
plot(g$x, g$y, pch = 15, cex = 12, axes = FALSE, xlab = '', ylab = '',
     col = min.cols,
     xlim = c(0.5, 5.5), ylim = c(1.5, 5.5)
)
text(g$x, g$y, min.names, adj = c(0.45, 5.5), cex = 0.75, font = 2)
text(g$x, g$y, min.munsell, col = invertLabelColor(min.cols), cex = 0.85, font = 2)

title(main = 'Common Soil Pigments', line = -1.75, cex.main = 2)
mtext('U. Schwertmann, 1993. SSSA Special Publication no. 31, pages 51--69', side = 1,
     cex = 0.75, line = -1.5)

# dendrogram + tip labels with mineral colors
plot(p, cex = 0.85, label.offset = 5, font = 1)
tiplabels(pch = 15, cex = 3, offset = 2, col = soil_minerals$col)

## End(Not run)

```

sp1

Soil Profile Data Example 1

Description

Soil profile data from Pinnacles National Monument, CA.

Format

A data frame with 60 observations on the following 21 variables.

group a numeric vector

id a character vector

top a numeric vector
bottom a numeric vector
bound_distinct a character vector
bound_topography a character vector
name a character vector
texture a character vector
prop a numeric vector
structure_grade a character vector
structure_size a character vector
structure_type a character vector
stickiness a character vector
plasticity a character vector
field_ph a numeric vector
hue a character vector
value a numeric vector
chroma a numeric vector

References

<https://casoilresource.lawr.ucdavis.edu/>

Examples

```

data(sp1)
# convert colors from Munsell to hex-encoded RGB
sp1$soil_color <- with(sp1, munsell2rgb(hue, value, chroma))

# promote to SoilProfileCollection
depths(sp1) <- id ~ top + bottom
site(sp1) <- ~ group

# re-sample each profile into 1 cm (thick) depth slices
# for the variables 'prop', 'name', 'soil_color'
# result is a SoilProfileCollection object
s <- dice(sp1, 0:25 ~ prop + name + soil_color)

# plot, note slices
plot(s)

# aggregate all profiles along 1 cm depth slices,
# using data from column 'prop'
s1 <- slab(sp1, fm= ~ prop)

# check median & IQR
library(lattice)

```

```
xyplot(top ~ p.q50 + p.q25 + p.q75,
data=s1, type='S', horizontal=TRUE, col=1, lty=c(1,2,2),
panel=panel.superpose, ylim=c(110,-5), asp=2)
```

sp2

Honcut Creek Soil Profile Data

Description

A collection of 18 soil profiles, consisting of select soil morphologic attributes, associated with a stratigraphic study conducted near Honcut Creek, California.

Format

A data frame with 154 observations on the following 21 variables.

id profile id
surface dated surface
top horizon top in cm
bottom horizon bottom in cm
bound_distinct horizon lower boundary distinctness class
bound_topography horizon lower boundary topography class
name horizon name
texture USDA soil texture class
prop field-estimated clay content
structure_grade soil structure grade
structure_size soil structure size
structure_type soil structure type
stickiness stickiness
plasticity plasticity
field_ph field-measured pH
hue Munsell hue
value Munsell value
chroma Munsell chroma
r RGB red component
g RGB green component
b RGB blue component
soil_color R-friendly encoding of soil color

Author(s)

Dylan E. Beaudette

Source

Busacca, Alan J.; Singer, Michael J.; Verosub, Kenneth L. 1989. Late Cenozoic stratigraphy of the Feather and Yuba rivers area, California, with a section on soil development in mixed alluvium at Honcut Creek. USGS Bulletin 1590-G.

References

<https://casoilresource.lawr.ucdavis.edu/>

Examples

```
# keep examples from using more than 2 cores
data.table::setDTthreads(Sys.getenv("OMP_THREAD_LIMIT", unset = 2))

data(sp2)

# convert into SoilProfileCollection object
depths(sp2) <- id ~ top + bottom

# transfer site-level data
site(sp2) <- ~ surface

# generate a new plotting order, based on the dated surface each soil was described on
p.order <- order(sp2$surface)

# plot
par(mar=c(1,0,3,0))
plot(sp2, plot.order=p.order)

# setup multi-figure output
par(mfrow=c(2,1), mar=c(0,0,1,0))

# truncate plot to 200 cm depth
plot(sp2, plot.order=p.order, max.depth=200)
abline(h=200, lty=2, lwd=2)

# compute numerical distances between profiles
# based on select horizon-level properties, to a depth of 200 cm
d <- NCSP(sp2, vars=c('prop','field_ph','hue'), maxDepth = 100, k = 0)

# plot dendrogram with ape package:
if(require(ape) & require(cluster)) {
  h <- diana(d)
  p <- as.phylo(as.hclust(h))
  plot(p, cex=0.75, label.offset=0.01, font=1, direct='down', srt=90, adj=0.5, y.lim=c(-0.125, 0.5))

# add in the dated surface type via color
tiplabels(col=as.numeric(sp2$surface), pch=15)
```

```
# based on distance matrix values, YMMV
legend('topleft', legend=levels(sp2$surface), col=1:6, pch=15, bty='n', bg='white', cex=0.75)
}
```

sp3

Soil Profile Data Example 3

Description

Soil samples from 10 soil profiles, taken from the Sierra Foothill Region of California.

Format

A data frame with 46 observations on the following 15 variables.

id soil id
top horizon upper boundary (cm)
bottom horizon lower boundary (cm)
clay clay content
cec CEC by amonium acetate at pH 7
ph pH in 1:1 water-soil mixture
tc total carbon percent
hue Munsell hue (dry)
value Munsell value (dry)
chroma Munsell chroma (dry)
mid horizon midpoint (cm)
ln_tc natural log of total carbon percent
L color: l-coordinate, CIE-LAB colorspace (dry)
A color: a-coordinate, CIE-LAB colorspace (dry)
B color: b-coordinate, CIE-LAB colorspace (dry)
name horizon name
soil_color horizon color

Details

These data were collected to support research funded by the Kearney Foundation of Soil Science.

References

<https://casoilresource.lawr.ucdavis.edu/>

Examples

```
## this example investigates the concept of a "median profile"

# required packages
if (require(ape) & require(cluster)) {
  data(sp3)

  # generate a RGB version of soil colors
  # and convert to HSV for aggregation
  sp3$h <- NA
  sp3$s <- NA
  sp3$v <- NA
  sp3.rgb <- with(sp3, munsell2rgb(hue, value, chroma, return_triplets = TRUE))

  sp3[, c('h', 's', 'v')] <- t(with(sp3.rgb, rgb2hsv(r, g, b, maxColorValue = 1)))

  # promote to SoilProfileCollection
  depths(sp3) <- id ~ top + bottom

  # aggregate across entire collection
  a <- slab(sp3, fm = ~ clay + cec + ph + h + s + v, slab.structure = 10)

  # check
  str(a)

  # convert back to wide format
  library(data.table)

  a.wide.q25 <- dcast(as.data.table(a), top + bottom ~ variable, value.var = c('p.q25'))
  a.wide.q50 <- dcast(as.data.table(a), top + bottom ~ variable, value.var = c('p.q50'))
  a.wide.q75 <- dcast(as.data.table(a), top + bottom ~ variable, value.var = c('p.q75'))

  # add a new id for the 25th, 50th, and 75th percentile pedons
  a.wide.q25$id <- 'Q25'
  a.wide.q50$id <- 'Q50'
  a.wide.q75$id <- 'Q75'

  # combine original data with "mean profile"
  vars <- c('top', 'bottom', 'id', 'clay', 'cec', 'ph', 'h', 's', 'v')
  # make data.frame version of sp3
  sp3.df <- as(sp3, 'data.frame')

  sp3.grouped <- as.data.frame(rbind(as.data.table(horizons(sp3))[ , .SD, .SDcol = vars],
                                     a.wide.q25[, .SD, .SDcol = vars],
                                     a.wide.q50[, .SD, .SDcol = vars],
                                     a.wide.q75[, .SD, .SDcol = vars]))

  # re-constitute the soil color from HSV triplets
  # convert HSV back to standard R colors
  sp3.grouped$soil_color <- with(sp3.grouped, hsv(h, s, v))

  # give each horizon a name
```

```

sp3.grouped$name <- paste(
  round(sp3.grouped$clay),
  '/',
  round(sp3.grouped$cec),
  '/',
  round(sp3.grouped$ph, 1)
)

# first promote to SoilProfileCollection
depths(sp3.grouped) <- id ~ top + bottom

plot(sp3.grouped)

## perform comparison, and convert to phylo class object
## D is rescaled to [0,]
d <- NCSP(
  sp3.grouped,
  vars = c('clay', 'cec', 'ph'),
  maxDepth = 100,
  k = 0.01
)

h <- agnes(d, method = 'ward')
p <- ladderize(as.phylo(as.hclust(h)))

# look at distance plot-- just the median profile
plot_distance_graph(d, 12)

# similarity relative to median profile (profile #12)
round(1 - (as.matrix(d)[12, ] / max(as.matrix(d)[12, ])), 2)

## make dendrogram + soil profiles

# setup plot: note that D has a scale of [0,1]
par(mar = c(1, 1, 1, 1))
p.plot <- plot(p,
  cex = 0.8,
  label.offset = 3,
  direction = 'up',
  y.lim = c(200, 0),
  x.lim = c(1.25, length(sp3.grouped) + 1),
  show.tip.label = FALSE)

# get the last plot geometry
lastPP <- get("last_plot.phylo", envir = ape::.PlotPhyloEnv)

# the original labels, and new (indexed) order of pedons in dendrogram
d.labels <- attr(d, 'Labels')

new_order <- sapply(1:lastPP$Ntip,
  function(i)
    which(as.integer(lastPP$xx[1:lastPP$Ntip]) == i))

```

```

# plot the profiles, in the ordering defined by the dendrogram
# with a couple fudge factors to make them fit
plotSPC(
  sp3.grouped,
  color = "soil_color",
  plot.order = new_order,
  y.offset = max(lastPP$yy) + 10,
  width = 0.1,
  cex.names = 0.5,
  add = TRUE
)
}

```

sp4

*Soil Chemical Data from Serpentinic Soils of California***Description**

Soil Chemical Data from Serpentinic Soils of California

Format

A data frame with 30 observations on the following 13 variables.

id site name
name horizon designation
top horizon top boundary in cm
bottom horizon bottom boundary in cm
K exchangeable K in c mol/kg
Mg exchangeable Mg in cmol/kg
Ca exchangeable Ca in cmol/kg
CEC_7 cation exchange capacity (NH₄OAc at pH 7)
ex_Ca_to_Mg extractable Ca:Mg ratio
sand sand content by weight percentage
silt silt content by weight percentage
clay clay content by weight percentage
CF >2mm fraction by volume percentage

Details

Selected soil physical and chemical data from (McGahan et al., 2009).

Source

<https://www.soils.org/publications/sssaj/articles/73/6/2087>

References

McGahan, D.G., Southard, R.J., Claassen, V.P. 2009. Plant-Available Calcium Varies Widely in Soils on Serpentine Landscapes. *Soil Sci. Soc. Am. J.* 73: 2087-2095.

Examples

```
# load sample data set, a simple data.frame object with horizon-level data from 10 profiles
library(aqp)
data(sp4)
str(sp4)
sp4$idbak <- sp4$id

# upgrade to SoilProfileCollection
# 'id' is the name of the column containing the profile ID
# 'top' is the name of the column containing horizon upper boundaries
# 'bottom' is the name of the column containing horizon lower boundaries
depths(sp4) <- id ~ top + bottom

# check it out
class(sp4) # class name
str(sp4) # internal structure

# check integrity of site:horizon linkage
spc_in_sync(sp4)

# check horizon depth logic
checkHzDepthLogic(sp4)

# inspect object properties
idname(sp4) # self-explanatory
horizonDepths(sp4) # self-explanatory

# you can change these:
depth_units(sp4) # defaults to 'cm'
metadata(sp4) # not much to start with

# alter the depth unit metadata
depth_units(sp4) <- 'inches' # units are really 'cm'

# more generic interface for adjusting metadata

# add attributes to metadata list
metadata(sp4)$describer <- 'DGM'
metadata(sp4)$date <- as.Date('2009-01-01')
metadata(sp4)$citation <- 'McGahan, D.G., Southard, R.J., Claassen, V.P.
2009. Plant-Available Calcium Varies Widely in Soils
on Serpentine Landscapes. Soil Sci. Soc. Am. J. 73: 2087-2095.'

depth_units(sp4) <- 'cm' # fix depth units, back to 'cm'

# further inspection with common function overloads
length(sp4) # number of profiles in the collection
```

```

nrow(sp4) # number of horizons in the collection
names(sp4) # column names
min(sp4) # shallowest profile depth in collection
max(sp4) # deepest profile depth in collection

# extraction of soil profile components
profile_id(sp4) # vector of profile IDs
horizons(sp4) # horizon data

# extraction of specific horizon attributes
sp4$clay # vector of clay content

# subsetting SoilProfileCollection objects
sp4[1, ] # first profile in the collection
sp4[, 1] # first horizon from each profile

# basic plot method, highly customizable: see manual page ?plotSPC
plot(sp4)
# inspect plotting area, very simple to overlay graphical elements
abline(v=1:length(sp4), lty=3, col='blue')
# profiles are centered at integers, from 1 to length(obj)
axis(1, line=-1.5, at=1:10, cex.axis=0.75, font=4, col='blue', lwd=2)
# y-axis is based on profile depths
axis(2, line=-1, at=pretty(1:max(sp4))), cex.axis=0.75, font=4, las=1, col='blue', lwd=2)

# symbolize soil properties via color
par(mar=c(0,0,4,0))
plot(sp4, color='clay')
plot(sp4, color='CF')

# apply a function to each profile, returning a single value per profile,
# in the same order as profile_id(sp4)
soil.depths <- profileApply(sp4, max) # recall that max() gives the depth of a soil profile

# check that the order is correct
all.equal(names(soil.depths), profile_id(sp4))

# a vector of values that is the same length as the number of profiles
# can be stored into site-level data
sp4$depth <- soil.depths
# check: looks good
max(sp4[1, ]) == sp4$depth[1]

# extract site-level data
site(sp4) # as a data.frame
sp4$depth # specific columns as a vector

# use site-level data to alter plotting order
new.order <- order(sp4$depth) # the result is an index of rank
par(mar=c(0,0,0,0))
plot(sp4, plot.order=new.order)

```

```
# deconstruct SoilProfileCollection into a data.frame, with horizon+site data
as(sp4, 'data.frame')
```

sp5

Sample Soil Database #5

Description

296 Soil Profiles from the La Rochelle region of France (F. Carre and Girard, 2002)

Format

SoilProfileCollection object

Details

These data are c/o F. Carre (Florence.CARRE@ineris.fr).

Source

296 Soil Profiles from the La Rochelle region of France (F. Carre and Girard, 2002). These data can be found on the OSACA project page (<http://eusoils.jrc.ec.europa.eu/projects/OSACA/>).

References

F. Carre, M.C. Girard. 2002. Quantitative mapping of soil types based on regression kriging of taxonomic distances with landform and land cover attributes. *Geoderma*. 110: 241–263.

Examples

```
## Not run:
library(scales)
data(sp5)
par(mar=c(1,1,1,1))
# plot a random sampling of profiles
s <- sample(1:length(sp5), size=25)
plot(sp5[s, ], divide.hz=FALSE)

# plot the first 100 profiles, as 4 rows of 25, hard-coding the max depth
layout(matrix(c(1,2,3,4), ncol=1), height=c(0.25,0.25,0.25,0.25))
plot(sp5[1:25, ], max.depth=300)
plot(sp5[26:50, ], max.depth=300)
plot(sp5[51:75, ], max.depth=300)
plot(sp5[76:100, ], max.depth=300)

# 4x1 matrix of plotting areas
layout(matrix(c(1,2,3,4), ncol=1), height=c(0.25,0.25,0.25,0.25))
```

```

# plot profiles, with points added to the mid-points of randomly selected horizons
sub <- sp5[1:25, ]
plot(sub, max.depth=300) ; mtext('Set 1', 2, line=-0.5, font=2)
y.p <- profileApply(sub, function(x) {
  s <- sample(1:nrow(x), 1)
  h <- horizons(x); with(h[s,], (top+bottom)/2)
})
points(1:25, y.p, bg='white', pch=21)

# plot profiles, with arrows pointing to profile bottoms
sub <- sp5[26:50, ]
plot(sub, max.depth=300); mtext('Set 2', 2, line=-0.5, font=2)
y.a <- profileApply(sub, function(x) max(x))
arrows(1:25, y.a-50, 1:25, y.a, len=0.1, col='white')

# plot profiles, with points connected by lines: ideally reflecting some kind of measured data
sub <- sp5[51:75, ]
plot(sub, max.depth=300); mtext('Set 3', 2, line=-0.5, font=2)
y.p <- 20*(sin(1:25) + 2*cos(1:25) + 5)
points(1:25, y.p, bg='white', pch=21)
lines(1:25, y.p, lty=2)

# plot profiles, with polygons connecting horizons with max clay content (+/-) 10 cm
sub <- sp5[76:100, ]
y.clay.max <- profileApply(sub, function(x) {
  i <- which.max(x$clay)
  h <- horizons(x)
  with(h[i, ], (top+bottom)/2)
} )

plot(sub, max.depth=300); mtext('Set 4', 2, line=-0.5, font=2)
polygon(c(1:25, 25:1), c(y.clay.max-10, rev(y.clay.max+10)),
border='black', col=rgb(0,0,0.8, alpha=0.25))
points(1:25, y.clay.max, pch=21, bg='white')

# close plot
dev.off()

# plotting parameters
yo <- 100 # y-offset
sf <- 0.65 # scaling factor
# plot profile sketches
par(mar=c(0,0,0,0))
plot(sp5[1:25, ], max.depth=300, y.offset=yo, scaling.factor=sf)
# optionally add describe plotting area above profiles with lines
# abline(h=c(0,90,100, (300*sf)+yo), lty=2)
# simulate an environmental variable associated with profiles (elevation, etc.)
r <- vector(mode='numeric', length=25)
r[1] <- -50 ; for(i in 2:25) {r[i] <- r[i-1] + rnorm(mean=-1, sd=25, n=1)}
# rescale
r <- rescale(r, to=c(80, 0))
# illustrate gradient with points/lines/arrows

```

```

lines(1:25, r)
points(1:25, r, pch=16)
arrows(1:25, r, 1:25, 95, len=0.1)
# add scale for simulated gradient
axis(2, at=pretty(0:80), labels=rev(pretty(0:80)), line=-1, cex.axis=0.75, las=2)
# depict a secondary environmental gradient with polygons (water table depth, etc.)
polygon(c(1:25, 25:1), c((100-r)+150, rep((300*sf)+yo, times=25)),
border='black', col=rgb(0,0,0.8, alpha=0.25))

## End(Not run)

```

sp6

*Soil Physical and Chemical Data from Manganiferous Soils***Description**

Soil Physical and Chemical Data from Manganiferous Soils (Bourgault and Rabenhorst, 2011)

Format

A data frame with 30 observations on the following 13 variables.

id pedon name
name horizon designation
top horizon top boundary in cm
bottom horizon bottom boundary in cm
color moist soil color in Munsell notation
texture USDA soil texture class
sand sand content by weight percentage
silt silt content by weight percentage
clay clay content by weight percentage
Fe DCB-extracted Fe in g/kg (see citation)
Mn DCB-extracted Mn in g/kg (see citation)
C total organic carbon as g/kg
pH measured in 1:1 H2O slurry
Db bulk density (g/cc), clod method

Details

Selected soil physical and chemical data from (Bourgault and Rabenhorst, 2011).

Source

<http://www.sciencedirect.com/science/article/pii/S0016706111001972>

References

Rebecca R. Bourgault, Martin C. Rabenhorst. 2011. Genesis and characterization of manganiferous soils in the Eastern Piedmont, USA. *Geoderma*. 165:84-94.

Examples

```
# setup environment
library(aqp)
data(sp6)

# init SPC
depths(sp6) <- id ~ top + bottom
# convert non-standard Munsell colors
sp6$soil_color <- getClosestMunsellChip(sp6$color)

# profile sketches
par(mar=c(0,0,3,0))
plot(sp6, color='soil_color')
plot(sp6, color='Mn')
plot(sp6, color='Fe')
plot(sp6, color='pH')
plot(sp6, color='texture')
```

SPC.with.overlap

Example SoilProfileCollection with Overlapping Horizons

Description

A SoilProfileCollection with overlapping horizons, derived from a Dynamic Soil Properties project.

Usage

```
data(SPC.with.overlap)
```

Format

A SoilProfileCollection

spc2mpspline, SoilProfileCollection-method

SoilProfileCollection wrapper for mpspline2::mpspline()

Description

Generate mass-preserving splines for any numeric attribute in a SoilProfileCollection using mpspline2::mpspline(). mpspline2 implements the method described in Bishop et al. (1999). Currently this function only works with a single var_name at a time.

Usage

```
## S4 method for signature 'SoilProfileCollection'
spc2mpspline(
  object,
  var_name = NULL,
  method = c("est_1cm", "est_icm", "est_dcm"),
  pattern = "R|Cr|Cd|qm",
  hzdesgn = NULL,
  ...
)
```

Arguments

object	A SoilProfileCollection
var_name	Column name in @horizons slot of object containing numeric values to spline
method	Options include "est_1cm" (default; 1cm estimates), "est_icm" (estimates over original layer boundaries), "est_dcm" (estimates over constant interval, specified with d argument to mpspline3::mpspline()). Default value for d is c(0, 5, 15, 30, 60, 100, 200).
pattern	Regex pattern to match for bottom of profile (passed to minDepthOf()) default: "R Cr Cd qm"; only used if hzdesgn is specified
hzdesgn	Column name in @horizons slot of object containing horizon designations default: NULL
...	Additional arguments to mpspline2::mpspline()

Details

This function now relies on the missing data checks provided by the mpspline2 package. See attr(..., 'removed') to see whole profiles that were removed from the set. Horizons containing NA in the property of interest are dropped with a message.

Data completeness is assessed and the input SoilProfileCollection is filtered and truncated to create a container for the results from mpspline2::mpspline().

Value

A SoilProfileCollection with 1cm slices. Spline variables are in columns prefixed with "spline_" and RMSE/RMSE_IQR are in columns prefixed with "rmse_". If any profiles were removed from the collection, their profile IDs are stored in `attr(result, 'removed')`.

Author(s)

Andrew G. Brown

References

Bishop, T.F.A., McBratney, A.B., Laslett, G.M. (1999) Modelling soil attribute depth functions with equal-area quadratic smoothing splines. *Geoderma* 91(1–2), pp. 27–45. doi:[10.1016/S0016-7061\(99\)000038](https://doi.org/10.1016/S0016-7061(99)000038)

O’Brien, Lauren (2022). mpspline2: Mass-Preserving Spline Functions for Soil Data. R package version 0.1.6. <https://cran.r-project.org/package=mpspline2>

Examples

```
if (requireNamespace("mpspline2")) {
  data(sp1)
  depths(sp1) <- id ~ top + bottom

  res <- spc2mpspline(sp1, "prop")

  plotSPC(res[1:5,], color = "prop_spline", divide.hz = FALSE)
}
```

spc_in_sync

Quickly assess relative state of site and horizon slots

Description

Determine "state" of SoilProfileCollection before or after major modifications of site or horizon slot contents.

Two logical checks are performed on the site and horizon tables, and a third element `valid` returns TRUE when both checks are TRUE.

Check 1: Same number of sites in site as number of sites in horizons. No intermingling of IDs, no orphan horizons, no sites without horizons (for now)

Check 2: Site IDs match coalesced profile ID from horizons. Ensures the same *relative* ordering, but horizons still may be out of order within profiles

Usage

```
spc_in_sync(object)
```

Arguments

object A SoilProfileCollection

Value

data.frame

Author(s)

Andrew G. Brown

Examples

```
data(sp5)

spc_in_sync(sp5)
```

spec2Munsell	<i>Convert reflectance spectra to closest Munsell chip</i>
--------------	--

Description

Convert reflectance spectra to closest Munsell chip

Usage

```
spec2Munsell(
  x,
  res = 10,
  convert = TRUE,
  SO = c("CIE1931", "CIE1964"),
  illuminant = c("D65", "F2"),
  ...
)
```

Arguments

x	reflectance spectra, must range from 380nm to 730nm with resolution specified in res
res	spectra resolution in nm, typically 5nm or 10nm
convert	logical, convert sRGB coordinates to closest Munsell chip (see ?munsell)
SO	CIE standard observer: these are the color matching functions defined by CIE and used to represent "average" human color perception. CIE1931 is the 2 degree standard observer more useful for describing color perception over very small areas or at distance. CIE1964 is the 10 degree standard observer, used for most industrial color matching applications.

```

illuminant    CIE standard illuminants:
              • D65 represents average daylight
              • F2 represents typical fluorescent lighting
...           further arguments to col2Munsell\(\)

```

Details

See the [expanded tutorial](#) for additional examples.

Value

output from [col2Munsell\(\)](#)

References

Marcus, R.T. (1998). The Measurement of Color. In K. Nassau (Ed.), Color for Science, Art, and Technology (pp. 32-96). North-Holland.

CIE Colorimetry – Part 1: CIE standard colorimetric observers. CIES014-1/E:2006 – ISO 11664-1:2007(E)

CIE. (n.d.). CIE 15:2004 Tables Data. Retrieved from <https://law.resource.org/pub/us/cfr/ibr/003/cie.15.2004.tables.xls>

spectral.reference	<i>Standard Illuminants and Observers</i>
--------------------	---

Description

D65 and F2 standard illuminant spectral power distributions, CIE1931 Standard Observer (2 degree), and CIE1964 Supplemental Standard Observer (10 degree)

Usage

```
data(spectral.reference)
```

Format

An object of class `data.frame` with 71 rows and 9 columns.

References

Marcus, R.T. (1998). The Measurement of Color. In K. Nassau (Ed.), Color for Science, Art, and Technology (pp. 32-96). North-Holland.

CIE Colorimetry – Part 1: CIE standard colorimetric observers. CIES014-1/E:2006 – ISO 11664-1:2007(E)

CIE. (n.d.). CIE 15:2004 Tables Data. Retrieved from <https://law.resource.org/pub/us/cfr/ibr/003/cie.15.2004.tables.xls>

Examples

```

data("spectral.reference")

matplot(
  x = spectral.reference[, 1],
  y = spectral.reference[, c('xbar_2', 'ybar_2', 'zbar_2')],
  ylim = c(0, 2),
  type = 'l',
  lwd = 2,
  lty = 1,
  las = 1,
  xlab = 'Wavelength (nm)',
  ylab = 'Weight | Intensity',
  main = "CIE1931 (2\u00B0) and CIE1964 (10\u00B0) Standard Observers
D65 and F2 Illuminant Power Spectrum (rescaled / offset for clarity)",
  cex.main = 0.9
)

matlines(
  x = spectral.reference[, 1],
  y = spectral.reference[, c('xbar_10', 'ybar_10', 'zbar_10')],
  type = 'l',
  lwd = 2,
  lty = 2,
  las = 1,
  xlab = 'Wavelength (nm)',
  ylab = 'Weight | Intensity',
  main = 'CIE1931 Standard Observer Weights\nD65 Standard Illuminant'
)

lines(
  x = spectral.reference$w,
  y = (spectral.reference$D65 / 100) + 0.33,
  lty = 1,
  col = 'royalblue'
)

lines(
  x = spectral.reference$w,
  y = (spectral.reference$F2 / 25) + 0.4,
  lty = 1,
  col = 'violet'
)

legend(
  'topright',
  legend = c('X_2', 'Y_2', 'Z_2', 'X_10', 'Y_10', 'Z_10', 'D65', 'F2'),
  col = c(1, 2, 3, 1, 2, 3, 'royalblue', 'violet'),
  lwd = c(2, 2, 2, 2, 2, 2, 1, 1),
  lty = c(1, 1, 1, 2, 2, 2, 1, 1),
  bty = 'n',
  cex = 0.85
)

```

)

split, SoilProfileCollection-method

Split a SoilProfileCollection object into a list of SoilProfileCollection objects.

Description

This function splits a SoilProfileCollection into a list of SoilProfileCollection objects using a site-level attribute to define groups or profile ID (idname(x)).

Usage

```
## S4 method for signature 'SoilProfileCollection'
split(x, f, drop = TRUE, ...)
```

Arguments

x	SoilProfileCollection object
f	character vector naming a single site-level attribute that defines groups, a ‘factor’ in the sense that <code>as.factor(f)</code> defines the grouping, or a list of such factors in which case their interaction is used for the grouping.
drop	logical indicating if levels that do not occur should be dropped (if f is a factor or a list). When <code>drop=FALSE</code> and f contains missing values an additional group "missing" is returned.
...	additional arguments are ignored

Details

As of aqp 1.25, omission of f argument is no longer possible, as the base R generic is overloaded by this SoilProfileCollection method. This used to result in an "identity" split, according to `idname(x)`, e.g. a list as long as `length(x)`, with a single-profile SoilProfileCollection per list element. Replicate this behavior using `f = idname(x)` or `f = profile_id(x)`.

Value

A list of SoilProfileCollection or NULL for empty result.

Author(s)

D.E. Beaudette and A.G. Brown

Examples

```

data(sp2)
depths(sp2) <- id ~ top + bottom

# add a more interesting site-level attribute
site(sp2) <- ~ surface

# using identity site-level attribute (profile ID)
p1 <- split(sp2, f = idname(sp2))
names(p1)
length(p1)

# using vector equal in length to number of profiles (profile ID, again)
p2 <- split(sp2, f = profile_id(sp2))
names(p2)
length(p2)

# which are both equivalent to setting `f` to NULL
p3 <- split(sp2, f = NULL)
names(p3)
length(p3)

# split on surface (age) site-level var
p4 <- split(sp2, f = "surface")
names(p4)
length(p4) # 5 unique "surfaces", 5 SPCs in result list

```

splitLogicErrors	<i>Split a SoilProfileCollection into a list based on types of horizon logic errors</i>
------------------	---

Description

Uses checkHzDepthLogic() to identify presence of depth logic errors, same depths, missing depths, and overlaps/gaps between the horizons of each profile in a SoilProfileCollection.

Usage

```
splitLogicErrors(object, interact = FALSE, ...)
```

Arguments

object	A SoilProfileCollection
interact	Calculate interaction between the four logic errors for groups? Default: FALSE always returns 4 groups, one for each logic error type.
...	Additional arguments to split.default, called when interact = TRUE

Value

A named list of SoilProfileCollections (or NULL), with names: "depthLogic", "sameDepth", "missingDepth", "overlapOrGap". If `interact = TRUE` then the list elements groups determined by `interaction()` of the error types.

Examples

```
data(sp4)
depths(sp4) <- id ~ top + bottom

# no errors (all four list elements return NULL)
splitLogicErrors(sp4)

# NA in top depth triggers depth logic and missing depth errors
data(sp4)
sp4$top[1] <- NA
depths(sp4) <- id ~ top + bottom

splitLogicErrors(sp4)

# interact = TRUE gets errors for profile 1 in same group
# and allows you to pass extra arguments to split.default()
splitLogicErrors(sp4, interact = TRUE, sep = "_", drop = TRUE)
```

subApply

Subset SPC based on result of performing function on each profile

Description

`subApply()` is a function used for subsetting SoilProfileCollections. It currently does NOT support for "tidy" lexical features in the `...` arguments passed to `profileApply()`. The expectation is that the function `.fun` takes a single-profile SoilProfileCollection and returns a logical value of length one. The use case would be for any logical comparisons that cannot be evaluated inline by `subSPC()` because they require more than simple logical operations.

Usage

```
subApply(object, .fun, ...)
```

Arguments

<code>object</code>	A SoilProfileCollection
<code>.fun</code>	A function that takes a single profile, returns <i>logical</i> of length 1.
<code>...</code>	Additional arguments are passed to <code>.fun</code>

Value

A SoilProfileCollection.

Author(s)

Andrew G. Brown.

subset,SoilProfileCollection-method
<i>Subset a SoilProfileCollection with logical expressions</i>

Description

subset() is a function used for extracting profiles from a SoilProfileCollection based on logical criteria. It allows the user to specify an arbitrary number of logical vectors (equal in length to site or horizon), separated by commas. The function includes some support for non-standard evaluation.

Usage

```
## S4 method for signature 'SoilProfileCollection'
subset(x, ..., greedy = FALSE)
```

Arguments

x	A SoilProfileCollection
...	Comma-separated set of R expressions that evaluate as TRUE or FALSE. Length for individual expressions matches number of sites OR number of horizons, in object.
greedy	Use "greedy" matching for combination of site and horizon level matches? greedy = TRUE is the union, whereas greedy = FALSE (default) is the intersection (of site and horizon matches).

Details

To minimize likelihood of issues with non-standard evaluation context, especially when using subset() inside another function, all expressions used in ... should be in terms of variables that are in the site or horizon data frame.

Value

A SoilProfileCollection.

Author(s)

Andrew G. Brown.

`subsetHz, SoilProfileCollection-method`*Subset the horizons in a SoilProfileCollection using logical criteria*

Description

`subsetHz()` is a function used for extracting horizons from a `SoilProfileCollection` based on logical criteria.

Usage

```
## S4 method for signature 'SoilProfileCollection'
subsetHz(x, ..., drop = TRUE)
```

Arguments

<code>x</code>	a <code>SoilProfileCollection</code>
<code>...</code>	Comma-separated set of R expressions that evaluate as TRUE or FALSE in context of horizon data frame. Length for individual expressions matches number of horizons, in <code>x</code> .
<code>drop</code>	Default: TRUE. When <code>drop=FALSE</code> placeholder horizons (profile ID with all other values NA) are created where the specified filter results in removal of all horizons.

Details

To minimize likelihood of issues with non-standard evaluation context, especially when using `subsetHz()` inside another function, all expressions used in `...` should be in terms of variables that are in the horizon data frame.

Value

a `SoilProfileCollection` with a subset of horizons, possibly with some sites removed

Examples

```
data(sp3)

depths(sp3) <- id ~ top + bottom

# show just horizons with 10YR hues
plot(subsetHz(sp3, hue == '10YR'))
```

subsetProfiles	<i>DEPRECATED use subset</i>
----------------	------------------------------

Description

This function is used to subset SoilProfileCollection objects using either site-level or horizon-level attributes, or both.

Usage

```
## S4 method for signature 'SoilProfileCollection'
subsetProfiles(object, s, h, ...)
```

Arguments

object	object
s	fully-quoted search criteria for matching via site-level attributes
h	fully-quoted search criteria for matching via horizon-level attributes
...	not used

Details

The `s` argument supplies a fully-quoted search criteria for matching via site or horizon-level attributes. The `h` argument supplies a fully-quoted search criteria for matching via horizon-level attributes. All horizons associated with a single horizon-level match (i.e. out of several, only a single horizon matches the search criteria) are returned. See examples for usage.

Value

A SoilProfileCollection class object.

Examples

```
# more interesting sample data
data(sp2)
depths(sp2) <- id ~ top + bottom
site(sp2) <- ~ surface

# subset by integer index, note that this does not re-order the profiles
plot(sp2[1:5, ])

# generate an integer index via pattern-matching
idx <- grep('modesto', sp2$surface, ignore.case=TRUE)
plot(sp2[idx, ])

# generate in index via profileApply:
# subset those profiles where: min(ph) < 5.6
idx <- which(profileApply(sp2, function(i) min(i$field_ph, na.rm=TRUE) < 5.6))
```

```
plot(sp2[idx, ])
```

summarizeSPC	<i>Perform summaries on groups (from group_by) and create new site or horizon level attributes</i>
--------------	--

Description

summarize() is a function used for summarizing a SoilProfileCollection object. Specify the groups using the group_by verb, and then (named) expressions to evaluate on each group. The result is a data.frame with one row per categorical level in the grouping variable and one column for each summary variable.

Usage

```
summarizeSPC(object, ...)
```

Arguments

object	A SoilProfileCollection
...	A set of (named) comma-delimited R expressions that resolve to a summary value. e.g groupmean = mean(clay, na.rm = TRUE)

Value

A data.frame with one row per level in the grouping variable, and one column for each summary

Author(s)

Andrew G. Brown

tauW	<i>Compute weighted naive and tau statistics for a cross-classification matrix</i>
------	--

Description

tauW: Computes: (1) unweighted naive, (2) weighted naive, (3) unweighted *tau*, (4) weighted *tau* accuracy statistics

Usage

```
tauW(
  CM,
  W = diag(sqrt(length(as.matrix(CM)))),
  P = rep(1/nrow(as.matrix(CM)), nrow(as.matrix(CM)))
)

summaryTauW(result.tau)
```

Arguments

CM	a square confusion (cross-classification) matrix (rows: allocation, columns: reference)
W	weights: 1 on diagonals, [-1..1] off giving partial credit to this error
P	prior probability vector, length = number of rows/columns in CM and W
result.tau	tauW() result

Details

summaryTauW: prints a summary of the results from *tauW*

xtableTauW: formats a LaTeX table with results from *tauW* and saves it as a .tex file for import into a LaTeX document.

Input matrices CM and W may be in data.frame format and will be converted

Weights matrix W: 0 = no credit; 1 = full credit; -1 = maximum penalty

If absent, default is no partial credit, i.e., unweighted.

Prior probabilities vector P: If absent, P are equal priors for each class. Special value $P = 0$ is interpreted as $P = \text{column marginals}$.

Error checks: CM must be square; P must have correct number of classes and sum to 1 +/- 0.0001; W & CM must be conformable

Value

Results are returned in a list with obvious R names

Author(s)

D.G. Rossiter

References

- Rossiter, D. G., Zeng, R., & Zhang, G.-L. (2017). Accounting for taxonomic distance in accuracy assessment of soil class predictions. *Geoderma*, 292, 118–127. doi:10.1016/j.geoderma.2017.01.012
- Ma, Z. K., & Redmond, R. L. (1995). Tau-coefficients for accuracy assessment of classification of remote-sensing data. *Photogrammetric Engineering and Remote Sensing*, 61(4), 435–439.

- Naesset, E. (1996). Conditional tau coefficient for assessment of producer's accuracy of classified remotely sensed data. *ISPRS Journal of Photogrammetry and Remote Sensing*, 51(2), 91–98. doi:10.1016/09242716(96)000074

Examples

```
# example confusion matrix
# rows: allocation (user's counts)
# columns: reference (producer's counts)
crossclass <- matrix(data=c(2,1,0,5,0,0,
                           1,74,2,1,3,6,
                           0,5,8,6,1,3,
                           6,1,3,91,0,0,
                           0,4,0,0,0,4,
                           0,6,2,2,4,38),
                     nrow=6, byrow=TRUE)
row.names(crossclass) <- c("OP", "SA", "UA", "UC", "AV", "AC")
colnames(crossclass) <- row.names(crossclass)

# build the weights matrix
# how much credit for a mis-allocation
weights <- matrix(data=c(1.00,0.05,0.05,0.15,0.05,0.15,
                        0.05,1.00,0.05,0.05,0.05,0.35,
                        0.05,0.05,1.00,0.20,0.15,0.15,
                        0.15,0.05,0.25,1.00,0.10,0.25,
                        0.05,0.10,0.15,0.10,1.00,0.15,
                        0.20,0.30,0.10,0.25,0.20,1.00),
                  nrow=6, byrow=TRUE)

# unweighted accuracy
summaryTauW(nnaive <- tauW(crossclass))

# unweighted tau with equal priors, equivalent to Foody (1992) modified Kappa
tauW(crossclass)$tau

# unweighted tau with user's = producer's marginals, equivalent to original kappa
(priors <- apply(crossclass, 2, sum)/sum(crossclass))
tauW(crossclass, P=priors)$tau

# weighted accuracy; tau with equal priors
summaryTauW(weighted <- tauW(crossclass, W=weights))

# weighted accuracy; tau with user's = producer's marginals
summaryTauW(tauW(crossclass, W=weights, P=priors))

# change in accuracy statistics weighted vs. non-weighted
(weighted$overall.weighted - weighted$overall.naive)
(weighted$user.weighted - weighted$user.naive)
(weighted$prod.weighted - weighted$prod.naive)
```

texcl_to_ssc	<i>Textural conversions</i>
--------------	-----------------------------

Description

These functions consist of several conversions between sand, silt and clay to texture class and visa versa, textural modifiers to rock fragments, and grain size composition to the family particle size class.

Usage

```
texcl_to_ssc(texcl = NULL, clay = NULL, sample = FALSE)
```

```
ssc_to_texcl(
  sand = NULL,
  clay = NULL,
  simplify = FALSE,
  as.is = FALSE,
  droplevels = TRUE
)
```

```
texmod_to_fragvoltot(texmod = NULL, lieutex = NULL)
```

```
texture_to_taxpartsize(
  texcl = NULL,
  clay = NULL,
  sand = NULL,
  sandvf = NULL,
  fragvoltot = NULL
)
```

```
texture_to_texmod(texture, duplicates = "combine")
```

```
fragvol_to_texmod(
  object = NULL,
  gravel = NULL,
  cobbles = NULL,
  stones = NULL,
  boulders = NULL,
  channers = NULL,
  flagstones = NULL,
  paragravel = NULL,
  paracobbles = NULL,
  parastones = NULL,
  paraboulders = NULL,
  parachanners = NULL,
  paraflagstones = NULL,
```

```

    as.is = TRUE,
    droplevels = TRUE
  )

```

Arguments

texcl	vector of texture classes than conform to the USDA code conventions (e.g. c C, sll SIL, sl SL, cos COS)
clay	vector of clay percentages
sample	logical: should ssc be random sampled from the lookup table? (default: FALSE)
sand	vector of sand percentages
simplify	Passed to SoilTextureLevels() to set the number of possible texture classes. If TRUE, the ordered factor has a maximum of 12 levels, if FALSE (default) the ordered factor has a maximum of 21 levels (including e.g. very fine/fine/coarse variants)
as.is	logical: should character vectors be converted to factors? (default: TRUE)
droplevels	logical: indicating whether to drop unused levels in factors. This is useful when the results have a large number of unused classes, which can waste space in tables and figures.
texmod	vector of textural modifiers that conform to the USDA code conventions (e.g. gr GR, grv GRV)
lieutex	vector of in lieu of texture terms that conform to the USDA code conventions (e.g. gr GR, pg PG), only used when fragments or artifacts are > 90 percent by volume (default: NULL)
sandvf	vector of very fine sand percentages
fragvoltot	vector of total rock fragment percentages
texture	vector of combinations of texcl, texmod, and lieutex (e.g. CL, GR-CL, CBV-S, GR)
duplicates	character: specifying how multiple values should be handled, options are "combined" (e.g. 'GR & GRV') or "max" (e.g. 'GRV')
object	data.frame: containing the following column names: gravel, cobbles, stones, boulders, channers, flagstones, paragravel, paracobbles, parastones, paraboulders, parachanners, paraflagstones
gravel	numeric: gravel volume %
cobbles	numeric: cobble volume %
stones	numeric: stone volume %
boulders	numeric: boulder volume %
channers	numeric: channer volume %
flagstones	numeric: flagstone volume %
paragravel	numeric: para gravel volume %
paracobbles	numeric: para cobble volume %
parastones	numeric: para stone volume %

```

paraboulders    numeric: para boulder volume %
parachanners    numeric: para channer volume %
paraflagstones  numeric: para flagstone volume %

```

Details

These functions are intended to estimate missing values or allocate particle size fractions to classes. The `ssc_to_texcl()` function uses the same logic as the particle size estimator calculation in NA-SIS to classify sand and clay into texture class. The results are stored in `soiltexture` and used by `texcl_to_ssc()` as a lookup table to convert texture class to sand, silt and clay. The function `texcl_to_ssc()` replicates the functionality described by Levi (2017). The `texmod_to_fragvol()` function similarly uses the logical from the `Exhibit618-11_texture_modifier.xls` spreadsheet to determine the textural modifier from the various combinations of rock and pararock fragments (e.g. GR and PGR).

When `sample = TRUE`, the results can be used to estimate within-class, marginal distributions of sand, silt, and clay fractions. It is recommended that at least 10 samples be drawn for reasonable estimates.

The function `texmod_to_fragvoltot` returns a `data.frame` with multiple `fragvoltot` columns differentiated by tailing abbreviations (e.g. `_r`) which refer to the following:

1. l = low
2. r = representative
3. h = high
4. nopf = no pararock fragments (i.e. total fragments - pararock fragments)

The function `texture_to_texmod()` parses texture (e.g. GR-CL) to extract the `texmod` values from it in the scenario where it is missing from `texmod` column. If multiple `texmod` values are present (for example in the case of stratified textures) and `duplicates = "combine"` they will be combined in the output (e.g. GR & CBV). Otherwise if `duplicates = "max"` the `texmod` with the highest rock fragment (e.g. CBV) will be returned.

Unlike the other functions, `texture_to_taxpartsize()` is intended to be computed on weighted averages within the family particle size control section. Also recall from the criteria that carbonate clay should be subtracted from clay content and added to silt content. Similarly, if the percent of very fine sand is known it should be subtracted from the sand, and added to the silt content. Unlike the other functions, `texture_to_taxpartsize()` is intended to be computed on weighted averages within the family particle size control section. Also recall from the criteria that carbonate clay should be subtracted from clay content and added to silt content. Similarly, if the percent of very fine sand is known it should be subtracted from the sand, and added to the silt content.

Value

- `texcl_to_ssc`: A `data.frame` containing columns "sand", "silt", "clay"
- `ssc_to_texcl`: A character vector containing texture class
- `texmod_to_fragvoltot`: A `data.frame` containing columns "fragvoltot_l", "fragvoltot_r", "fragvoltot_h", "fragvoltot_l_nopf", "fragvoltot_r_nopf", "fragvoltot_h_nopf"

- texture_to_taxpartsize: a character vector containing "taxpartsize" classes
- texture_to_texmod: a character vector containing "texmod" classes
- texmod_to_fragvol: a data.frame containing "texmod" and "lieutex" classes

Author(s)

Stephen Roecker

References

Matthew R. Levi, Modified Centroid for Estimating Sand, Silt, and Clay from Soil Texture Class, Soil Science Society of America Journal, 2017, 81(3):578-588, ISSN 1435-0661, [doi:10.2136/sssaj2016.09.0301](https://doi.org/10.2136/sssaj2016.09.0301).

See Also

[SoilTextureLevels](#)

[hz_to_taxpartsize\(\)](#), [lookup_taxpartsize\(\)](#)

Examples

```
# example of ssc_to_texcl()
tex <- expand.grid(sand = 0:100, clay = 0:100)
tex <- subset(tex, (sand + clay) < 101)
tex$texcl <- ssc_to_texcl(sand = tex$sand, clay = tex$clay)
head(tex)

# example of texcl_to_ssc(texcl)
texcl <- c("cos", "s", "fs", "vfs", "lcos", "ls",
           "lfs", "lvfs", "cosl", "sl", "fsl", "vfsl", "l",
           "sil", "si", "scl", "cl", "sicl", "sc", "sic", "c"
           )
test <- texcl_to_ssc(texcl)
head(test <- cbind(texcl, test), 10)

# example of texcl_to_ssc(texcl, clay)
data(soiltexture)
st <- soiltexture$values
idx <- sample(1:length(st$texcl), 10)
st <- st[idx, ]
ssc <- texcl_to_ssc(texcl = st$texcl)
head(cbind(texcl = st$texcl, clay = ssc$clay))

# example of texmod_to_fragvoltol
frags <- c("gr", "grv", "grx", "pgr", "pgrv", "pgrx")
head(texmod_to_fragvoltot(frags))
```

```

# example of texture_to_taxpartsize()
tex <- data.frame(texcl = c("c", "cl", "l", "ls", "s"),
                  clay = c(55, 33, 18, 6, 3),
                  sand = c(20, 33, 42, 82, 93),
                  fragvoltot = c(35, 15, 34, 60, 91))
tex$fpssc <- texture_to_taxpartsize(texcl = tex$texcl,
                                   clay = tex$clay,
                                   sand = tex$sand,
                                   fragvoltot = tex$fragvoltot)

head(tex)

# example of texture_to_taxpartsize() with carbonate clay and very fine sand
carbclay <- rnorm(5, 2, 3)
vfs <- rnorm(5, 10, 3)
st$fpssc <- texture_to_taxpartsize(texcl = tex$texcl,
                                   clay = tex$clay - carbclay,
                                   sand = tex$sand - vfs,
                                   fragvoltot = tex$fragvoltot)

head(tex)

# example of sample = TRUE
texcl <- rep(c("cl", "sil", "sl"), 10)
ssc1 <- cbind(texcl, texcl_to_ssc(texcl = texcl, sample = FALSE))
ssc2 <- cbind(texcl, texcl_to_ssc(texcl = texcl, sample = TRUE))
ssc1$sample <- FALSE
ssc2$sample <- TRUE
ssc <- rbind(ssc1, ssc2)
aggregate(clay ~ sample + texcl, data = ssc, summary)

# example of texture_to_texmod()
tex <- c("SL", "GR-SL", "CBV-L", "SR- GR-FS GRX-COS")
texture_to_texmod(tex)
texture_to_texmod(tex, duplicates = "max")

# example of fragvol_to_texmod()
df <- expand.grid(
  gravel = seq(0, 100, 5),
  cobbles = seq(0, 100, 5),
  stones = seq(0, 100, 5),
  boulders = seq(0, 100, 5)
)
df <- df[rowSums(df) < 100, ]

# data.frame input
test <- fragvol_to_texmod(df)
table(test$texmod)
table(test$lieutex)

# vector inputs

```

```
fragvol_to_texmod(gravel = 10, cobbles = 10)
```

```
textureTriangleSummary
```

Soil Texture Low-RV-High as Defined by Quantiles

Description

This function accepts soil texture components (sand, silt, and clay percentages) and plots a soil texture triangle with a "representative value" (point) and low-high region (polygon) defined by quantiles (estimated with `Hmisc::hdquantile`). Marginal quantiles of sand, silt, and clay are used to define the boundary of a low-high region. The default settings place the RV symbol at the texture defined by marginal medians of sand, silt, and clay. The default low-high region is defined by the 5th and 95th marginal percentiles of sand, silt, and clay.

Usage

```
textureTriangleSummary(
  ssc,
  p = c(0.05, 0.5, 0.95),
  delta = 1,
  rv.col = "red",
  range.border = "black",
  range.col = "RoyalBlue",
  range.alpha = 80,
  range.lty = 1,
  range.lwd = 2,
  main = "Soil Textures",
  legend.cex = 0.75,
  legend = TRUE,
  ...
)
```

Arguments

<code>ssc</code>	data.frame with columns: 'SAND', 'SILT', 'CLAY', values are percentages that should add to 100. No NA allowed.
<code>p</code>	vector of percentiles (length = 3) defining 'low', 'representative value', and 'high'
<code>delta</code>	grid size used to form low-high region
<code>rv.col</code>	color used for representative value (RV) symbol
<code>range.border</code>	color used for polygon border enclosing the low-high region
<code>range.col</code>	color used for polygon enclosing the low-high region

range.alpha	transparency of the low-high range polygon (0-255)
range.lty	line style for polygon enclosing the low-high region
range.lwd	line weight polygon enclosing the low-high region
main	plot title
legend.cex	scaling factor for legend
legend	logical, enable/disable automatic legend
...	further arguments passed to <code>soiltexture::TT.points</code>

Value

an invisible matrix with marginal percentiles of sand, silt, and clay

Author(s)

D.E. Beaudette, J. Nemecek, K. Godsey

See Also

[bootstrapSoilTexture](#)

Examples

```
if(
  requireNamespace("Hmisc") &
  requireNamespace("compositions") &
  requireNamespace("soiltexture")
) {

  # sample data
  data('sp4')

  # subset rows / columns
  ssc <- sp4[grep('^Bt', sp4$name), c('sand', 'silt', 'clay')]
  names(ssc) <- toupper(names(ssc))

  # make figure, marginal percentiles are silently returned
  stats <- textureTriangleSummary(
    ssc, pch = 1, cex = 0.5,
    range.alpha = 50,
    range.lwd = 1,
    col = grey(0.5),
    legend = FALSE
  )

  # check
  stats

  # simulate some data and try again
```

```

s <- bootstrapSoilTexture(ssc, n = 100)$samples

# make the figure, ignore results
textureTriangleSummary(
  s, pch = 1, cex = 0.5,
  range.alpha = 50,
  range.lwd = 1,
  col = grey(0.5),
  legend = FALSE
)
}

```

thicknessOf

Calculate Thickness of Horizons Matching Logical Criteria

Description

This function calculates the cumulative (method="cumulative", default) or maximum difference between (method="minmax") horizons within a profile that match a defined pattern (pattern) or, more generally, any set of horizon-level logical expressions encoded in a function (FUN).

Usage

```

thicknessOf(
  x,
  pattern = NULL,
  hzdesgn = hzdesgnname(x, required = TRUE),
  method = "cumulative",
  prefix = "",
  thickvar = "thickness",
  depthvars = horizonDepths(x),
  FUN = function(x, pattern, hzdesgn, ...) grepl(pattern, x[[hzdesgn]]),
  na.rm = FALSE,
  ...
)

```

Arguments

x	<i>A SoilProfileCollection</i>
pattern	<i>character</i> . A pattern to match in hzdesgn; used with the default FUN definition for regular expression pattern matching on horizons.
hzdesgn	<i>character</i> . A column containing horizon designations or other horizon-level character label used to identify matches; used with the default FUN definition.
method	<i>character</i> . Either "cumulative" (default) or "minmax". See details.

prefix	<i>character</i> . Column prefix for calculated thickvar (and depthvar for method="minmax") column results. Default: "".
thickvar	<i>character</i> Length 1. Column name to use for calculated thickness column. Default: "thickness"
depthvars	<i>character</i> . Length 2. Column names to use for calculated minimum top depth and maximum bottom depth in method="minmax". Default: horizonDepths(x)
FUN	<i>function</i> . A function that returns a <i>logical</i> vector equal in length to the number of horizons in x. See details.
na.rm	<i>logical</i> . Omit NA values in summaries of thickness and in matching? Default: FALSE
...	Additional arguments passed to the matching function FUN.

Details

The two thickness methods currently available are:

- method="cumulative" (default): cumulative thickness of horizons where FUN returns true
- method="minmax": maximum bottom depth minus minimum top depth of horizons where FUN returns true

If a custom function (FUN) is used, it should accept arbitrary additional arguments via an ellipsis (...). It is not necessary to do anything with arguments, but the result should match the number of horizons found in the input SoilProfileCollection x.

Value

A *data.frame*-like object (corresponding to the aqp_df_class() of x) with one row per profile in x. First column is always the profile ID which is followed by "thickness". In method="minmax" the upper and lower boundaries used to calculate "thickness" are also returned as "tmin" and "tmax" columns, respectively.

Examples

```
data("jacobs2000")

# cumulative thickness of horizon designations matching "Bt"
thicknessOf(jacobs2000, "Bt")

# maximum bottom depth minus minimum top depth of horizon designations matching "Bt"
thicknessOf(jacobs2000, "Bt", prefix = "Bt_", method = "minmax")

# cumulative thickness of horizon designations matching "A|B"
thicknessOf(jacobs2000, "A|B", prefix = "AorB_")

# maximum bottom depth minus minimum top depth of horizon designations matching "A|B"
thicknessOf(jacobs2000, "A|B", method = "minmax", prefix = "AorB_")
# note that the latter includes the thickness of E horizons between the A and the B

# when using a custom function (be sure to accept ... and consider the effect of NA values)
```

```
# calculate cumulative thickness of horizons containing >18% clay
thicknessOf(jacobs2000, prefix = "claygt18_",
            FUN = function(x, ...) !is.na(x[["clay"]]) & x[["clay"]] > 18)
```

thompson.bell.darkness

Thompson-Bell (1996) Index

Description

Calculate the "Profile Darkness Index" by the method of Thompson & Bell (1996) "Color index for identifying hydric conditions for seasonally saturated mollisols in Minnesota" DOI: 10.2136/sssaj1996.03615995006000060051x. The Thompson-Bell Index has been shown to reflect catenary relationships in some Mollisols of Minnesota (generally: wetter landscape positions = thicker, darker surfaces).

Usage

```
thompson.bell.darkness(
  p,
  name = hzdesignname(p, required = TRUE),
  pattern = "^A",
  value = "m_value",
  chroma = "m_chroma"
)
```

Arguments

p	A single-profile SoilProfileCollection (e.g. via profileApply())
name	Column name containing horizon designations used to find A horizons (default: first column name containing 'name')
pattern	Regular expression to match A horizons (default: "^A" which means horizon designation <i>starts with</i> A)
value	Column name containing horizon color values (default: "m_value")
chroma	Column name containing horizon color chromas (default: "m_chroma")

Value

A numeric vector reflecting horizon darkness (lower values = darker).

Author(s)

Andrew G. Brown

References

Thompson, J.A. and Bell, J.C. (1996), Color Index for Identifying Hydric Conditions for Seasonally Saturated Mollisols in Minnesota. Soil Science Society of America Journal, 60: 1979-1988. doi:10.2136/sssaj1996.03615995006000060051x

traditionalColorNames *Traditional Soil Color Names*

Description

Traditional soil color names associated with select Munsell colors.

Usage

```
data(traditionalColorNames)
```

Format

An object of class `data.frame` with 482 rows and 2 columns.

References

Sourced from the "colorconverter" NASIS property script.

transform, SoilProfileCollection-method
Transform a SPC with expressions based on site or horizon level attributes

Description

`transform()` is a function used for modifying columns in `SoilProfileCollections`.

It allows the user to specify an arbitrary number of expressions that resolve to the (re-)calculation of one or more site or horizon level attributes. For instance: `mutate(spc, thickness = hzdepb - hzdept)`. The expressions may depend on one another, and are evaluated from left to right.

Usage

```
## S4 method for signature 'SoilProfileCollection'
transform(`_data`, ...)
```

Arguments

<code>_data</code>	A <code>SoilProfileCollection</code>
<code>...</code>	Comma-separated set of R expressions e.g. <code>thickness = hzdepb - hzdept</code> , <code>hzdepn = hzdept + round(thk / 2)</code>

Value

A SoilProfileCollection

Author(s)

Andrew G. Brown.

unique, SoilProfileCollection-method

Uniqueness within a SoilProfileCollection via MD5 Hash

Description

Unique profiles within a SoilProfileCollection using and MD5 hash of select horizon and / or site level attributes.

Usage

```
## S4 method for signature 'SoilProfileCollection'
unique(x, vars, SPC = TRUE)
```

Arguments

x	a SoilProfileCollection
vars	Variables to consider in uniqueness.
SPC	logical return a SoilProfileCollection when TRUE, otherwise vector of profile indices

Value

SoilProfileCollection when SPC = TRUE, otherwise a vector of integers

Examples

```
# an example soil profile
x <- data.frame(
  id = 'A',
  name = c('A', 'E', 'Bhs', 'Bt1', 'Bt2', 'BC', 'C'),
  top = c(0, 10, 20, 30, 40, 50, 100),
  bottom = c(10, 20, 30, 40, 50, 100, 125),
  z = c(8, 5, 3, 7, 10, 2, 12)
)

# init SPC
depths(x) <- id ~ top + bottom

# horizon depth variability for simulation
horizons(x)$sd <- 2
```

```
# duplicate several times
x.dupes <- duplicate(x, times = 5)

# simulate some new profiles based on example
x.sim <- perturb(x, n = 5, thickness.attr = '.sd')

# graphical check
plotSPC(x.dupes, name.style = 'center-center')
plotSPC(x.sim, name.style = 'center-center')

# inspect unique results
plotSPC(unique(x.dupes, vars = c('top', 'bottom')), name.style = 'center-center')

# uniqueness is a function of variable selection
plotSPC(unique(x.sim, vars = c('top', 'bottom')), name.style = 'center-center')
plotSPC(unique(x.sim, vars = c('name')), name.style = 'center-center')
```

us.state.soils	<i>US State Soils</i>
----------------	-----------------------

Description

A listing of the 50 US state soils, along with Puerto Rico and Virgin Islands.

Usage

```
data(us.state.soils)
```

Format

- state** state name
- abbreviated** abbreviated state name
- series** soil series name

validSpatialData,SoilProfileCollection-method
<i>Check for valid spatial reference of profiles</i>

Description

Are coordinate column names defined in metadata and existing in the SoilProfileCollection?

Usage

```
## S4 method for signature 'SoilProfileCollection'
validSpatialData(object)
```

Arguments

object a SoilProfileCollection

Value

logical TRUE if column names are defined and correspond to existing data

warpHorizons	<i>Inflate / Deflate Horizon Thickness</i>
--------------	--

Description

This function applies a warping factor to the horizons of a single-profile SoilProfileCollection object. Warping values >1 will inflate horizon thickness, values <1 will deflate horizon thickness.

Usage

```
warpHorizons(x, fact, updateProfileID = TRUE, suffix = "-w")
```

Arguments

x a SoilProfileCollection object

fact numeric or character; warping factor specified as a single numeric value, vector of numeric values (length = nrow(x)), or column name of a horizon level attribute containing numeric values

updateProfileID logical; modify profile IDs

suffix character; suffix added to profile IDs when updateProfileID = TRUE

Value

a modified version of x, SoilProfileCollection object

Author(s)

D.E. Beaudette and S.W. Salley

Examples

```

# create an example profile
s <- quickSPC('p1:AA|Bt1Bt1Bt1|Bt2Bt2B|Bt3|Cr|RRRRR')

# warp each horizon
# values > 1: inflation
# values < 1: deflation (erosion / compaction)
s.w <- warpHorizons(s, fact = c(1.3, 0.7, 0.8, 1, 1, 1))

# combine original + warped
x <- combine(s, s.w)

# compute profile bottom depths
.bottoms <- x[, , .LAST, .BOTTOM]

# change in total depth after warping
# used to vertically offset the warped profile
.yoff <- c(0, .bottoms[1] - .bottoms[2])

# depths for line segments connecting horizon tops
.y1 <- x[1, , .TOP]
.y2 <- x[2, , .TOP] + .yoff[2]

# sketches
# can't automatically add a depth axis
par(mar = c(0.5, 0, 0, 2))
plotSPC(
  x,
  name.style = 'center-center',
  cex.names = 0.8,
  width = 0.2,
  max.depth = 150,
  depth.axis = list(line = -3),
  y.offset = .yoff
)

# illustrate warping with arrows
arrows(x0 = 1 + 0.25, y0 = .y1, x1 = 2 - 0.25, y1 = .y2, len = 0.1, col = 2)

# manually add depth axis
axis(side = 4, line = -3.5, las = 1, at = seq(from = 0, to = 150, by = 25))

# apply to multiple profiles
# text-based template
.template <- c(
  'P1:AAA|BwBwBwBw|CCCCCCC|CdCdCdCd',
  'P2:ApAp|AA|E|BhsBhs|Bw1Bw1|CCCCC',
  'P3: A|Bt1Bt1Bt1|Bt2Bt2Bt2|Bt3|Cr|RRRRR'
)

# each horizon label is '10' depth-units (default)

```

```
s <- quickSPC(.template)

# random warping factor, by horizon
s$f <- runif(n = nrow(s), min = 0.8, max = 1.2)

# warp horizons by profile, result is a list of SPCs
s.w <- profileApply(s, FUN = warpHorizons, fact = 'f')

# flatten list -> SoilProfileCollection
s.w <- combine(s.w)

# combine with original SPC
x <- combine(s, s.w)

# sketches
par(mar = c(0.5, 0, 0, 2.5))
plotSPC(
  x,
  name.style = 'center-center',
  cex.names = 0.8,
  width = 0.3,
  max.depth = 165,
  depth.axis = list(line = -2)
)
```

wilson2022*Example Data from Wilson et al. 2022*

Description

An example `SoilProfileCollection`, derived from Wilson et al., 2022. Select data extracted from Appendix tables.

Usage

```
data(wilson2022)
```

Format

A `SoilProfileCollection` with the following elements. Total elemental analysis by lithium borate fusion.

Horizon level attributes:

- name: horizon designation
- Al2O3: total Al (wt %)
- Fe2O3: total Fe (wt %)

- K₂O: total K (wt %)
- MgO: total Mg (wt %)
- Na₂O: total Na (wt %)
- P₂O₅: total P (wt %)
- SiO₂: total Si (wt %)
- CaO: total Ca (wt %)
- Alo: Oxalate Extractable Al (g/kg)
- Feo: Oxalate Extractable Fe (g/kg)
- Fed: Dithionite extractable Fe (g/kg)
- Fed_minus_Feo: Crystalline Fe (hydr)oxides (g/kg)
- CIA: Chemical Index of Alteration, see original paper (ratio, unitless)
- Fed_div_Fet: (ratio, unitless)
- Fet: Total Fe from lithium borate fusion (g/kg)
- resin_Pi: Hedley phosphorus fractions (mg/kg)
- NaHCO₃_Pi: Hedley phosphorus fractions (mg/kg)
- labile_Pi: Sum of resin Pi and NaHCO₃ Pi (mg/kg)
- NaCO₃_Po: Hedley phosphorus fractions (mg/kg)
- NaOH_Pi: Hedley phosphorus fractions (mg/kg)
- NaOH_Po: Hedley phosphorus fractions (mg/kg)
- Ca_Pi: Hedley phosphorus fractions (mg/kg)
- organic_P: Sum of NaHCO₃ and NaOH Po fractions (mg/kg)
- total_P: Total P from lithium borate fusion (mg/kg)
- occluded_P: Difference between total P and sum of Hedley P fractions (mg/kg)
- top: horizon top depth (cm)
- bottom: horizon bottom depth (cm)
- pedonID: pedon ID (serial number)

Site level attributes:

- pm: parent material group
- biome: biome

References

Stewart G. Wilson, Randy A. Dahlgren, Andrew J. Margenot, Craig Rasmussen, Anthony T. O'Geen. 2022. Expanding the Paradigm: The influence of climate and lithology on soil phosphorus, *Geoderma*: 421. doi:10.1016/j.geoderma.2022.115809

Examples

```
data(wilson2022)

groupedProfilePlot(wilson2022, groups = 'pm',
  group.name.offset = -15, label = 'biome',
  name.style = 'center-center', color = 'CIA',
  cex.names = 0.66, cex.id = 0.66, width = 0.3)

groupedProfilePlot(wilson2022, groups = 'biome',
  group.name.offset = -15, label = 'pm',
  name.style = 'center-center', color = 'Fet',
  cex.names = 0.66, cex.id = 0.66, width = 0.3)
```

xtableTauW	<i>Format a LaTeX table with results</i>
------------	--

Description

Format a LaTeX table with results

Usage

```
xtableTauW(result.tau, file.name = "tau_results_table.tex")
```

Arguments

result.tau	results returned by tauW
file.name	name of file to write output TeX file; Default: file.name="tau_results_table.tex"

[,SoilProfileCollection-method
<i>Matrix/data.frame-like access to profiles and horizons in a SoilProfileCollection</i>

Description

You can access the contents of a SoilProfileCollection by profile and horizon "index", i and j, respectively: spc[i, j, ...]. Subset operations are propagated to other slots (such as diagnostics or spatial) when they result in removal of sites from a collection.

- i refers to the profile position within the collection. By default the order is based on the C SORT order of the variable that you specified as your unique profile ID at time of object construction. Note that if your ID variable was numeric, then it has been sorted as a character.

- `j` refers to the horizon or "slice" index. This index is most useful when either a) working with `slice'd SoilProfileCollection` or b) working with single-profile collections. `j` returns the layer in the specified index positions for all profiles in a collection.
- `...` is an area to specify an expression that is evaluated in the subset. Currently supported
 - `.LAST` (last horizon in each profile): return the last horizon from each profile. This uses `i` but ignores the regular `j` index.
 - `.FIRST` (first horizon in each profile): return the last horizon from each profile. This uses `i` but ignores the regular `j` index.
 - `.HZID` (horizon index): return the horizon indices corresponding to `i+j+...` ("k") constraints
 - `.NHZ` (number of horizons): return the number of horizons in the profiles resulting from `i+j+...` ("k") constraints

Usage

```
## S4 method for signature 'SoilProfileCollection'
x[i, j, ..., drop = TRUE]
```

Arguments

<code>x</code>	a <code>SoilProfileCollection</code>
<code>i</code>	a numeric or logical value denoting profile indices to select in a subset
<code>j</code>	a numeric or logical value denoting horizon indices to select in a subset
<code>...</code>	non-standard expressions to evaluate in a subset
<code>drop</code>	Default: <code>TRUE</code> . When <code>drop=FALSE</code> placeholder horizons (profile ID with all other values NA) are created where the specified <code>j</code> index results in removal of all horizons.

[[*Get column of horizon or site data in a `SoilProfileCollection`*

Description

Get the data from a column accessed by name. Column names other than profile ID are not shared between site and horizons. Bonus: `[[` gives access to all site and horizon level variables in tab complete for RStudio using the `magrittr` pipe operator!

Usage

```
## S4 method for signature 'SoilProfileCollection'
x[[i, j]]
```

Arguments

<code>x</code>	a <code>SoilProfileCollection</code>
<code>i</code>	an expression resolving to a single column name in site or horizon table
<code>j</code>	(not used)

Examples

```
data(sp2)
depths(sp2) <- id ~ top + bottom
site(sp2) <- ~ surface

# get with [[
sp2[['surface']]

# get using "unknown" expression:
# "2nd + 3rd horizon column names"
for(i in horizonNames(sp2)[2:3])
  print(sp2[[i]])

data(sp5)

# some column names to work with
rgb.columns <- c("R25", "G25", "B25")

res <- lapply(rgb.columns, function(x) {

  # [[ allows you to access column names in a loop
  round(sp5[[x]] * 255)

})

# rename scaled results
names(res) <- paste0(rgb.columns, "_scl")

# add horizon ID to results
result <- data.frame(hzID = hzID(sp5), do.call('cbind', res))
head(result)

# join result back into horizons
horizons(sp5) <- result
```

[[<-

Add or change column of horizon or site data in a SoilProfileCollection

Description

Add or change the data from a column accessed by name. Column names other than profile ID are not shared between site and horizons. The benefit of using double bracket setter over \$ is that name can be calculated, whereas with \$, it must be known a priori and hard coded.

When using the double bracket setter the length of input and output matching either the number of sites or number of horizons is used to determine which slot new columns are assigned to.

Usage

```
## S4 replacement method for signature 'SoilProfileCollection'
x[[i]] <- value
```

Arguments

x	a SoilProfileCollection
i	an expression resolving to a single column name in site or horizon table-
value	New value to replace – unit length or equal in length to number of sites or horizons in the collection.

\$	<i>Get data from column of horizon or site data in a SoilProfileCollection</i>
----	--

Description

Get the data from a column accessed by name `x$name`. Column names other than profile ID are not shared between site and horizons.

Usage

```
## S4 method for signature 'SoilProfileCollection'
x$name
```

Arguments

x	a SoilProfileCollection
name	a single column name in site or horizon table

Examples

```
data(sp1)

depths(sp1) <- id ~ top + bottom

# get data from a column by name (prop)
sp1$prop
```

`$<-`*Set data in column of horizon or site data in a SoilProfileCollection*

Description

Set the data in a column accessed by name `spc$name`. Column names other than profile ID are not shared between site and horizons.

When using `$<-`, the length of input and output matching either the number of sites or number of horizons is used to determine which slot new columns are assigned to. Use `site(x)$name <- value` or `horizons(x)$name <- value` to be explicit about which slot is being accessed.

Usage

```
## S4 replacement method for signature 'SoilProfileCollection'  
x$name <- value
```

Arguments

<code>x</code>	a SoilProfileCollection
<code>name</code>	a single column name in site or horizon table
<code>value</code>	Replacement values: unit length or equal to number of horizons or sites.

Index

- * **array**
 - tauW, [303](#)
- * **datasets**
 - ca630, [33](#)
 - equivalent_munsell, [72](#)
 - jacobs2000, [163](#)
 - munsell, [176](#)
 - munsell.spectra, [177](#)
 - munsellHuePosition, [182](#)
 - osd, [187](#)
 - reactionclass, [232](#)
 - ROSETTA.centroids, [239](#)
 - rowley2019, [241](#)
 - sierraTransect, [248](#)
 - soil_minerals, [276](#)
 - soiltexture, [273](#)
 - sp1, [278](#)
 - sp2, [280](#)
 - sp3, [282](#)
 - sp4, [285](#)
 - sp5, [288](#)
 - sp6, [290](#)
 - SPC.with.overlap, [291](#)
 - spectral.reference, [295](#)
 - traditionalColorNames, [316](#)
 - us.state.soils, [318](#)
 - wilson2022, [321](#)
- * **hplots**
 - aggregateColorPlot, [16](#)
 - colorContrastPlot, [48](#)
 - contrastChart, [53](#)
 - groupedProfilePlot, [116](#)
 - missingDataGrid, [171](#)
 - plotMultipleSPC, [200](#)
 - plotProfileDendrogram, [204](#)
 - plotSPC, [205](#)
 - soilPalette, [269](#)
 - textureTriangleSummary, [311](#)
- * **hplot**
 - panel.depth_function, [187](#)
 - plot_distance_graph, [214](#)
- * **manip**
 - argillic.clay.increase.depth, [25](#)
 - colorContrast, [46](#)
 - contrastChart, [53](#)
 - contrastClass, [54](#)
 - crit.clay.argillic, [57](#)
 - duplicate, [67](#)
 - estimatePSCS, [73](#)
 - estimateSoilDepth, [77](#)
 - evalGenHZ, [80](#)
 - evalMissingData, [81](#)
 - explainPlotSPC, [83](#)
 - generalize.hz, [94](#)
 - get.increase.matrix, [98](#)
 - get.ml.hz, [100](#)
 - getSoilDepthClass, [106](#)
 - guessGenHzLevels, [120](#)
 - huePosition, [134](#)
 - hzDistinctnessCodeToOffset, [142](#)
 - hzTopographyCodeToLineType, [147](#)
 - hzTopographyCodeToOffset, [148](#)
 - hzTransitionProbabilities, [150](#)
 - NCSP, [184](#)
 - random_profile, [229](#)
 - slab, [254](#)
 - slice-methods, [263](#)
 - texcl_to_ssc, [306](#)
- * **methods**
 - NCSP, [184](#)
 - slab, [254](#)
 - slice-methods, [263](#)
- * **package**
 - aqp-package, [6](#)
 - .lpp (random_profile), [229](#)
 - [,SoilProfileCollection-method, [323](#)
 - [[, [324](#)
 - [[,SoilProfileCollection,ANY,ANY-method

- ([]), 324
- [[, SoilProfileCollection, ANY-method
- ([]), 324
- [[, SoilProfileCollection-method ([]), 324
- [[<-, 325
- [[<-, SoilProfileCollection, ANY, ANY-method
- ([[<-), 325
- [[<-, SoilProfileCollection-method
- ([[<-), 325
- \$, 326
- \$, SoilProfileCollection-method (\$), 326
- \$<-, 327
- \$<-, SoilProfileCollection-method (\$<-), 327
- accumulateDepths, 7
- accumulateDepths(), 66
- addBracket, 9
- addBracket(), 13, 210
- addDiagnosticBracket, 10, 12
- addDiagnosticBracket(), 210
- addVolumeFraction, 13
- addVolumeFraction(), 210
- aggregateColor, 14
- aggregateColor(), 251
- aggregateColorPlot, 16
- aggregateColorPlot(), 15
- aggregateSoilDepth, 17
- alignTransect, 19
- allocate, 20
- aqp (aqp-package), 6
- aqp-package, 6
- aqp.env (aqp-package), 6
- aqp_df_class
- (aqp_df_class, SoilProfileCollection-method), 24
- aqp_df_class, SoilProfileCollection-method, 24
- aqp_df_class<-
- (aqp_df_class, SoilProfileCollection-method), 24
- aqp_df_class<-, SoilProfileCollection-method
- (aqp_df_class, SoilProfileCollection-method), 24
- argillic.clay.increase.depth, 25
- as, 26
- as, SoilProfileCollection-method (as), 26
- as.data.frame, SoilProfileCollection-method (as), 26
- barron.torrent.redness.LAB, 27, 132
- bootstrapSoilTexture, 28, 312
- brierScore, 30
- buntley.westin.index, 32, 132
- c(c, SoilProfileCollection-method), 32
- c, SoilProfileCollection-method, 32
- ca630, 33
- checkHzDepthLogic, 36, 38, 139
- checkHzDepthLogic(), 90, 152
- checkSPC, 38, 233
- cluster::daisy(), 51, 80, 186
- cluster::pam(), 14
- cluster::silhouette(), 80
- col2Munsell, 39
- col2Munsell(), 200, 295
- collapseHz, 41
- colorChart, 44
- colorContrast, 46, 55, 70, 135
- colorContrast(), 49
- colorContrastPlot, 47, 48, 70
- colorQuantiles, 50
- colorRamp(), 209
- combine
- (c, SoilProfileCollection-method), 32
- combine(), 244
- combine, list-method
- (c, SoilProfileCollection-method), 32
- combine, SoilProfileCollection-method
- (c, SoilProfileCollection-method), 32
- compareSites, 51
- compareSites(), 186
- compositeSPC, 52
- compositeSPC, SoilProfileCollection-method
- (compositeSPC), 52
- confusionIndex, 52
- contrastChart, 53
- CoordinateClass, 54
- coordinates (initSpatial<-), 161
- coordinates, SoilProfileCollection-method
- (initSpatial<-), 161
- coordinates<- (initSpatial<-), 161

coordinates<- , SoilProfileCollection, ANY-method
 (initSpatial<-), 161
 coordinates<- , SoilProfileCollection, character-method
 (initSpatial<-), 161
 correctAWC, 56
 crit.clay.argillic, 57
 crit.clay.argillic(), 99

 denormalize, 58
 depth_units
 (depth_units, SoilProfileCollection-method), 64
 depth_units, SoilProfileCollection-method, 64
 depth_units<-
 (depth_units, SoilProfileCollection-method), 64
 depth_units<- , SoilProfileCollection-method
 (depth_units, SoilProfileCollection-method), 64
 depthOf, 59
 depths, 61
 depths, SoilProfileCollection-method
 (depths), 61
 depths<- (depths), 61
 depths<- , data.frame-method (depths), 61
 depths<- , SoilProfileCollection-method
 (depths), 61
 depthWeights, 63
 depthWeights, SoilProfileCollection-method
 (depthWeights), 63
 diagnostic_hz
 (diagnostic_hz, SoilProfileCollection-method), 64
 diagnostic_hz, SoilProfileCollection-method, 64
 diagnostic_hz<-
 (diagnostic_hz, SoilProfileCollection-method), 64
 diagnostic_hz<- , SoilProfileCollection-method
 (diagnostic_hz, SoilProfileCollection-method), 64
 dice
 (dice, SoilProfileCollection-method), 65
 dice(), 157, 185, 186
 dice, SoilProfileCollection-method, 65
 dissolve_hz (hz_dissolve), 151
 duplicate, 67
 electroStatics_1D, 68
 electroStatics_1D(), 88, 209, 246
 equivalent_munsell, 70, 72
 equivalentMunsellChips, 70, 72
 estimateAWC, 73
 estimatePSCS, 73
 estimateSoilColor, 76
 estimateSoilDepth, 77, 107
 estimateSoilDepth(), 18, 106
 evalGenHZ, 80
 evalMissingData, 81
 explainPlotSPC, 83
 explainPlotSPC(), 210

 fillHzGaps, 85, 139
 findHzGaps(), 66, 90
 findOverlap, 87
 fixOverlap, 88
 findOverlap(), 68, 69, 199, 209, 210, 245, 246
 flagOverlappingHz, 90
 fragmentClasses, 91
 fragmentClasses(), 92, 93
 fragmentSieve, 92
 fragmentSieve(), 91
 fragvol_to_texmod (texcl_to_ssc), 306

 generalize.hz, 94, 120
 generalize.hz(), 15, 151
 generalizeHz (generalize.hz), 94
 generalizeHz, character-method
 (generalize.hz), 94
 generalizeHz, SoilProfileCollection-method
 genhzTableToAdjMat, 97
 genhzTableToAdjMat(), 150
 genSlabLabels, 97
 get.increase.depths
 get.increase.matrix, 98
 get.increase.matrix, 57, 98
 get.ml.hz, 100
 get.ml.hz(), 81
 get.slice (slice-methods), 263
 getArgillicBounds, 57, 101
 getArgillicBounds(), 75, 99
 getCambicBounds, 104
 getClosestMunsellChip, 105
 getLastHorizonID, 106, 235
 getMineralSoilSurfaceDepth
 (getSurfaceHorizonDepth), 108

- getPloLayerDepth
 - (getSurfaceHorizonDepth), 108
- getSoilDepthClass, 78, 106
- getSpatial (initSpatial<-), 161
- getSpatial, SoilProfileCollection-method
 - (initSpatial<-), 161
- getSurfaceHorizonDepth, 108
- getSurfaceHorizonDepth(), 75
- GHL, 110
- GHL, SoilProfileCollection-method (GHL), 110
- GHL<- (GHL), 110
- GHL<-, SoilProfileCollection-method (GHL), 110
- glom, 115
- glom
 - (glom, SoilProfileCollection-method), 111
- glom(), 157
- glom, SoilProfileCollection-method, 111
- glomApply, 112, 114, 115
- glomApply, SoilProfileCollection-method (glomApply), 114
- grepSPC, 116
- grepSPC, SoilProfileCollection-method (grepSPC), 116
- groupedProfilePlot, 116
- groupSPC, 119
- guessGenHzLevels, 120
- guessHzAttrName, 121
- guessHzAttrName(), 146
- guessHzDesgnName (guessHzAttrName), 121
- guessHzTexClName (guessHzAttrName), 121
- harden.melanization, 123
- harden.rubification, 125
- harmonize
 - (harmonize, SoilProfileCollection-method), 127
- harmonize, SoilProfileCollection-method, 127
- hasDarkColors, 129
- horizonColorIndices, 131
- horizonDepths (horizonDepths<-), 132
- horizonDepths, SoilProfileCollection-method (horizonDepths<-), 132
- horizonDepths<-, 132
- horizonDepths<-, SoilProfileCollection-method (horizonDepths<-), 132
- horizonNames (horizonNames<-), 133
- horizonNames, SoilProfileCollection-method (horizonNames<-), 133
- horizonNames<-, 133
- horizonNames<-, SoilProfileCollection-method (horizonNames<-), 133
- horizons
 - (horizons, SoilProfileCollection-method), 133
- horizons, SoilProfileCollection-method, 133
- horizons<-
 - (horizons, SoilProfileCollection-method), 133
- horizons<-, SoilProfileCollection-method (horizons, SoilProfileCollection-method), 133
- huePosition, 47, 134
- huePositionCircle, 47, 135, 136
- hurst.redness, 132, 137
- hz_dissolve, 151
- hz_dissolve(), 154, 155, 157
- hz_intersect, 153
- hz_intersect(), 152, 155, 157
- hz_lag, 154
- hz_lag(), 152, 154, 157
- hz_segment, 156
- hz_segment(), 152, 154, 155
- hz_to_taxpartsize, 158
- hz_to_taxpartsize(), 167, 309
- hzAbove, 138
- hzBelow (hzAbove), 138
- HzDepthLogicSubset, 139, 185
- hzDepthTests, 140
- hzDesgn
 - (hzDesgn, SoilProfileCollection-method), 141
- hzDesgn(), 142
- hzDesgn, SoilProfileCollection-method, 141
- hzdesgnname, 141
- hzdesgnname(), 95
- hzdesgnname, SoilProfileCollection-method (hzdesgnname), 141
- hzdesgnname<- (hzdesgnname), 141
- hzdesgnname<-, SoilProfileCollection-method (hzdesgnname), 141
- hzDistinctnessCodeToOffset, 142

mostLikelyHzSequence(), 150
 munsell, 176
 munsell.spectra, 174, 177
 munsell.spectra.wide, 173
 munsell2rgb, 178, 181, 268
 munsell2rgb(), 192, 210
 munsell2spc
 (munsell2spc, SoilProfileCollection-method), 180
 munsell2spc, SoilProfileCollection-method, 180
 munsellHuePosition, 182
 mutate
 (transform, SoilProfileCollection-method), 316
 mutate, SoilProfileCollection-method
 (transform, SoilProfileCollection-method), 316
 mutate_profile, 182
 mutate_profile, SoilProfileCollection-method
 (mutate_profile), 182
 mutate_profile_raw(mutate_profile), 182
 names
 (names, SoilProfileCollection-method), 184
 names, SoilProfileCollection-method, 184
 NCSP, 184
 NCSP(), 51
 nrow
 (nrow, SoilProfileCollection-method), 186
 nrow, SoilProfileCollection-method, 186
 options(), 205
 osd, 187
 overlapMetrics(findOverlap), 87
 panel.depth_function, 187
 parseMunsell, 181, 191
 pbindlist, 193
 permute_profile(perturb), 194
 perturb, 194, 251
 perturb(), 250
 ph_to_rxnclass, 197
 plot(plotSPC), 205
 plot, SoilProfileCollection, ANY-method
 (plotSPC), 205
 plot, SoilProfileCollection, ANY-method, plot.SoilProfileColl
 (plotSPC), 205
 plot, SoilProfileCollection-method
 (plotSPC), 205
 plot_distance_graph, 214
 plotColorMixture, 198
 plotColorQuantiles, 200
 plotColorQuantiles(), 50
 plotMultipleSPC, 200, 221
 plotProfileDendrogram, 204
 plotSPC, 10, 83, 84, 117, 143, 148, 149, 205
 plotSPC(), 13, 14
 prepanel.depth_function
 (panel.depth_function), 187
 pretty(), 209, 210
 previewColors, 215
 prj(prj, SoilProfileCollection-method), 217
 prj(), 161
 prj, SoilProfileCollection-method, 217
 prj<-
 (prj, SoilProfileCollection-method), 217
 prj<-, SoilProfileCollection-method
 (prj, SoilProfileCollection-method), 217
 profile_id(profile_id<-), 225
 profile_id, SoilProfileCollection-method
 (profile_id<-), 225
 profile_id<-, 225
 profile_id<-, SoilProfileCollection-method
 (profile_id<-), 225
 profileApply, 78, 218
 profileApply(), 77
 profileApply, SoilProfileCollection-method
 (profileApply), 218
 profileGroupLabels, 202, 221
 profileGroupLabels(), 210
 profileInformationIndex, 222
 proj4string
 (prj, SoilProfileCollection-method), 217
 proj4string, SoilProfileCollection-method
 (prj, SoilProfileCollection-method), 217
 proj4string<-
 (prj, SoilProfileCollection-method), 217

- proj4string<-, SoilProfileCollection-method
(prj, SoilProfileCollection-method),
217
- quantile, 257
- quickSPC, 225
- random_profile, 229, 251
- random_profile(), 195, 244
- reactionclass, 232
- ReactionClassLevels (ph_to_rxnclass),
197
- rebuildSPC, 38, 232
- reduceSPC, 233
- reorderHorizons, 234
- reorderHorizons, SoilProfileCollection-method
(reorderHorizons), 234
- repairMissingHzDepths, 234
- repairMissingHzDepths(), 66
- replaceHorizons<-, 236
- replaceHorizons<-, SoilProfileCollection-method
(replaceHorizons<-), 236
- restrictions
(restrictions, SoilProfileCollection-method),
236
- restrictions, SoilProfileCollection-method,
236
- restrictions<-,
(restrictions, SoilProfileCollection-method),
236
- restrictions<-, SoilProfileCollection-method
(restrictions, SoilProfileCollection-method),
236
- rgb, 178
- rgb2munsell, 181, 237
- ROSETTA.centroids, 239
- rowley2019, 241
- rp, 244
- rp(), 229, 230
- rxnclass_to_ph (ph_to_rxnclass), 197
- SANN_1D, 244
- SANN_1D(), 69, 88, 209
- segment (hz_segment), 156
- shannonEntropy, 247
- sierraTransect, 248
- sim, 250
- simulateColor, 251
- site
(site, SoilProfileCollection-method),
253
- site, SoilProfileCollection-method, 253
- site<-
(site, SoilProfileCollection-method),
253
- site<-, SoilProfileCollection-method
(site, SoilProfileCollection-method),
253
- siteNames (siteNames<-), 254
- siteNames, SoilProfileCollection-method
(siteNames<-), 254
- siteNames<-, 254
- siteNames<-, SoilProfileCollection-method
(siteNames<-), 254
- slab, 188, 254, 265
- slab(), 18, 97, 98, 100, 101
- slab, SoilProfileCollection-method
(slab), 254
- slab_function (slab), 254
- slice, 172, 188, 257
- slice (slice-methods), 263
- slice, SoilProfileCollection-method
(slice-methods), 263
- slice-methods, 263
- slice.fast (slice-methods), 263
- slicedHSD, 266
- soil, 276
- soil.minerals, 276
- soilColorSignature, 267
- soilPalette, 269
- soilProfileCollection, 210, 257, 270
- SoilProfileCollection-class
(SoilProfileCollection), 270
- soiltexture, 273
- soilTextureColorPal, 274
- SoilTextureLevels, 275, 309
- SoilTextureLevels(), 167
- sp1, 7, 188, 278
- sp2, 7, 215, 280
- sp3, 7, 282
- sp4, 7, 285
- sp5, 7, 288
- sp6, 7, 290
- SPC.with.overlap, 291
- spc2mpspline
(spc2mpspline, SoilProfileCollection-method),
292

spc2mpspline, SoilProfileCollection-method, [292](#)
 spc_in_sync, [293](#)
 spec2Munsell, [173](#), [294](#)
 spec2Munsell(), [173](#)
 spectral.reference, [295](#)
 split, SoilProfileCollection-method, [297](#)
 splitLogicErrors, [298](#)
 ssc_to_texcl (texcl_to_ssc), [306](#)
 stats::cmdscale(), [80](#), [216](#)
 subApply, [299](#)
 subApply, SoilProfileCollection-method (subApply), [299](#)
 subset (subset, SoilProfileCollection-method), [300](#)
 subset, SoilProfileCollection-method, [300](#)
 subsetHz (subsetHz, SoilProfileCollection-method), [301](#)
 subsetHz, SoilProfileCollection-method, [301](#)
 subsetProfiles, [302](#)
 subsetProfiles, SoilProfileCollection-method (subsetProfiles), [302](#)
 summarize (summarizeSPC), [303](#)
 summarizeSPC, [303](#)
 summarizeSPC, SoilProfileCollection-method, (summarizeSPC), [303](#)
 summaryTauW (tauW), [303](#)

 tauW, [303](#)
 texcl_to_ssc, [306](#)
 texmod_to_fragvoltot (texcl_to_ssc), [306](#)
 texture_to_taxpartsize, [159](#)
 texture_to_taxpartsize (texcl_to_ssc), [306](#)
 texture_to_taxpartsize(), [159](#), [167](#)
 texture_to_texmod (texcl_to_ssc), [306](#)
 textureTriangleSummary, [311](#)
 thicknessOf, [313](#)
 thompson.bell.darkness, [315](#)
 traditionalColorNames, [316](#)
 transform, SoilProfileCollection-method, [316](#)
 trunc, [112](#), [115](#)
 trunc, SoilProfileCollection-method (glom, SoilProfileCollection-method), [111](#)
 unique (unique, SoilProfileCollection-method), [317](#)
 unique, SoilProfileCollection-method, [317](#)
 us.state.soils, [318](#)
 validSpatialData (validSpatialData, SoilProfileCollection-method), [318](#)
 validSpatialData, SoilProfileCollection-method, [318](#)
 warpHorizons, [319](#)
 wilson2022, [321](#)
 xtableTauW, [323](#)